

## Water Resources Department

3850 PORTLAND ROAD NE, SALEM, OREGON 97310

PHONE 378-8508

SEP 30 1986

Charles and Peggy Lind  
PO Box 1  
Dayville, OR 97825

Dear Mr. and Mrs. Lind:

REFERENCE: Files R-61913 and 61914

According to the terms of your Permits R-8441 and 46762 complete application of water was to have been made by October 1, 1985. Permit R-8441 is for the storage of 3.0 acre-feet from an unnamed creek. Permit 46762 is for the appropriation of 0.485 cubic foot per second of water from an unnamed creek and Lind Reservoir for the purpose of irrigation, supplemental irrigation and domestic use for one family.

Complete application of water means the application of water to a beneficial use under the permit to the full extent intended. In the case of irrigation, it means beneficial irrigation of all the lands the permittee intends to cover under the terms of the permit. If the water has been used, you should promptly submit notice describing the extent of completion as set forth in the letter accompanying your permit and also in our postal card of October 14, 1985.

ORS 537.260 provides that: "Whenever the time within which any appropriation under a permit should have been perfected has expired and the owner of the permit fails or refuses within three months thereafter to submit to the Water Resources Director proof of completion of the appropriation as required by ORS 537.230 and 537.250, the Water Resources Director may, after 60 days notice by registered mail, order the cancellation of the permit . ."

In accordance with the provisions of ORS 537.260, you are hereby notified that unless proof of beneficial use is received within 60 days from the date of this letter, the permit(s) may be canceled without further notice.

If, for any reason, you are no longer interested in the project described by the permit, we would appreciate it if you would so advise. If the property involved has changed hands and any part of the project has been completed, you should immediately assign the permit to the new owner and advise us of his name and address. An assignment form will be furnished upon request.

Sincerely,

BRUCE A. ESTES, Supervisor  
Survey/Certificate Section

BAE:wpc  
6720D

CERTIFIED - RETURN RECEIPT REQUESTED



# POINTS - OF - DIVERSION

| TWP  | RNG  | SEC | a/a | STREAM ID    | RIV M. | RATE                   | REMARKS  |
|------|------|-----|-----|--------------|--------|------------------------|--|
| 1205 | 280E | 29  | Ac  | 06-2160-1850 | 3.8    | .03<br><del>.05</del>  | 250' N $\frac{1}{2}$ 30' E; FM<br><del>E 1/4 C S 29</del>            |
|      |      |     | Ac  |              | 3.8    | .05<br><del>.06</del>  | 350' N $\frac{1}{2}$ 100' E; FM<br><del>E 1/4 C S 29</del>           |
|      |      |     | Ac  |              | 3.9    | .06<br><del>.175</del> | 360' N $\frac{1}{2}$ 360' E; FM<br><del>E 1/4 C S 29</del>           |
|      |      |     | Ac  |              | 3.9    | .175<br><del>.12</del> | 370' N $\frac{1}{2}$ 460' E all FM<br>E 1/4 COR S 29                 |
|      |      |     | Ad  |              | 3.7    | .12<br><del>.05</del>  | 610' N $\frac{1}{2}$ 230' E; FM<br><del>E 1/4 C S 29</del>           |
|      |      |     | Ad  |              | 3.7    | .05<br><del>.17</del>  | 630' N $\frac{1}{2}$ 100' W<br>230' E; FM<br><del>E 1/4 C S 29</del> |
|      |      |     | Ad  |              | 3.9    | .17<br><del>.17</del>  | 500' N $\frac{1}{2}$ 180' W all FM<br>E 1/4 COR S 29                 |

Maximum Qty is  
.85 cfs.


C

STATE OF OREGON 61914  
Office of the Water Resources Director  
Salem, Oregon 97310

According to the terms of Permit No. 46762, the water should have been completely applied to the proposed use on or before October 1, 1985. A blank (Form C) upon which to notify this office of the complete application of water to the proposed use is attached to your permit. If the water was so applied, or all you intend to develop, you should promptly fill out and file this notice. If all the water has not been applied and you intend to fully utilize the same, an application for extension of time should be made. If you have abandoned the development, notice to this effect with authority to cancel the permit would be greatly appreciated.

Form 890-10-93

WATER RESOURCES DEPT.  
3850 PORTLAND ROAD N.E.  
SALEM, OREGON 97310



*Box Closed,  
No Order*

~~Charles & Peggy Lind  
P. O. Box 1  
Dayville, OR 97825~~

August 3, 1982

Charles and Peggy Lind  
PO Box 1  
Dayville, OR 97825

R-61913 &  
61914

Dear Mr. and Mrs. Lind:

R-8441 & 46762



## *Water Resources Department*

MILL CREEK OFFICE PARK

555 13th STREET N.E., SALEM, OREGON 97310

PHONE 1-800-452-7813  
378-3066  
(message line)

June 29, 1982

Charles and Peggy Lind  
PO Box 1  
Dayville, OR 97825

Dear Mr. and Mrs. Lind:

REFERENCE: File Nos. R-61913 and 61914

Thank you for returning Application 61914 and the accompanying maps.

Your application was returned to you and was endorsed so that in order to retain its priority date, it was to have been received in this office on or before April 7, 1982. The new priority date of your application is June 17, 1982, the date it was received.


Your application is now in satisfactory form and will be considered for issuance of a permit with the next group to be processed.

Sincerely,

Chris L. Hughes  
Senior Water Rights Examiner

CLH/jw





## *Water Resources Department*

MILL CREEK OFFICE PARK

555 13th STREET N.E., SALEM, OREGON 97310

PHONE 378-3066

**RECEIVED**

JUN 17 1982

or  
1-800-452-7813  
(message line)

April 7, 1982

**WATER RESOURCES DEPT  
SALEM, OREGON**

Charles and Peggy Lind  
PO Box 1  
Dayville, OR 97825

REFERENCE: File Nos. R-61913,  
61914

Dear Mr. and Mrs. Lind:

Your Applications R-61913 and 61914 describing the proposed use of 3.0 acre feet and .485 cubic foot per second of water from 6 springs and Lind Reservoir for irrigation and supplemental irrigation of 19.1 acres and domestic use for one family; together with the maps, spring description sheets, attachment, and legal description, have been reviewed. I apologize for the delay in processing your applications.

Application 61914, as submitted, will not allow the appropriation of live flow from the unnamed creek to maintain your reservoir. Please include the unnamed creek as a source in Item 2 of Application 61914.

In Item 3 of Application 61914, please list the acreage to be irrigated supplemental from the reservoir. Also, please show the areas of primary and supplemental irrigation differently on the maps.

Application R-61913 is in satisfactory form and will be considered for issuance of a permit when Application 61914 and the maps are received in proper form.

I am returning Application 61914 and the maps for completion. The application is endorsed and in order to retain its date of priority, it must be received in this office on or before June 7, 1982.

Sincerely,

*Chris L. Hughes*

Chris L. Hughes  
Senior Water Rights Examiner

CLH/jw

Enclosure



*Water Resources Department*

MILL CREEK OFFICE PARK

555 13th STREET N.E., SALEM, OREGON 97310

PHONE 378-3066  
or  
1-800-452-7813  
(message line)

June 9, 1982

Charles and Peggy Lind  
PO Box 1  
Dayville, OR 97825

Dear Mr. and Mrs. Lind:

REFERENCE: File 61914

Your Application 61914 which was returned to you has not been received. It was endorsed so that in order to retain its priority date, it must have been received in this office on or before June 7, 1982.

Your application has lost its priority, but may be reinstated with a new priority date when it is again received.

Sincerely,

CHRIS L. HUGHES  
Senior Water Rights Examiner

CLH:wpc  
1127B

COPY



## *Water Resources Department*

### MILL CREEK OFFICE PARK

555 13th STREET N.E., SALEM, OREGON 97310

PHONE 378-3066

or  
1-800-452-7813  
(message line)

April 7, 1982

Charles and Peggy Lind  
PO Box 1  
Dayville, OR 97825

REFERENCE: File Nos. R-61913,  
61914

Dear Mr. and Mrs. Lind:

Your Applications R-61913 and 61914 describing the proposed use of 3.0 acre feet and .485 cubic foot per second of water from 6 springs and Lind Reservoir for irrigation and supplemental irrigation of 19.1 acres and domestic use for one family; together with the maps, spring description sheets, attachment, and legal description, have been reviewed. I apologize for the delay in processing your applications.

Application 61914, as submitted, will not allow the appropriation of live flow from the unnamed creek to maintain your reservoir. Please include the unnamed creek as a source in Item 2 of Application 61914.

In Item 3 of Application 61914, please list the acreage to be irrigated supplemental from the reservoir. Also, please show the areas of primary and supplemental irrigation differently on the maps.

Application R-61913 is in satisfactory form and will be considered for issuance of a permit when Application 61914 and the maps are received in proper form.

I am returning Application 61914 and the maps for completion. The application is endorsed and in order to retain its date of priority, it must be received in this office on or before June 7, 1982.

Sincerely,

Chris L. Hughes  
Senior Water Rights Examiner

CLH/jw

Enclosure

378-3066 or  
1-800-452-7813

July 29, 1981

Charles and Peggy Lind  
PO Box 1  
Dayville, OR 97825

Dear Mr. and Mrs. Lind:

REFERENCE: File R-61913 and 61914

We have received your applications for use of water for supplemental irrigation and domestic purposes along with the supporting data and fees. Our Receipts 25870 and 25871 are enclosed. Your applications have been filed and assigned numbers R-61913 and 61914

Because of the many applications which have been filed in recent months, we are temporarily behind in our processing. Your applications will be examined in detail as soon as possible. We will contact you if we need any additional information. If permits are required to satisfy the conditions of a loan or land sale or if other emergency conditions exist, please let us know and we will attempt to process your applications in the shortest possible time.

The permits approving your applications will be issued without further correspondence if no additional information is required. The proposed appropriation will be subject to existing minimum flows and demands of prior rights during periods of low water.

Thank you for your patience.

Sincerely,

RALPH H. JACKSON  
Supervisor, Application/Permit Section  
Water Rights Division

RHJ:wpc  
enclosure  
0427A  
6115A

RECEIVED

JUL 17 1981

WATER RESOURCES DEPT  
SALEM, OREGON

Application No. 61914

DESCRIPTION OF SPRING NO. 1

- 1. Is spring on property of applicant? yes
- 2. If not, give name and address of legal owner. N/A
- 3. Have you secured consent of owner to appropriate water from this spring and for construction of pipeline or other works? N/A
- 4. If you do not have such consent, do you expect to secure right of way through condemnation? N/A
- 5. What is the maximum flow from spring? 3 gal per min  
(Gallons per minute or  
cubic feet per second)

What is the minimum flow? 2 gal per min

Is flow measured or estimated? estimated

- 6. Does the stream flowing from spring form a well defined natural channel? yes
- 7. Does the water flow off the lands on which it first arises? yes
- 8. Give the name of the stream or other body of water into which water from the spring flows. unnamed draw flowing into Wiley Creek
- 9. If the water from the spring sinks or evaporates before reaching other water, give distance water flows from spring before vanishing.  
N/A
- 10. Remarks \_\_\_\_\_

x Charles L. Lind  
Signature of Applicant

x Peggy R. Lind

JUL 17 1981

WATER RESOURCES DEPT  
SALEM, OREGON

Application No. 61914

DESCRIPTION OF SPRING NO. 2

1. Is spring on property of applicant? yes

2. If not, give name and address of legal owner. N/A

3. Have you secured consent of owner to appropriate water from this spring and for construction of pipeline or other works? N/A

4. If you do not have such consent, do you expect to secure right of way through condemnation? N/A

5. What is the maximum flow from spring? 6 gal per min  
(Gallons per minute or cubic feet per second)

What is the minimum flow? 3 gal per min

Is flow measured or estimated? Estimated

6. Does the stream flowing from spring form a well defined natural channel? yes

7. Does the water flow off the lands on which it first arises? yes

8. Give the name of the stream or other body of water into which water from the spring flows. unnamed draw flowing into Wiley Creek

9. If the water from the spring sinks or evaporates before reaching other water, give distance water flows from spring before vanishing. N/A

10. Remarks \_\_\_\_\_

Charles F. Lind  
Signature of Applicant

Peggy R. Lind

RECEIVED

JUL 17 1981

WATER RESOURCES DEPT  
SALEM, OREGON

Application No. 61914

DESCRIPTION OF SPRING NO. 3

1. Is spring on property of applicant? yes

2. If not, give name and address of legal owner. n/a

3. Have you secured consent of owner to appropriate water from this spring and for construction of pipeline or other works? N/A

4. If you do not have such consent, do you expect to secure right of way through condemnation? n/a

5. What is the maximum flow from spring? 7 gal per min  
(Gallons per minute or cubic feet per second)

What is the minimum flow? 5 gal per min

Is flow measured or estimated? measured

6. Does the stream flowing from spring form a well defined natural channel? yes

7. Does the water flow off the lands on which it first arises? yes

8. Give the name of the stream or other body of water into which water from the spring flows. Wiley Creek

9. If the water from the spring sinks or evaporates before reaching other water, give distance water flows from spring before vanishing. n/a

10. Remarks \_\_\_\_\_

x Charles L. Lind  
Signature of Applicant

x Peggy R. Lind

RECEIVED

JUL 17 1981

WATER RESOURCES DEPT  
SALEM, OREGON

Application No. 61914

DESCRIPTION OF SPRING NO. 4

1. Is spring on property of applicant? yes

2. If not, give name and address of legal owner. N/A

3. Have you secured consent of owner to appropriate water from this spring and for construction of pipeline or other works? N/A

4. If you do not have such consent, do you expect to secure right of way through condemnation? N/A

5. What is the maximum flow from spring? 20 gal per min  
(Gallons per minute or cubic feet per second)

What is the minimum flow? 15.2 g per min

Is flow measured or estimated? measured

6. Does the stream flowing from spring form a well defined natural channel? yes

7. Does the water flow off the lands on which it first arises? yes

8. Give the name of the stream or other body of water into which water from the spring flows. Wiley Creek

9. If the water from the spring sinks or evaporates before reaching other water, give distance water flows from spring before vanishing. N/A

10. Remarks \_\_\_\_\_

Charles L. Lind  
Signature of Applicant

Peggy W. Lind



JUL 17 1981

WATER RESOURCES DEPT  
SALEM, OREGON

Application No. 61914

DESCRIPTION OF SPRING NO. 5

1. Is spring on property of applicant? yes
2. If not, give name and address of legal owner. n/a
3. Have you secured consent of owner to appropriate water from this spring and for construction of pipeline or other works? n/a
4. If you do not have such consent, do you expect to secure right of way through condemnation? n/a
5. What is the maximum flow from spring? 7 gpm  
(Gallons per minute or cubic feet per second)
- What is the minimum flow? 5 gpm
- Is flow measured or estimated? estimated
6. Does the stream flowing from spring form a well defined natural channel? yes
7. Does the water flow off the lands on which it first arises? yes
8. Give the name of the stream or other body of water into which water from the spring flows. unnamed creek
9. If the water from the spring sinks or evaporates before reaching other water, give distance water flows from spring before vanishing.  
Approx 1/2 mile
10. Remarks \_\_\_\_\_

Charles L. Lind  
Signature of Applicant

Peggy Q. Lind

RECEIVED

JUL 17 1981

WATER RESOURCES DEPT  
SALEM, OREGON

Application No. 61914

DESCRIPTION OF SPRING NO. 6

- 1. Is spring on property of applicant? yes
- 2. If not, give name and address of legal owner. n/a
- 3. Have you secured consent of owner to appropriate water from this spring and for construction of pipeline or other works? n/a
- 4. If you do not have such consent, do you expect to secure right of way through condemnation? n/a
- 5. What is the maximum flow from spring? 3 gpm  
(Gallons per minute or cubic feet per second)

What is the minimum flow? 5 gpm.

Is flow measured or estimated? estimated

- 6. Does the stream flowing from spring form a well defined natural channel? yes
- 7. Does the water flow off the lands on which it first arises? yes
- 8. Give the name of the stream or other body of water into which water from the spring flows. unnamed Creek
- 9. If the water from the spring sinks or evaporates before reaching other water, give distance water flows from spring before vanishing.  
approx 1/2 mile

10. Remarks water from spring # 5 and Spring # 6 flow together into unnamed Creek; joining point within my property lines

Charles L. Lind  
Signature of Applicant

Peggy R. Lind

Application No. 61914

Permit No. ....

STATE OF OREGON WATER RESOURCES DEPARTMENT

RECEIVED

JUL 17 1981

Application for Permit to Appropriate Surface Water

WATER RESOURCES DEPT.  
SALEM, OREGON

WE, Charles & Peggy Lind (Name of Applicant)

of P.O. Box 1 (Mailing Address), Dayville (City)

State of Oregon (Zip Code) 97825 Phone No. .... do hereby

make application for a permit to appropriate the following described waters of the State of Oregon:

1. The source of the proposed appropriation is .....

SEE ATTACHED, a tributary of .....

2. The point of diversion is to be located ..... ft. (N. or S.) and ..... ft. (E. or W.)

from the ..... corner of ..... (Public Land Survey Corner)

SEE ATTACHED (If there is more than one point of diversion, each must be described)

being within the ..... 1/4 of the ..... 1/4 of

Sec. .... Tp. .... R. ...., W. M., in the county of .....

3. Location of area to be irrigated, or place of use if other than irrigation.

| Township | Range | Section | List 1/4 1/4 of Section | List use and/or number of acres to be irrigated |
|----------|-------|---------|-------------------------|---|
| 12 S     | 28 E  | 29      | SW 1/4 NE 1/4           | 12.5 pri spr 1-4                                |
|          |       |         | SE 1/4 NE 1/4           | 6.6 pri spr 5-6, unncrk, supp res               |
|          |       |         |                         | 19.9 ac total                                   |
| 12 S     | 28 E  | 29      | SW 1/4 NE 1/4           | Domestic  |
|          |       |         |                         |   |
|          |       |         |                         |   |
|          |       |         |                         |   |
|          |       |         |                         |   |
|          |       |         |                         |   |
|          |       |         |                         |   |

4. The amount of water which the applicant intends to apply to beneficial use is .....

...SEE ATTACHED.....

(If water is to be used from more than one source, give quantity from each)

5. The use to which the water is to be applied is .....

...SEE ATTACHED.....

6.

DESCRIPTION OF WORKS

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

POD 1 & 2 will be joined by 2" pipe at pond collection point between the two and fed to (gravity) impeller pump with 5 HP gas driven 1" distribution irrigation system.

POD 3 & 4 collected in 100,000 gal pond ~~and~~ by gravity flow surface channel. Pumped from there thru 5" supply (suction) to 4 cycle air cooled gas Johnson engine impeller pump thru two (2) 2 inch pipes; 1st to 300,000 gal collection pond (north) 2nd as hydrant for fire control/irrigation.

POD 5 & 6 gravity fed 100,000 gal pond. excess diverted into ~~run~~ natural runoff/reservoir (POD 7). water to be pumped from pond & Reservoir by 2" supply pipe feeding 10 in impeller pump driven by 10 HP Weller 4 cycle air cooled gas engine to 1.5 in ~~supply~~ distribution system pipe feeding Sprinkle type irrigation.

POD 7 is supplemental irrigation water and will be utilized with same supply & distribution system as POD 5 & 6.

If for domestic use state number of families to be supplied ..... NONE .....

7. Construction work will begin on or before Oct. 1, 1982 .....

8. Construction work will be completed on or before Oct. 1, 1983 .....

9. The water will be completely applied to the proposed use on or before Oct. 1, 1984 .....

Application No. 61914 .....

Permit No. ....

Remarks:.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....

This permit, when issued, is for the beneficial use of water. By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan. It is possible that the land use you propose may not be allowed if it is not in keeping with the goals and the acknowledged plan. Your city or county planning agency can advise you about the land-use plan in your area.

x Charles S. Lind  
Signature of Applicant  
x Peggy R. Lind

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for.....completion.....

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before .....April 7,....., 19.82.....

WITNESS my hand this .....7..... day of.....April....., 19.82.....

.....James E. Sexson..... Water Resources Director

By .....Chris L. Hughes.....

Chris L. Hughes  
Senior Water Rights Examiner

RECEIVED

JUN 17 1982

WATER RESOURCES DEPT  
SALEM, OREGON

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the  
.....17<sup>th</sup>..... day of .....July....., 19.81....., at 8:30 o'clock  
.....a.m.....

Application No. ....61914.....

Permit No. ....

Application No. 61914

Permit No. ....

### Permit to Appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.485 cubic feet per second measured at the point of diversion from the

stream, or its equivalent in case of rotation with other water users, from six springs, on un-  
creek, and Lind Reservoir to be const. under App. R-61913,

Per R-\_\_\_\_\_; being .03 cfs from spr. 1, .05 cfs from spr. 2, .06 cfs fr.  
spr. 3, .175 cfs fr. spr. 4, .12 cfs fr. spr. 5, .05 cfs from spr. 6, and .17 cfs supplm.

The use to which this water is to be applied is from un-creek

irr. supplm. dom. ①; being .48 cfs from six springs for irr., .17 cfs  
from un-creek and Lind Res. for supplm. irr., and .005 cfs from spr. 4 for domestic ①

If for irrigation, this appropriation shall be limited to 1/40 of one cubic foot per second or its equivalent for each acre irrigated 9 from direct flow and res to be const.

under permit R-\_\_\_\_\_

Supp. Clause

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is June 17, 1982

Actual construction work shall begin on or before ..... and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.....

Complete application of the water to the proposed use shall be made on or before October 1, 19.....

WITNESS my hand this ..... day of....., 19.....

RW A

# Abstract of Permit

This is to certify that I have examined APPLICATION 61914 and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE APPROPRIATE MINIMUM FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

This permit is issued to Charles and Peggy Lind of PO Box 1, Dayville, Oregon 97825, for the use of the waters of six springs, an unnamed creek and Lind Reservoir to be constructed under Application R-61913, Permit R-8441, being 0.03 cubic foot of water per second from Spring 1, 0.05 cfs from Spring 2, 0.06 cfs from Spring 3, 0.175 cfs from Spring 4, 0.12 cfs from Spring 5, 0.05 cfs from Spring 6 and 0.17 cfs from the unnamed creek, for the PURPOSE of irrigation, supplemental irrigation and domestic use for one family, being 0.48 cfs from six springs for irrigation, 0.17 cfs from the unnamed creek and Lind Reservoir for supplemental irrigation and 0.005 cfs from Spring 4 for domestic use for one family; that the PRIORITY OF THE RIGHT dates from June 17, 1982, and is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.485 cubic foot per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users.

The POINTS OF DIVERSION are to be LOCATED: Diversion 1(Spring 1) - 250 feet North and 30 feet East from the Center Quarter Corner of Section 29; Diversion 2(Spring 2) - 350 feet North and 100 feet East from the Center Quarter Corner of Section 29; Diversion 3(Spring 3) - 360 feet North and 360 feet East from the Center Quarter Corner of Section 29; Diversion 4(Spring 4) - 370 feet North and 460 feet East from the Center Quarter Corner of Section 29, all being within the SW 1/4 NE 1/4 of Section 29, Township 12 South, Range 28 East, WM; Diversion 5(Spring 5) - 610 feet North and 230 feet West from the E 1/4 Corner of Section 29; Diversion 6(Spring 6) - 630 feet North and 100 feet West from the E 1/4 Corner of Section 29; Diversion 7(Unnamed Creek and Reservoir) - 500 feet North and 180 feet West from the E 1/4 Corner of Section 29, all being within the SE 1/4 NE 1/4 of section 29, Township 12 South, Range 28 East, WM, in the County of Grant.

A description of the PLACE OF USE under the permit, and to which such right is appurtenant, is as follows:

|                   |                   |            |        |        |                             |
|-------------------|-------------------|------------|--------|--------|-----------------------------|
| Township 12 South | Range 28 East, WM | Section 29 | SW 1/4 | NE 1/4 | 12.5 acres                  |
|                   |                   |            | SE 1/4 | NE 1/4 | 6.6 acres                   |
|                   |                   |            | SW 1/4 | NE 1/4 | Domestic use for one family |

The AMOUNT OF WATER used for irrigation, together with the amount secured under any other right existing for the same lands, shall be limited to 1/40 of one cubic foot per second per acre, from direct flow and shall be further limited to a diversion of not to exceed 4.0 acre-feet per acre for each acre irrigated during the irrigation season of each year from direct flow and storage from reservoir to be constructed under Permit R-8441, provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein, and shall conform to such reasonable rotation system as may be ordered by the proper state officer.

Actual construction work shall begin on or before July 19, 1983 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1984.

Complete application of the water to the proposed use shall be made on or before October 1, 1985.

WITNESS my hand this 19th day of July, 1982.

\_\_\_\_\_  
WATER RESOURCES DIRECTOR

APPLICATION 61914

PERMIT 46762

50804



ATTACHMENT TO APPLICATION OF CHARLES & PEGGY LIND

ITEM#1

unnamed springs no. 1 & 2 trib to unnamed draw trib to Wiley Creek  
unnamed springs no. 3 & 4 trib to Wiley Creek  
unnamed springs no. 5 & 6 trib to unnamed creek and unnamed creek trib to Wiley creek

Lind reservoir, to be maintained by unnamed creek  
Wiley creek is a tributary of John Day River

ITEM#2

Spring(POD)#1 is to be located 250'N & 30'E from the center ¼ corner of Sec.29

Spring(POD)#2 is to be located 350'N & 100'E from the center ¼ corner of Sec.29

Spring(POD)#3 is to be located 360'N & 360"E from the center ¼ corner of Sec.29

Spring(POD)#4 is to be located 370'N & 460'E from the center ¼ corner of Sec.29

POD#1,2,3,&4 all being within the SW¼ of the NE¼ of Sec.29

Spring(POD)#5 is to be located 610'N & 230'W from the East ¼ corner of Sec.29

Spring(POD)#6 is to be located 630'N & 100'W from the East ¼ corner of Sec.29

POD#7 is to be located 500'N & 180'W from the East ¼ corner of Sec.29

POD#5,6&7 all being within the SE¼ of the NE¼ of Sec.29

ALL POD's are T.12 S., R.28 E., W.M., Grant County

ITEM#4

total 0.485 cfs

POD#1 0.03 cfs irr

POD#2 0.05 cfs irr

POD#3 0.06 cfs irr

POD#4 0.175cfs being 0.17 cfs irr & 0.005 cfs dom

POD#5 0.12 cfs irr

POD#6 0.05 cfs irr

POD#7 0.17 cfs supp irr

ITEM#5

Irrigation POD's 1 through 6 0.48 cfs

Supplemental Irrigation POD#7 0.17 cfs

Domestic POD#4 0.005 cfs

**RECEIVED**

JUL 17 1981

**WATER RESOURCES DEPT  
SALEM, OREGON**

**Application No. R-61913  
Permit No. +61914**

**RECEIVED**

JUN 17 1982

**WATER RESOURCES DEPT  
SALEM, OREGON**

RECEIVED

JUL 17 1981


T.12S., R.28E., W.M.

WATER RESOURCES DEPT  
SALEM, OREGON

APPLICATION MAP FOR

CHARLES & PEGGY LIND

Application No. R-61913 + 61914  
Permit No. R 8441 46762



- POD#1 250'N & 30'E C $\frac{1}{2}$ cor Sec.29
- POD#2 350'N & 100'E C $\frac{1}{2}$ cor Sec.29
- POD#3 360'N & 360'E C $\frac{1}{2}$ cor Sec.29
- POD#4 370'N & 460'E C $\frac{1}{2}$ cor Sec.29
- POD#5 610'N & 230'W E $\frac{1}{2}$ cor Sec.29
- POD#6 630'N & 100'W E $\frac{1}{2}$ cor Sec.29
- POD#7 500'N & 180'W E $\frac{1}{2}$ cor Sec.29

APPROVED

*Charles L. Lind*

*Peggy R. Lind*

RECEIVED

JUN 17 1982

WATER RESOURCES DEPT  
SALEM, OREGON