

6676 (with changes) 16

# DIVISION 33 APPLICATION WORK SHEET FOR WATERMASTERS

Recommendations for Water Right Applications that may affect the Habitat of Sensitive, Threatened or Endangered Fish Species,  
OAR 690-33-310 through 340.

Date: 9/22/00 21 day Deadline Date: 10/20/00 Application # 294508 10A

Applicant's Name: Ron Vandecoevering

SOURCE OF WATER:  GROUNDWATER  SURFACE WATER  STORAGE

DESCRIPTION OF THE SOURCE: Field tile water - This is not what was applied for.  
(A spring, well, sump, exempt pond, unnamed stream, etc.)  
Field tile water is considered ground water. Needs to re tile.

1) If from surface water, does the water at the proposed diversion location flow into another water body?  
 YES  NO  SOMETIMES

If sometimes, describe the time period, Between: \_\_\_\_\_ and \_\_\_\_\_

2) Does the source ever go dry in the area of the proposed diversion?  
 YES  NO

3) To your knowledge, has the requested source of water been regulated because of insufficient flow to satisfy existing water rights, including instream water rights?  
 YES  NO

If YES, please explain: \_\_\_\_\_

4) Is there sufficient flow at the proposed point of diversion to satisfy all existing water rights and provide the quantity of water requested under this application?  
*In my opinion*  YES  NO

5) Did you meet with staff from another agency to discuss this application?  
 YES  NO

Who: \_\_\_\_\_ Agency: \_\_\_\_\_ Date: \_\_\_\_\_

6) Is mitigation an option?  
 YES  NO

If YES, please explain: \_\_\_\_\_

Comments: Also irrigation filing. ✓ on irrig. filing & call Ron. - Sa-84510  
3.16.2001 @ 1130 site visit - Ron Vandecoevering accompanied me.  
Source is field tile water. Vandecoevering said he has seen tile  
water flow off site. RA-74508 is filled by field tile. RA-74509 is  
filled by pumping from RA-84508.

Name: Bill Jones Date: 3.16.2001 Title: WM #16