



Oregon Water Resources Department
 725 Summer Street NE, Suite A
 Salem Oregon 97301-1271
 (503) 986-0900
 www.wrd.state.or.us

Application for a Permit to Use Ground Water

Please type or print in dark ink. If your application is found to be incomplete or inaccurate, we will return it to you. If any requested information does not apply to your application, insert "n/a." Please read and refer to the instructions when completing your application. A summary of review criteria and procedures that are generally applicable to these applications is available at www.wrd.state.or.us/OWRD/PUBS/forms.shtml.

1. APPLICANT INFORMATION

A. Individuals

Applicant: Phillip and Lorissa Singhose
First Last

Mailing address: P.O. Box 55
Riley OR 97758
City State Zip

Phone: 541-493-1920 541-480-8183
Home Work Cell Other

*Fax: _____ *E-Mail address: _____

B. Organizations

(Corporations, associations, firms, partnerships, joint stock companies, cooperatives, public and municipal corporations)

Name of organization: N/A

Name and title of person applying: _____

Mailing address of organization: _____

City State Zip

Phone: _____
Day Evening

*Fax: _____ *E-Mail address: _____

* Optional information

For Department Use		
App. No. _____	Permit No. _____	Date _____

RECEIVED
 JUL 21 2008
 WATER RESOURCES DEPT.
 SALEM OREGON

2. PROPERTY OWNERSHIP

Do you own all the land where you propose to divert, transport, and use water?

Yes (Skip to section 3 "Ground water Development.")

No (Please check the appropriate box below.)

I have a recorded easement or written authorization permitting access.

I do not currently have written authorization or easement permitting access.

Written authorization or an easement is not necessary, because the only affected lands I do not own are state-owned submersible lands, and this application is for irrigated and/or domestic use only (ORS 274.040).

You must provide the legal description of: (1) the property from which the water is to be diverted, (2) any property crossed by the proposed ditch, canal or other work, and (3) any property on which the water is to be used as depicted on the map.

List the names and mailing addresses of all affected landowners.

3. GROUND WATER DEVELOPMENT

A. Well Information

Number of well(s): 4

Name of nearest surface water body: Moon Reservoir

Distance from well(s) to nearest stream or lake: 1) 2 miles

2) _____ 3) _____ 4) _____

If distance from surface water is less than one mile, indicate elevation difference between nearest surface water and well head. 1) _____

2) _____ 3) _____ 4) _____

B. Well Characteristics

Wells must be constructed according to standards set by the Department for the construction and maintenance of water wells. If the well is already constructed, please enclose a copy of the well constructor's log and the well ID number, if available, for each well with this application. Identify each well with a number corresponding to the wells designated on the map and proceed to section 4 of the form. If the well has not been constructed, or if you do not have a well log, please complete the following:

Well(s) will be constructed by: Wells #14 & #15 by Tim Riley

Address: Hines OR 97738

Completion date: Fall 2008

RECEIVED
JUL 21 2008
WATER RESOURCES DEPT.
SALEM, OREGON

Please provide a description of your well development. (Attach additional sheets if needed.)

Well No.	Diameter	Type and size of casing	No. of feet of casing	Intervals casing is perforated (in feet)	Seal depth	Est. depth to water	Est. depth to water bearing stratum	Type of access port or measuring device	Total well depth
old 3	16"	16" steel			3	39	50	1 1/2" Pipe	Harn 755 400'
old 13	16"	14" steel liner	253'	1/8" x 3" 102-243	20'	30	25	1 1/2" pipe	Harn 764 300'
New 15	14"	14" steel	100±		20'	24'	150'	1 1/2" Pipe	170'
New 16	14"	14" steel	100±		30'	20'	20'	1 1/2" Pipe	400'

Note: Well numbers in this listing must correspond to well locations(s) shown on accompanying map.

If well log is not available, or well is not yet constructed, you must provide: proposed total depth, depth of casing and seal, and the anticipated perforation and open intervals.

C. Artesian Flows

If your water well is flowing artesian, describe your water control and conservation works:

N/A

4. WATER USE

Please read the instruction booklet for more details on "type of use" definitions, how to express how much water you need and how to identify the water source you propose to use. You must fill out a supplemental form for some uses as they require specific information for that type of use.

A. Type(s) of Use(s)

See list of beneficial uses provided in the instructions.

- If your proposed use is **domestic**, indicate the number of households to be supplied with water: _____
- If your proposed use is **irrigation**, please attach **Form I**
- If your proposed use is **mining**, attach **Form R**
- If your proposed use is **municipal or quasi-municipal**, attach **Form M**
- If your proposed use is **commercial/industrial**, attach **Form Q**

RECEIVED
JUL 21 2008
WATER RESOURCES DEPT.
SALEM, OREGON

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

WATER WELL REPORT

STATE OF OREGON

(Please type or print) (Do not write above this line)

State Well No. 24/27-11

State Permit No. G-4509 G6730

(1) OWNER:

Name SILVER CREEK RANCH Address RILEY OREGON

(2) TYPE OF WORK (check):

New Well [x] Deepening [] Reconditioning [] Abandon []

(3) TYPE OF WELL:

Rotary [] Driven [x] Cable [x] Jetted [] Bug [] Bored []

(4) PROPOSED USE (check):

Domestic [] Industrial [] Municipal [] Irrigation [x] Test Well [] Other []

CASING INSTALLED:

16" Diam. from +1 ft. to 32 ft. Gage 1/4"

PERFORATIONS:

Perforated? [] Yes [x] No. Type of perforator used Size of perforations in. by in.

(7) SCREENS:

Well screen installed? [] Yes [x] No Manufacturer's Name Type Model No. Diam. Slot size Set from ft. to ft.

(8) WATER LEVEL: Completed well.

Static level 39' ft. below land surface Date 4-6-68 Artesian pressure lbs. per square inch Date

(9) WELL TESTS:

Drawdown is amount water level is lowered below static level Was a pump test made? [x] Yes [] No If yes, by whom? LAHARRA

Bailer test

Artesian flow

Temperature of water 58° Was a chemical analysis made? [] Yes [x] No

(10) CONSTRUCTION:

Well seal-Material used BENTONITE Depth of seal 20 Diameter of well bore to bottom of seal 30 in. Were any loose strata cemented off? [] Yes [x] No Was a drive shoe used? [x] Yes [] No Did any strata contain unusable water? [] Yes [x] No Type of water? depth of strata SALEM, OREGON Method of sealing strata off Was well gravel packed? [] Yes [x] No Size of gravel: Gravel placed from ft. to ft.

(11) LOCATION OF WELL:

County HARNEY Driller's well number #6 NE 1/4 NE 1/4 Section 11 T. 24 R. 27 E W.M. Bearing and distance from section or subdivision corner

39 50' EAST 1/2 mile NORTH of SECTION CORNER 10 11

(12) WELL LOG:

Diameter of well below casing 16" Depth drilled 400 ft. Depth of completed well 400 ft. Formation: Describe color, texture, grain size and structure of materials and show thickness and nature of each stratum and aquifer penetrated with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates

Table with columns: MATERIAL, From, To, SWL. Rows include: Soil Heavy, CLAY SAND GRAVEL, CLAY BROWN, CLAY BLUE, CLAY BROWN SANDY, SANDSTONE, CLAY GREEN, SANDY PEAGRAVEL, CLAY BROWN, CLAY BLUE, SANDY GRAVEL, CLAY BROWN, SAND COARSE, WATER DROPPED, CLAY YELLOW, CLAY BLUE GREEN BROWN, SAND BROWN, CLAY BROWN, SAND PEAGRAVEL BROWN, SANDSTONE BROWN.

Work started 3-31-68 Completed 4-6 1968

Date well drilling machine moved off of well 4-6 1968

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] Lee S. Miller Date 4/29, 1968 (Drilling Machine Operator)

Drilling Machine Operator's License No. 101

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME Halloway Drilling Co (Person, firm or corporation) (Type or print)

Address CNTARIO OREGON

[Signed] Max Halloway (Water Well Contractor)

Contractor's License No. 16 Date 4-29, 1968

RECEIVED

JAN 0 8 1999

WATER RESOURCES DEPT. SALEM, OREGON

Permit No.

NOTICE TO WATER WELL CONTRACTOR: The original and first copy of this report are to be filed with the STATE ENGINEER, SALEM, OREGON 97310 R 30 1268 (Please type or print) Do not write above this line

State Well No. 24/27-15 (43) dc
State Permit No. 761 Harney 6027

(1) OWNER:

Name SILVER CREEK RANCH
Address RILEY OREGON

(2) TYPE OF WORK (check):

New Well [x] Deepening [] Reconditioning [] Abandon []
If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary [] Driven []
Cable [x] Jetted []
Dug [] Bored []

(4) PROPOSED USE (check):

Domestic [] Industrial [] Municipal []
Irrigation [x] Test Well [] Other []

CASING INSTALLED:

16" Diam. from 1 ft. to 37 ft. Gage 1/4"
" Diam. from ft. to ft. Gage
" Diam. from ft. to ft. Gage

PERFORATIONS:

Perforated? [] Yes [x] No
Type of perforator used
Size of perforations in. by in.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.

(7) SCREENS:

Well screen installed? [] Yes [x] No
Manufacturer's Name
Type Model No.
Diam. Slot size Set from ft. to ft.
Diam. Slot size Set from ft. to ft.

(8) WATER LEVEL: Completed well.

Static level 10 ft. below land surface Date
Artesian pressure lbs. per square inch Date

(9) WELL TESTS:

Drawdown is amount water level is lowered below static level.
Was a pump test made? [x] Yes [] No If yes, by whom? LA HARRA PUMP CO
Yield: 2000 gal./min. with 140 ft. drawdown after 2 hrs.
Bailer test gal./min. with ft. drawdown after hrs.
Artesian flow g.p.m. Date
Temperature of water 58° Was a chemical analysis made? [] Yes [x] No

(10) CONSTRUCTION:

Well seal—Material used Bentonite
Depth of seal 20 ft.
Diameter of well bore to bottom of seal 20" in.
Were any loose strata cemented off? [] Yes [x] No Depth
Was a drive shoe used? [x] Yes [] No
Did any strata contain unusable water? [] Yes [x] No
Type of water? depth of strata
Method of sealing strata off
Was well gravel packed? [] Yes [x] No Size of gravel:
Gravel placed from ft. to ft.

(11) LOCATION OF WELL: JIMS # 3

County Harney Driller's well number 5
NE 1/4 NW 1/4 Section 15 T. 24 R. 37E W.M.
Bearing and distance from section or subdivision corner
33.50 EAST of SECTION CORNER
of 14' + 15'
of 33' + 33'

(12) WELL LOG:

Diameter of well below casing 16"
Depth drilled 400 ft. Depth of completed well 400 ft.
Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates.

MATERIAL	From	To	SWL
SOIL	0	3'	
CLAY	3'	9'	
GRAVEL	9'	10'	10'
CLAY Yellow	10'	20'	10'
SANDY GRAVEL	20'	33'	10'
ROCK BLACK HARD	33'	65'	10'
ROCK Red	65'	70'	10'
SAND SMALL GRAVEL	70'	75'	10'
CLAY BROWN	75'	130'	10'
SAND Stone	130'	134'	10'
CLAY Yellow	134'	153'	10'
CLAY Blue	153'	180'	10'
SAND ROCK BROWN	180'	253'	10'
CLAY STICKY	253'	297'	10'
SAND Grey	297'	302'	10'
CLAY GREEN BROWN	302'	341'	10'
SAND BROWN	341'	347'	10'
CLAY Green	347'	384'	10'
SAND Stone with GRAVEL	384'	400'	10'

Work started 3-18 1968 Completed 3-30 1968
Date well drilling machine moved off of well 4-2 1968

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.
[Signed] June Gillmore Date 4/29 1968
(Drilling Machine Operator)

Drilling Machine Operator's License No. 102

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
NAME Hohneway Drilling Co
(Person, firm or corporation) (Type or print)
Address ONTARIO OREGON
[Signed] May Holloway
(Water Well Contractor)

Contractor's License No. 16 Date 7-29 1968

NOTICE TO WATER WELL CONTRACTORS
The original and first copy of this report
are to be filed with the

RECEIVED WATER WELL REPORT

OCT 31 1978 STATE OF OREGON
SALEM, OREGON 97310
WATER RESOURCES DEPARTMENT
within 30 days from the date of well completion.
SALEM, OREGON not write above this line

HAAN 753
MC

State Well No. 211/27E-10
State Permit No. upper dam well L 21453

(1) OWNER: Jim Towery (Silver Creek Ranch)
Address: GEN DELIVERY RILEY OR 97757

(2) TYPE OF WORK (check):
New Well Deepening Reconditioning Abandon
If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:
Rotary Driven
Cable Jetted
Dug Bored
(4) PROPOSED USE (check):
Domestic Industrial Municipal
Irrigation Test Well Other

(5) CASING INSTALLED: Threaded Welded
1/8" Diam. from 0 ft. to 33 ft. Gage 250
" Diam. from ft. to ft. Gage
" Diam. from ft. to ft. Gage

(6) PERFORATIONS: Perforated? Yes No.
Type of perforator used
Size of perforations in. by in.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.

(7) SCREENS: Well screen installed? Yes No
Manufacturer's Name
Type Model No.
Diam. Slot size Set from ft. to ft.
Diam. Slot size Set from ft. to ft.

(8) WELL TESTS: Drawdown is amount water level is lowered below static level
Was a pump test made? Yes No. If yes, by whom?
Flow: gal./min. with ft. drawdown after hrs.
Bailer test 107 gal./min. with 10 ft. drawdown after 1 hrs.
Artesian flow g.p.m.
Temperature of water 51 ° Depth artesian flow encountered ft.

(9) CONSTRUCTION: Well seal--Material used cement
Well sealed from land surface to 68
Diameter of well bore to bottom of seal 22 in.
Diameter of well bore below seal 18 in.
Number of sacks of cement used in well seal 3
How was cement grout placed? Drip down
Application No. 915168
Permit No.
Was a drive shoe used? Yes No. Plugs Size location ft.
Did any strata contain unusable water? Yes No
Type of water? Surface depth of strata 8'
Method of sealing strata off Casing and grout
Was well gravel packed? Yes No. Size of gravel
Gravel placed from ft. to ft.

(10) LOCATION OF WELL:
County HARNEY Driller's well number
NE 1/4 NE 1/4 Section 10 T. 24S. R. 27E. W.M.
Bearing and distance from section or subdivision corner

(11) WATER LEVEL: Completed well.
Depth at which water was first found 85' ft.
Static level 20' 6" ft. below land surface. Date 4-11-78
Artesian pressure lbs. per square inch. Date

(12) WELL LOG: Diameter of well below casing 18"
Depth drilled 408 ft. Depth of completed well 408 ft.
Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
Green clay & gravel	0	35	
Green clay & gravel	35	85	
Decomposed rock	85	124	
Lava-hard	124	130	
Hard clay	130	134	
Hard gray rock	134	150	
Brown sandstone small gravel	150	235	
Green & blue sticky clay	235	280	
Green sticky clay	280	315	
Hard clay	315	335	
Sandstone	335	353	
Clay	353	363	
Sandstone	363	375	
Sandstone	375	395	
Clay	395	408	

Work started 12-10-1977 Completed 4-11-1978
Drilling machine moved off of well 4-11-1978

RECEIVED
MAY 15 2000
WATER RESOURCES DEPT.
SALEM, OREGON

Drilling Machine Operator's Certification:
This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.
Neil Melley Date 4-18-1978
Drilling Machine Operator
Drilling Machine Operator's License No. 967

Water Well Contractor's Certification:
This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
Name ORVILLE BUCKNER (Type or print)
Address 1181 NE NEGUS WAY, KEARNEY, ORE 97151
[Signed] Orville Buckner (Water Well Contractor)
Contractor's License No. 108 Date 4-26-1978

WATER WELL REPORT
STATE OF OREGON

WATER RESOURCES DEPT
SALEM, OREGON

State Well No. 24S/28E-13
State Permit No. Correct 18

JUL 8 1982

L-21469

Pilot well deep & re-early



(1) OWNER:

Name South Silver Creek Ranch
Address c/o Jim Towery, 13023 N. Santiam St.
City Aumsville State Oreg. 97325

(2) TYPE OF WORK (check): Clean Out

New Well Deepening Reconditioning Abandon

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary Air Driven Domestic Industrial Municipal
Rotary Mud Dug Irrigation Test Well Other
Cable Bored Thermal: Withdrawal ReInjection

(4) PROPOSED USE (check):

(5) CASING INSTALLED:

Steel Plastic
Threaded Welded
" Diam. from ft. to ft. Gauge

LINER INSTALLED:

14" Diam. from +1 1/2 ft. to 25 1/2 ft. Gauge .250

(6) PERFORATIONS:

Perforated? Yes No
Type of perforator used Factory
Size of perforations 1/8 in. by 3 in.
5600 perforations from -102 ft. to -243 1/2 ft.

(7) SCREENS:

Well screen installed? Yes No
Manufacturer's Name
Type Model No.
Diam. Slot Size Set from ft. to ft.
Diam. Slot Size Set from ft. to ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level
Was a pump test made? Yes No If yes, by whom? Owner
Yield: 900 gal./min. with 96 ft. drawdown after 2 hrs.
Air test gal./min. with drill stem at ft. hrs.
Trailer test gal./min. with ft. drawdown after hrs.
Artesian flow g.p.m.
Temperature of water Depth artesian flow encountered ft.

(9) CONSTRUCTION:

Special standards: Yes No
Well seal—Material used Not Disturbed
Well sealed from land surface to ft.
Diameter of well bore to bottom of seal in.
Diameter of well bore below seal in.
Number of sacks of cement used in well seal sacks
How was cement grout placed?

Owner replaced pump

Was pump installed? Type turbine 75 Depth 140 ft.
Was a drive shoe used? Yes No Plugs Size: location ft.
Did any strata contain unusable water? Yes No
Type of Water? depth of strata
Method of sealing strata off
Was well gravel packed? Yes No Size of gravel:
Gravel placed from ft. to ft.

(10) LOCATION OF WELL:

County Harney Driller's well number
SW 1/4 SW 1/4 Section 13/18 T. 24S R. 28E W.M.
Tax Lot # Lot Blk Subdivision

Address at well location: Riley, Oregon

(11) WATER LEVEL: Completed well.

Depth at which water was first found ft.
Static level 30' 2" ft. below land surface. Date 6-26-82
Artesian pressure lbs. per square inch. Date

(12) WELL LOG:

Diameter of well below casing 16"
Depth drilled 300 ft. Depth of completed well 253 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
Clean Out	173	245	30' 2"
Green Clay	245	250	
Lt. Tan Clay & Browns	250	280	
Green-Black Clay	280	290	
Brown Clay	290	300	

RECEIVED
Application No G15168
Permit No. MAY 15 2000
WATER RESOURCES DEPT.
SALEM, OREGON

Work started 6-10-82 19 Completed 6-26 19 82
Date well drilling machine moved off of well 6-29 19 82

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.
[Signed] Quail Buckner Date 6-30, 19 82
(Drilling Machine Operator)
Drilling Machine Operator's License No. 967

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
Name Orvail Buckner Well Drilling, Inc.
(Person, firm or corporation) (Type or print)
Address 1686 N.E. Negus Way, Redmond, Oregon 97756
[Signed] Orvail Buckner
(Water Well Contractor)
Contractor's License No. 608 Date 6-30, 19 82

Application No. G15168

Permit No. WATER WELL REPORT

STATE OF OREGON

RECEIVED RECEIVED

MAY 5 1981

APR 21 1981

State Well No. 24S/28E-1218

State Permit No. Pivot well

WATER RESOURCES DEPT WATER RESOURCES DEPT SALEM, OREGON SALEM, OREGON

Handwritten: 265

Handwritten: Possible original

Handwritten: log; NAKN 705

(1) OWNER:

Name South Silver Creek Ranch, Riley, Oregon
Address c/o Jim Towery, 13023 N. Santiam St.
City Aumsville State Ore. 97325

(2) TYPE OF WORK (check):

New Well [x] Deepening [] Reconditioning [] Abandon []
If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary Air [] Driven [] Domestic [] Industrial [] Municipal []
Mud [] Dug [] Irrigation [x] Test Well [] Other []
Bored [] Thermal: [] Withdrawal [] Reinjection []

(4) PROPOSED USE (check):

(5) CASING INSTALLED: Steel [x] Plastic []
Threaded [] Welded [x]
16" Diam. from +1 1/2 ft. to 105' 5" ft. Gauge 250

LINER INSTALLED:

(6) PERFORATIONS:

Perforated? [] Yes [x] No
Type of perforator used
Size of perforations in. by in.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.

(7) SCREENS:

Well screen installed? [] Yes [x] No
Manufacturer's Name
Type Model No.
Diam. Slot Size Set from ft. to ft.
Diam. Slot Size Set from ft. to ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level
a pump test made? [x] Yes [] No If yes, by whom?
Yield: gal/min. with ft. drawdown after hrs.
Air test gal/min. with drill stem at ft. hrs.
Bailer test 20 gal/min. with 2 ft. drawdown after 1 hrs.
Temperature of water 54* Depth artesian flow encountered ft.

(9) CONSTRUCTION:

Special standards: Yes [] No [x]
Well seal—Material used Cement
Well sealed from land surface to 20 ft.
Diameter of well bore to bottom of seal 22 in.
Diameter of well bore below seal 18 in.
Number of sacks of cement used in well seal 63 sacks
How was cement grout placed? Pumped
Was pump installed? [] Yes [x] No Type HP Depth ft.
Was a drive shoe used? [] Yes [x] No Plugs Size: location ft.
Did any strata contain unusable water? [] Yes [x] No
Type of Water? depth of strata
Method of sealing strata off
Was well gravel packed? [] Yes [x] No Size of gravel:
Gravel placed from ft. to ft.

(10) LOCATION OF WELL:

County Harney Driller's well number
1/4 Section 13 T. 24S R. 28E W.M.
Tax Lot # Lot Blk Subdivision
Address at well location:

(11) WATER LEVEL: Completed well.

Depth at which water was first found 15 ft.
Static level 11' 6" ft. below land surface. Date 4-17-81
Artesian pressure lbs. per square inch. Date

(12) WELL LOG:

Diameter of well below casing
Depth drilled 245 ft. Depth of completed well 245 ft.
Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

Table with columns: MATERIAL, From, To, SWL. Rows include Dark Brown Clay, Lt. Brown Clay, Gravel Conglomerate, Sandy Clay w/some gravel, Rock (Lava), Rock, Broken w/clay & gravel, Rock, Hard, Brn Claystone & Sandstone, Rock, Hard, Brown Sandstone, Brown Sandstone/soft, Brown Sandstone, Green Clay.

Work started 3-28 19 81 Completed 4-17 19 81
Date well drilling machine moved off of well 4-17 19 81

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.
(Signed) [Signature] Date 4-18, 19. 81
Drilling Machine Operator's License No. 967

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
Name Orvail Buckner Well Drilling, Inc.
Address 1699 N.E. Negus Way, Redmond, Ore. 97756
(Signed) [Signature]
Contractor's License No. 608 Date 4-18, 19. 81

NOTICE TO WATER WELL CONTRACTOR
The original and first copy of this report are to be filed with the

WATER RESOURCES DEPARTMENT, SALEM, OREGON 97310
within 30 days from the date of well completion.

SP*12858-890

RECEIVED

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

NOV 18 1974

WATER WELL REPORT

STATE OF OREGON

STATE ENGINEER, SALEM, OREGON

(Please type or print) (Do not write above this line)

Sanders

State Well No. 24/27-13 F

State Permit No.

STATE ENGINEER SALEM, OREGON

ERROR MNWSEY

(1) OWNER:

Name SILVER CREEK RANCH Address RILEY OREGON

(2) TYPE OF WORK (check):

New Well [X] Deepening [] Reconditioning [] Abandon []

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary [] Driven [] Cable [] Jetted [] Dug [] Bored []

(4) PROPOSED USE (check):

Domestic [] Industrial [] Municipal [] Irrigation [X] Test Well [] Other []

(5) CASING INSTALLED:

16" Diam. from 0 ft. to 26 ft. Gage 1/4

PERFORATIONS:

Type of perforator used TORCH Size of perforations 3/8" in. by 6" in. 72 perforations from 20 ft. to 26 ft.

(7) SCREENS:

Well screen installed? [] Yes [X] No Manufacturer's Name Type Model No. Diam. Slot size Set from ft. to

(8) WATER LEVEL: Completed well.

Static level 2.5 ft. below land surface Date 2-28-68 Artesian pressure lbs. per square inch Date

(9) WELL TESTS:

Drawdown is amount water level is lowered below static level Was a pump test made? [X] Yes [] No If yes, by whom? DRILLER Yield: 1500 gal./min. with 120 ft. drawdown after 95 1/2 hrs.

(10) CONSTRUCTION:

Well seal—Material used Bentonite Depth of seal 20 ft. Diameter of well bore to bottom of seal 20 in. Were any loose strata cemented off? [] Yes [X] No Depth Was a drive shoe used? [X] Yes [] No Did any strata contain unusable water? [] Yes [X] No Type of water? depth of strata Method of sealing strata off Was well gravel packed? [] Yes [X] No Size of gravel: Gravel placed from ft. to ft.

(11) LOCATION OF WELL:

County HARNEY Driller's well number 2 SE & NW 1/4 Section 13 T. 24 R. 27E W.M.

Bearing and distance from section or subdivision corner 1600' N 56.40 E of SOUTH MARKER

(12) WELL LOG:

Diameter of well below casing 16" x 10" Depth drilled 300 ft. Depth of completed well 300 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates.

Table with columns: MATERIAL, From, To, SWL. Rows include: SOIL HEAVY, CLAY WITH GRAVEL, GRAVEL MEDIUM, ROCK BLACK POREUS, ROCK BLACK HARD, ROCK BROWN HARD, ROCK BLACK HARD, ROCK GREY, CINDER BROWN, CAVITY, CLAY BROWN WHITE STEAKS, CLAY GREEN, CLAY SANDY, CLAY BURNED BLACK, CLAY BROWN, SAND IN CLAY, SAND BLACK, CLAY BLUE.

Work started 2-12 1968 Completed 2-29 1968 Date well drilling machine moved off of well 2-29 1968

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] Date 4/28, 1968 (Drilling Machine Operator)

Drilling Machine Operator's License No. 101

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME HOLLOWAY DRILLING CO (Person, firm or corporation) (Type or print)

Address ONTARIO OREGON

[Signed] May Holloway (Water Well Contractor)

Contractor's License No. 16 Date 2-27 1968

NOTICE TO WATER WELL CONTRACTOR

The original and a copy of this report are to be filed with the STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

Application No. **G15168**

WATER WELL REPORT

WARN 751

bd

Permit No. **24/27-14**

STATE OF OREGON

(Please type or print) (Do not write above this line)

State Well No. **24/27-14**

State Permit No. **L-21457**

Middle well

(1) OWNER;

Name **SILVER CREEK RANCH**
Address **RILEY OREGON**

(2) TYPE OF WORK (check):

New Well Deepening Reconditioning Abandon

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary Driven
Cable Jetted
Dug Bored

(4) PROPOSED USE (check):

Domestic Industrial Municipal
Irrigation Test Well Other

CASING INSTALLED:

Threaded Welded

1 1/2" Diam. from **1** ft. to **75** ft. Gage **4**

PERFORATIONS:

Perforated? Yes No

Type of perforator used

Table with columns: Size of perforations, in. by, in. Rows for perforations from 0 to 49 ft.

(7) SCREENS:

Well screen installed? Yes No

Manufacturer's Name, Type, Model No., Diam., Slot size, Set from, ft. to, ft.

(8) WATER LEVEL: Completed well.

Static level **26** ft. below land surface Date
Artesian pressure lbs. per square inch Date

(9) WELL TESTS:

Drawdown is amount water level is lowered below static level

Was a pump test made? Yes No If yes, by whom? **DRILLER**
Yield: **1270** gal./min. with **68** ft. drawdown after **8** hrs

Ballot test gal./min. with ft. drawdown after hrs
Artesian flow g.p.m. Date
Temperature of water **56°** Was a chemical analysis made? Yes No

(10) CONSTRUCTION:

Well seal—Material used **Bentonite**
Depth of seal **34**
Diameter of well bore to bottom of seal **2.0** in.
Were any loose strata cemented off? Yes No Depth
Was a drive shoe used? Yes No
Did any strata contain unusable water? Yes No
Type of water? depth of strata
Method of sealing strata off
Was well gravel packed? Yes No Size of gravel:
Gravel placed from ft. to ft.

(11) LOCATION OF WELL: **JIMS # 2**

County **HARNEY** Driller's well number **# 3**
SW 1/4 NW 1/4 Section **14** T. **24** R. **27E** W.M.
Bearing and distance from section or subdivision corner
1800' South 34° 30' E
SOUTH WEST CORNER SEC 14

(12) WELL LOG:

Diameter of well below casing **16"**

Depth drilled **400** ft. Depth of completed well **400** ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates.

Table with columns: MATERIAL, From, To, SWL. Rows include Soil Heavy, CLAY with GRAVEL, GRAVEL same clay, ROCK BROWN SAND ROCK, SAND BROWN, ROCK BLACK HARD, ROCK Reddish BROWN, SAND STONE BROWN, CLAY GREEN, CLAY BLUE, SAND GREY, CLAY GREEN, SAND BROWN, CLAY with SAND and GRAVEL, SAND ROCK, CLAY BLUE.

Well Retested BY
LA HARRA PHAMPCO
at **2:50 P.M. FROM ARBUCKLE**
200' Level.

Work started **2-26** 19**68** Completed **3-16** 19**68**
Date well drilling machine moved off of well **3-18** 19**68**

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] **Jim Gillmore** Date **4-29**, 19**68**
(Drilling Machine Operator)

Drilling Machine Operator's License No. **102**

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME **HOLLOWAY DRILLING CO.**
(Person, firm or corporation) (Type or print)

Address **ONTARIO ORE**

[Signed] **Max Holloway**
(Water Well Contractor)

Contractor's License No. **16** Date **4-29**, 19**68**

RECEIVED

MAY 15 2000

WATER RESOURCES DEPT.
SALEM, OREGON

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

WATER WELL REPORT

STATE ENGINEER, SALEM, OREGON 97310

within 30 days from the date of well completion.

(Please type or print) (Do not write above this line)

Application No

(H)

Permit No 24/27-14 N

State Well No.

State Permit No

2-21458

Stockwell HARN 158

(1) OWNER:

Name SILVER CREEK RANCH Address RILEY OREGON

(2) TYPE OF WORK (check):

New Well [X] Deepening [] Reconditioning [] Abandon []

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary [] Cable [X] Dug []

(4) PROPOSED USE (check):

Domestic [] Industrial [] Municipal [] Irrigation [X] Test Well [] Other []

CASING INSTALLED:

12" Diam. from 71 ft. to 360 ft. Gage 4

PERFORATIONS:

Type of perforator used FACTORY Size of perforations 5/8" in. by 5280 perforations from 30 ft. to 360 ft.

(7) SCREENS:

Well screen installed? [] Yes [X] No Manufacturer's Name Type Diam. Slot size Set from ft. to ft.

(8) WATER LEVEL: Completed well.

Static level 8' ft. below land surface Date 2-22-68 Artesian pressure lbs. per square inch Date

(9) WELL TESTS:

Was a pump test made? [X] Yes [] No If yes, by whom? DRILLER Yield: 1190 gal./min. with 120 ft. drawdown after 18 hrs.

(10) CONSTRUCTION:

Well seal—Material used CLAY BENTONITE Depth of seal 30 ft. Diameter of well bore to bottom of seal 16 in.

(11) LOCATION OF WELL: JIMS #1

County HARNEY Driller's well number # 1 SW 1/4 Section 14 T 24 R 27E W.M. Bearing and distance from section or subdivision corner 1800 N 34° 30 E CORNER of SECTION 14+15

(12) WELL LOG: Diameter of well below casing 10" Depth drilled 301 ft. Depth of completed well 300' ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates.

Table with 4 columns: MATERIAL, From, To, SWL. Rows include: SOIL SANDY, GRAVEL MEDIUM, SANDY GRAVEL, CLAY BROWN, SANDY RED, ROCK BLACK HARD, ROCK Red some Cinders, CLAY BROWN, CLAY BLUE, CLAY BROWN, CLAY GREEN, CLAY BLUE. Includes note 'Reduced to 10" AT 255'' and 'RECEIVED' stamp.

Application No 615168 Permit No. WATER RESOURCES DEPT. SALEM, OREGON MAY 15 2000

Work started 2-12 1968 Completed 2-22 1968 Date well drilling machine moved off of well 2-24 1968

Drilling Machine Operator's Certification: This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief. [Signed] Jim Hillmore Date 4/29, 1968

Drilling Machine Operator's License No. 102 Water Well Contractor's Certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. NAME Holloway Drilling Co. Address Ontario Oregon [Signed] Max Holloway Contractor's License No. 16 Date 9-28, 1968

B. Amount of Water

Provide the production rate in gallons per minute (gpm) and the total annual amount of water you need from each well, from each source or aquifer, for each use. You do not need to provide source information if you are submitting a well log with your application.

Well No.	Source or aquifer	Type of use	Total rate of water requested (in gpm)	Total annual quantity (in gallons)	Production rate of well (in gpm)
3	Gravel	IRR	252.7		Harn 755 2850
13	Gravel	IRR	165.2		Harn 764 1950
15	Gravel-Sand	IRR	1648.5		1648.5
16	Gravel-Sand	IRR	2,247.7		2247.7

C. Maximum Rate of Use Requested

What is the maximum, instantaneous rate of water that will be used? 7.7025 cfs
 (The fees for your application will be based on this amount.)

D. Period of Use

Indicate the time of year you propose to use the water: March 1 - October 31
 (For seasonal uses like irrigation give dates when water use would begin and end, e.g. March 1–October 31.)

E. Acreage

If you will be applying water to land, please give the total number of acres where water will be applied or used: 616.2
 (This number should be consistent with your application map.)

5. WATER MANAGEMENT

A. Diversion

What equipment will you use to pump water from your well(s)?

- Pump (give horsepower and pump type): Turbin Pumps 60-100 hp
- Other means (describe): _____

B. Transport

How will you transport water to your place of use?

- Ditch or canal (give average width and depth):
 Width _____ Depth _____
 Is the ditch or canal to be lined? Yes No
- Pipe (give diameter and total length):
 Diameter 8" Length 11,700'
- Other (describe) _____

RECEIVED
 JUL 21 2008
 WATER RESOURCES DEPT.
 SALEM, OREGON

C. Application/Distribution Method

What equipment will you use to apply water to your place of use? Turbine pumps -
Center Pivots

Irrigation or land application method (check all that apply):

- Flood
- Drip
- Hand lines
- Siphon tubes or gated pipe with furrows
- Other, describe _____
- High-pressure sprinkler
- Water cannons
- Wheel lines
- Low pressure sprinkler
- Center pivot system

Distribution method

- Direct pipe from source
- In-line storage (tank or pond)
- Open canal

D. Conservation

What methods will you use to conserve water? Why did you choose this distribution or application method? For example, if you are using sprinkler irrigation rather than drip irrigation, explain. If you need additional space, attach a separate sheet.

use low pressure Pivots with drop sprinklers
to lessen evaporation.

6. PROJECT SCHEDULE

Indicate the anticipated dates that the following construction tasks should begin. If construction has already begun, or is completed, please indicate that date.

Proposed date construction will begin: Spring 2008

Proposed date construction will be completed: Fall 2008

Proposed date beneficial water use will begin: Spring 2008

7. REMARKS

If you would like to clarify any information you have provided in the application, please do so here and reference the specific application question you are addressing.

3-A Two new wells will be drilled
#15 & 16. Other wells have been used for
years. I am adding acreage covered by
changing to Pivots and covering new land.

RECEIVED
JUL 21 2008
WATER RESOURCES DEPT.
SALEM, OREGON

8. MAP REQUIREMENTS



The Department cannot process your application without accurate information showing the source of water and location of water use. You must include a map with this application form that clearly indicates the township, range, section, and quarter/quarter section of the proposed well location and place of use. The map must provide tax lot numbers. See the map guidelines sheet for detailed map specifications.

9. SIGNATURE

By my signature below I confirm that I understand:

- I am asking to use water specifically as described in this application.
- Evaluation of this application will be based on information provided in the application packet.
- I cannot legally use water until the Water Resources Department issues a permit to me.
- If I get a permit, I must not waste water.
- If development of the water use is not according to the terms of the permit, the permit can be canceled.
- The water use must be compatible with local comprehensive land use plans.
- Even if the Department issues a permit to me, I may have to stop using water to allow senior water right holders to get water they are entitled to, and

I swear that all information provided in this application is true and correct to the best of my knowledge:

 Signature of Applicant (If more than one applicant, all must sign.)	6-20-08 Date
	6-20-08

Before you submit your application be sure you have:

- Answered each question completely.
- Attached a legible map which includes township, range, section, quarter/quarter and tax lot number.
- Included a Land Use Information Form or receipt stub signed by a local official.
- Included the legal description of all the property involved with this application. You may supply a copy of the deed, land sales contract, or title insurance policy, to meet this requirement.
- Included a check payable to the Oregon Water Resources Department for the appropriate amount. The Department's fee schedule can be found at www.wrd.state.or.us or call (503) 986-0900.

RECEIVED
JUL 21 2008
WATER RESOURCES DEPT.
SALEM, OREGON



Oregon Water Resources Department

FORM I

FOR IRRIGATION WATER USE

1. Please indicate whether you are requesting a primary or supplemental irrigation water right.

Primary Supplemental

If supplemental, please indicate the number of acres that will be irrigated for each type of use.

Primary: 616.2 Acres

Secondary: _____ Acres

List the permit or certificate number of the primary water right: No. _____

2. Please list the anticipated crops you will grow and whether you will be irrigating them for a full or partial season:

- 1. Alfalfa - Pasture Full season Partial season (from: 3-1 to 10-31)
- 2. _____ Full season Partial season (from: _____ to _____)
- 3. _____ Full season Partial season (from: _____ to _____)
- 4. _____ Full season Partial season (from: _____ to _____)

3. Indicate the maximum total number of acre-feet you expect to use in an irrigation season:

1848.6 acre-feet

(1 acre-foot equals 12 inches of water spread over 1 acre, or 43,560 cubic feet, or 325,851 gallons.)

4. How will you schedule your applications of water? Will you be applying water in the evenings, twice a week, daily?

- Daily during daytime hours Daily during nighttime hours
- Two or three times weekly during daytime Two or three times weekly during nighttime
- Weekly, during daytime hours Weekly, during nighttime hours

Other, explain: when crop requires water

RECEIVED
JUL 21 2008
WATER RESOURCES DEPT.
SALEM, OREGON



Oregon Water Resources Department Land Use Information Form

THIS FORM IS NOT REQUIRED IF: 1) water is to be diverted, conveyed, and/or used only on federal lands; or 2) the application is for a water-right transfer, allocation of conserved water, exchange, permit amendment, or ground water registration modification, and all of the following apply: a) only the place of use is proposed for change, b) there are no structural changes, c) the use of water is for irrigation, and d) the use is located in an irrigation district or exclusive farm-use zone.

Applicant Name: Phillip Singhose
Mailing Address: P.O. Box 55
City: Riley State: OR Zip: 97758 Day Phone: 541-493-1920

This application is related to a Measure 37 claim. Yes No

A. Land and Location

Please include the following information for all tax lots where water will be diverted (taken from its source), conveyed (transported), or used. Applicants for municipal use, or irrigation uses within irrigation districts may substitute existing and proposed service-area boundaries for the tax-lot information requested below.

Township	Range	Section	¼ ¼	Tax Lot #	Plan Designation (e.g. Rural Residential/RR-5)	Water to be:			Proposed Land Use:
23-S	27-E	34-35	NW¼	2100		<input checked="" type="checkbox"/> Diverted	<input checked="" type="checkbox"/> Conveyed	<input checked="" type="checkbox"/> Used	IRR
24-S	27-E	11	E¼	200		<input checked="" type="checkbox"/> Diverted	<input checked="" type="checkbox"/> Conveyed	<input checked="" type="checkbox"/> Used	IRR
24-S	27-E	12-13	SE¼	600		<input checked="" type="checkbox"/> Diverted	<input checked="" type="checkbox"/> Conveyed	<input checked="" type="checkbox"/> Used	IRR
24-S	27-E	24	NESE	800-300		<input checked="" type="checkbox"/> Diverted	<input checked="" type="checkbox"/> Conveyed	<input checked="" type="checkbox"/> Used	IRR

List all counties and cities where water is proposed to be diverted, conveyed, or used. Harney

B. Description of Proposed Use

Type of application to be filed with the Water Resources Department:

- Permit to Use or Store Water Water-Right Transfer Exchange of Water
 Allocation of Conserved Water Limited Water Use License
 Permit Amendment or Ground Water Registration Modification

Source of water: Reservoir/Pond Ground Water Surface Water (name) _____

Estimated quantity of water needed: 7.7025 x cubic feet per second gallons per minute acre-feet

Intended use of water: Irrigation Commercial Industrial Domestic for _____ household(s)
 Municipal Quasi-municipal Instream Other _____

Briefly describe: Turbin Pumps - Center Pivots

Note to applicant: If the Land Use Information Form cannot be completed while you wait, please have a local government representative sign the receipt below and include it with the application filed with the Water Resources Department.

Receipt for Request for Land Use Information

State of Oregon
Water Resources Department
725 Summer Street NE, Suite A
Salem, OR 97301-1266

RECEIVED
JUL 21 2008
WATER RESOURCES DEPT.
SALEM, OREGON

For Local Government Use Only

The following section must be completed by a planning official from each county and city listed unless the project will be located entirely within the city limits. In that case, only the city planning agency must complete this form.

This deals only with the local land-use plan. Do not include approval for activities such as building or grading permits.

Please check the appropriate box below and provide the requested information

Land uses to be served by proposed water uses (including proposed construction) are allowed outright or are not regulated by your comprehensive plan. Cite applicable ordinance section(s): EP20-1

Land uses to be served by proposed water uses (including proposed construction) involve discretionary land-use approvals as listed in the table below. (Please attach documentation of applicable land-use approvals which have already been obtained. Record of Action/land-use decision and accompanying findings are sufficient.)

If approvals have been obtained but all appeal periods have not ended, check "Being pursued".

Type of Land-Use Approval Needed (e.g. plan amendments, rezones, conditional-use permits, etc.)	Cite Most Significant, Applicable Plan Policies & Ordinance Section References	Land-Use Approval:	
		Obtained Denied	Being pursued Not being pursued
		Obtained Denied	Being pursued Not being pursued
		Obtained Denied	Being pursued Not being pursued
		Obtained Denied	Being pursued Not being pursued
		Obtained Denied	Being pursued Not being pursued
		Obtained Denied	Being pursued Not being pursued

Local governments are invited to express special land-use concerns or make recommendations to the Water Resources Department regarding this proposed use of water below, or on a separate sheet.

Name: Brandon McMillen Title: Planning Director
 Signature: [Signature] Phone: 541-573-6655 Date: 6/23/08
 Government Entity: Hanney County Planning

Note to local government representative: Please complete this form or sign the receipt below and return it to the applicant. If you sign the receipt, you will have 30 days from the Water Resources Department's notice date to return the completed Land Use Information Form or WRD may presume the land use associated with the proposed use of water is compatible with local comprehensive plans.

Receipt for Request for Land Use Information

Applicant name: _____
 City or County: _____ Staff contact: _____
 Signature: _____ Phone: _____ Date: _____



BILL OF SALE

KNOW ALL BY THESE PRESENTS that SCOTT RUNELS and MARGIE RUNELS hereinafter called the Seller, for valuable consideration to the Seller paid, does hereby grant, bargain, sell, transfer, and deliver unto PHILLIP W. SINGHOSE and LORISSA L. SINGHOSE hereinafter called the Buyer, the following described personal property (“the property”), now located in or at the property described in **EXHIBIT “A”** in Harney County, State of Oregon, to-wit:

SEE EXHIBIT “B”

TO HAVE AND TO HOLD the same unto the buyer and buyer’s heirs, executors, administrators, successors and assigns (“successors”) forever.

And the Seller hereby covenants and agrees to and with the Buyer and to and with Buyer’s successors that Seller is the owner of the property; that the same is free from all encumbrances except (if none, state none): UCC FILING; that Seller has the right to sell the same; and that Seller and Seller’s heirs, executors, administrators and successors shall warrant and forever defend this sale against the lawful claims and demands of all persons whomsoever.

In construing this Bill of Sale, where the context so requires, the singular includes the plural, and all grammatical changes shall be made so that this instrument shall apply equally to individuals and to corporation.

In witness whereof, the Seller has hereunto executed this document. If the Seller is a corporation, it has caused its name to be signed and its seal, if any, affixed by an officer or other person duly authorized to do so by order of its board of directors.

DATED: 12/20, 2006

[Signature]
SCOTT RUNELS
[Signature]
MARGIE RUNELS

STATE OF Oregon)
) ss
COUNTY OF Harney)

RECEIVED
JUL 21 2008
WATER RESOURCES DEPT.
SALEM, OREGON

This instrument was acknowledged before me on Dec. 20th, 2006, by SCOTT RUNELS and MARGIE RUNELS.

[Signature]
Notary Public for Oregon
My commission expires: Feb 24, 2008



EXHIBIT "A"

Land in Harney County, Oregon, as follows:

In Twp. 23 S., R. 27 E., W.M.:

- Sec. 33: W $\frac{1}{2}$, SE $\frac{1}{4}$, EXCEPTING THEREFROM two parcels of land in the E $\frac{1}{2}$ NW $\frac{1}{4}$ and E $\frac{1}{2}$ SE $\frac{1}{4}$, described as follows:
Beginning at the Northwest corner of the NE $\frac{1}{4}$ NW $\frac{1}{4}$ of said Sec. 33;
thence S. 28°15' E. 1880.0 feet;
thence S. 64°00' E. 490.0 feet to the center line of said Sec. 33;
thence North to the North section line of said Sec. 33;
thence West, along said North section line, to the point of beginning.
ALSO, beginning at the East quarter corner of said Sec. 33;
thence West 980.0 feet;
thence S. 55°00' E. 465.0 feet;
thence S. 13°15' E. 1290.0 feet;
thence S. 12°10' E. 750.0 feet;
thence S. 88°16' E. 163.0 feet to the East line of said Sec. 33;
thence North, along said East line, to the point of beginning.
- Sec. 34: E $\frac{1}{2}$ E $\frac{1}{2}$, NW $\frac{1}{4}$ NE $\frac{1}{4}$.
- Sec. 35: All, EXCEPTING THEREFROM right of way over the NE $\frac{1}{4}$ NW $\frac{1}{4}$, N $\frac{1}{2}$ NE $\frac{1}{4}$, conveyed by Deed recorded October 22, 1930, in Book 35, Page 59, Deed Records.

In Twp. 24 S., R. 27 E., W.M.:

- Sec. 1: Lots 1, 2, 3 and 4, S $\frac{1}{2}$ N $\frac{1}{2}$, S $\frac{1}{2}$.
- Sec. 2: Lots 1, 2, 3 and 4, S $\frac{1}{2}$ N $\frac{1}{2}$.
- Sec. 4: Lots 1 and 2, S $\frac{1}{2}$ N $\frac{1}{2}$, S $\frac{1}{2}$.
- Sec. 5: Lots 1, 2, 3 and 4, S $\frac{1}{2}$ N $\frac{1}{2}$, S $\frac{1}{2}$, EXCEPTING THEREFROM right of way over Lots 3 and 4, S $\frac{1}{2}$ NW $\frac{1}{4}$, conveyed by Deed recorded January 5, 1932, in Book 35, Page 429, Deed Records, and right of way and haul road over Lot 4, SW $\frac{1}{4}$ NW $\frac{1}{4}$, conveyed by Deed recorded June 25, 1963, in Book 73, Page 383, Deed Records.
- Sec. 6: Lots 6, 7 and 11, SE $\frac{1}{4}$ SE $\frac{1}{4}$.
- Sec. 7: All that portion of Section 7 lying Easterly of the highway right of way, as said right of way is described in Deeds recorded January 5, 1932, in Book 35, Page 429, and recorded June 25, 1963, in Book 73, Page 383, Deed Records.
- Sec. 8: All.
- Sec. 9: All.
- Sec. 10: W $\frac{1}{2}$, W $\frac{1}{2}$ E $\frac{1}{2}$.
- Sec. 12: All.
- Sec. 16: All.
- Sec. 24: N $\frac{1}{2}$ NE $\frac{1}{4}$, SW $\frac{1}{4}$ NE $\frac{1}{4}$, NW $\frac{1}{4}$ SE $\frac{1}{4}$.

RECEIVED
JUL 21 2008
WATER RESOURCES DEPT.
SALEM, OREGON

In Twp. 24 S., R. 28 E., W.M.:

Sec. 18: Lots 2, 3 and 4, SE $\frac{1}{4}$ SW $\frac{1}{4}$, SW $\frac{1}{4}$ SE $\frac{1}{4}$.

Sec. 19: Lot 1, N $\frac{1}{2}$ NE $\frac{1}{4}$, NE $\frac{1}{4}$ NW $\frac{1}{4}$.

In Twp. 24 S., R. 27 E., W.M.:

Sec. 24: W $\frac{1}{2}$ W $\frac{1}{2}$.

In Twp. 24 S., R. 27 E., W.M.:

Sec. 2: S $\frac{1}{2}$.

Sec. 3: Lots 1, 2, 3 and 4, S $\frac{1}{2}$ N $\frac{1}{2}$, S $\frac{1}{2}$.

Sec. 10: E $\frac{1}{2}$ E $\frac{1}{2}$.

Sec. 11: All.

Sec. 13: All.

Sec. 14: All.

Sec. 15: All.

Sec. 22: NE $\frac{1}{4}$.

Sec. 23: All.

Sec. 24: E $\frac{1}{2}$ W $\frac{1}{2}$, S $\frac{1}{2}$ SE $\frac{1}{4}$, NE $\frac{1}{4}$ SE $\frac{1}{4}$, SE $\frac{1}{4}$ NE $\frac{1}{4}$.

RECEIVED
JUL 21 2008
WATER RESOURCES DEPT.
SALEM, OREGON

Application No. 6-14901
Permit No. 9-13886

RECEIVED


JAN 08 1999

WATER RESOURCES DEPT.
SALEM, OREGON

SECTION PLAT

Section 10 & 11 Township 24-5 Range 27-E

County of Harney State of OR



STATE OF OREGON

COUNTY OF HARNEY

PERMIT TO APPROPRIATE THE PUBLIC WATERS

THIS PERMIT IS HEREBY ISSUED TO

DENNY LAND & CATTLE CO. LLC
GEORGE P DENNY III
PO BOX 219
BURNEY, CA 96013

(530) 335-2219

The specific limits and conditions of the use are listed below.

APPLICATION FILE NUMBER: G-15168

SOURCE OF WATER: SIX WELLS IN SILVER CREEK BASIN

PURPOSE OR USE: PRIMARY IRRIGATION OF 290.0 ACRES AND SUPPLEMENTAL IRRIGATION OF 20.0 ACRES

MAXIMUM RATE: 3.875 CUBIC FEET PER SECOND

PERIOD OF USE: MARCH 1 THROUGH OCTOBER 1

DATE OF PRIORITY: JUNE 2, 2000

WELL LOCATIONS:

Well #1 - Upper Dam Well (HARN 753, HARN 50784) - SE $\frac{1}{4}$ SE $\frac{1}{4}$, SECTION 3, T24S, R27E, W.M.; 4 FEET NORTH & 672 FEET WEST FROM SE CORNER, SECTION 3

Well #2 - Middle Well (HARN 757, HARN 50863) - SE $\frac{1}{4}$ NW $\frac{1}{4}$, SECTION 14, T24S, R27E, W.M.; 3380 FEET NORTH & 1720 FEET EAST FROM SW CORNER SECTION 14

Well #3 - Dusenberg Well (HARN 761, HARN 50785) - SW $\frac{1}{4}$ SE $\frac{1}{4}$, SECTION 15, T24S, R 27E, W.M.; 20 FEET NORTH & 2541 FEET WEST FROM SE CORNER SECTION 15

Well #4 - Stock Well (HARN 758, HARN 50786) - SW $\frac{1}{4}$ SW $\frac{1}{4}$, SECTION 14, T24S, R27E, W.M.; 20 NORTH & 1090 FEET EAST FROM SW CORNER SECTION 14

Well #5 - Pivot Well (HARN 764, HARN 50787) - SW $\frac{1}{4}$ SW $\frac{1}{4}$, SECTION 18, T24S, R28E, W.M.; 4650 FEET SOUTH & 150 FEET EAST FROM NW CORNER SECTION 18

Well #6 - Sander Well (HARN 756, HARN 50803) - NW $\frac{1}{4}$ SE $\frac{1}{4}$, SECTION 13, T24S, R27E, W.M.; 3225 FEET SOUTH AND 1710 FEET WEST FROM NE CORNER SECTION 13

The amount of water used for irrigation under this right, together with the amount secured under any other right existing for the same lands, is limited to a diversion of ONE-EIGHTIETH of one cubic foot per second (or its equivalent) and 3.0 acre-feet for each acre irrigated during the irrigation season of each year.

THE PLACE OF USE IS LOCATED AS FOLLOWS:

	<u>PRIMARY</u>	<u>SUPPLEMENTAL</u>
SW $\frac{1}{4}$ SW $\frac{1}{4}$	24.1 ACRES	
SE $\frac{1}{4}$ SW $\frac{1}{4}$	7.4 ACRES	
	SECTION 2	
SW $\frac{1}{4}$ NE $\frac{1}{4}$		2.3 ACRES
NE $\frac{1}{4}$ SE $\frac{1}{4}$		10.8 ACRES
NW $\frac{1}{4}$ SE $\frac{1}{4}$		6.9 ACRES
	SECTION 3	
NE $\frac{1}{4}$ NW $\frac{1}{4}$	1.8 ACRES	
NW $\frac{1}{4}$ NW $\frac{1}{4}$	3.7 ACRES	
	SECTION 11	
SW $\frac{1}{4}$ SE $\frac{1}{4}$	5.1 ACRES	
SE $\frac{1}{4}$ SE $\frac{1}{4}$	4.4 ACRES	
	SECTION 12	
NW $\frac{1}{4}$ NE $\frac{1}{4}$	6.0 ACRES	
NE $\frac{1}{4}$ NW $\frac{1}{4}$	0.7 ACRES	
	SECTION 13	
NE $\frac{1}{4}$ NE $\frac{1}{4}$	9.8 ACRES	
SE $\frac{1}{4}$ NE $\frac{1}{4}$	10.0 ACRES	
NE $\frac{1}{4}$ SW $\frac{1}{4}$	13.6 ACRES	
NW $\frac{1}{4}$ SW $\frac{1}{4}$	10.0 ACRES	
SW $\frac{1}{4}$ SW $\frac{1}{4}$	24.6 ACRES	
NE $\frac{1}{4}$ SE $\frac{1}{4}$	40.0 ACRES	