PUBLIC INTEREST REVIEW FOR GROUND WATER APPLICATIONS

TO:		Wate	r Rights S	ection		Date6/5/2008									
FROM	1 :	Grou	nd Water/	Hydrology	Section _		Miller								
SUBJI	ECT:	Appl	ication G-	16934			iewer's Name persedes re	view of		none	Date of Re	view(s)			
OAR 6 welfare to deter	590-310-1 e, safety a rmine wh sumption	30 (1) and head ether the criteria	The Depart Ith as descr ie presumpt i. This revi	ribed in ORS tion is estab ew is based	presume th S 537.525. lished. OA I upon ava	at a propos Departmen R 690-310- ilable info	sed groundw t staff review -140 allows rmation and	ater use will w ground wa the proposed d agency pol	ter app l use be licies in	lications e modified n place a	under OA d or cond t the time	AR 690-3 itioned to e of eval t	10-140 o meet uation.		
			<u>ORMATIO</u>					and Caroll	<u>Ferra</u>	<u>ra</u> (County:	Jackson			
A1.	Applicant(s) seek(s) <u>0.15</u> cfs from <u>2</u> Constance Creek								M4			_ Basin,			
	'							ıad Map: <u>B</u>							
A2. A3.								April 1 th ark proposed					<u>'</u>		
Wel l	Log	Logid Applicant' Proposed Aquifer*					Proposed Location Rate(cfs) (T/R-S QQ-Q)				Location, metes and bounds, e.g. 2250' N, 1200' E fr NW cor S 36				
1	JACK	X 3425 1 Bedrock 0.15 T35S/R2W-S12 NW 1751'N, 1812'W fr SE cor S 1								· S 12					
2	To be	built	2	В	edrock	0.15	T35S	SE /R2W-S12 N SE	NW	1562'N, 1750'W fr SE cor S 12					
3															
5															
_	ium, CRB,	Bedroc	k												
Well	Well Elev ft msl	First Wates ft bls	r ft bls	SWL Date	Well Depth (ft)	Seal Interval (ft)	Casing Intervals (ft)	Liner Intervals (ft)	Or S	orations Screens (ft)	Well Yield (gpm)	Draw Down (ft)	Test Type		
2	1412 1408	98 E98	18 E18	7/3/81	160 E250	0-19 0-19	+1 to 19 +1 to 19	none	none NA	2	45		A		
	1408	Е98	E18		E250	0-19	+1 10 19		INA						
Use data			for proposed												
A4.	Comm	ents: <u>W</u>	Vell #2 will	be drilled	if well #1 f	fails to sup	ply the full	rate of 0.15	cfs.						
A5. [manage (Not all	ement o	rules contai	ater hydraul in such prov	lically com risions.)	nected to su	ırface water	ules relative t	⊠ are	not , activ	ent, class vated by t	ification his applic	and/or cation.		
A6. 🗌	Name of	of admii	nistrative a					p(s) an aquif				rative res	striction.		

period of the proposed use. * This finding is limited to the ground water portion of the over-appropriation determination as prescribed in OAR 690-310-130; b. will not or will likely be available in the amounts requested without injury to prior water rights. * This finding is limited to the ground water portion of the injury determination as prescribed in OAR 690-310-130; c. will not or will likely to be available within the capacity of the ground water resource; or d. will, if properly conditioned, avoid injury to existing ground water rights or to the ground water resource:	3. <u>GR</u>	OUN	D WATER AVAILABILITY CONSIDERATIONS, OAR 690-310-130, 400-010, 410-0070
period of the proposed use. * This finding is limited to the ground water portion of the over-appropriation determination as prescribed in OAR 690-310-130; b. will not or will likely be available in the amounts requested without injury to prior water rights. * This finding is limited to the ground water portion of the injury determination as prescribed in OAR 690-310-130; c. will not or will likely to be available within the capacity of the ground water resource; or d. will, if properly conditioned, avoid injury to existing ground water rights or to the ground water resource:	В1.	Base	ed upon available data, I have determined that ground water* for the proposed use:
is limited to the ground water portion of the injury determination as prescribed in OAR 690-310-130; c. will not or will likely to be available within the capacity of the ground water resource; or d. will, if properly conditioned, avoid injury to existing ground water rights or to the ground water resource:		a.	
d. will, if properly conditioned, avoid injury to existing ground water rights or to the ground water resource: i. The permit should contain condition #(s)		b.	☐ will not <i>or</i> ☐ will likely be available in the amounts requested without injury to prior water rights. * This finding is limited to the ground water portion of the injury determination as prescribed in OAR 690-310-130;
 i. ☐ The permit should contain condition #(s)		c.	\square will not or \square will likely to be available within the capacity of the ground water resource; or
		d.	 i. The permit should contain condition #(s) 7B, 7C, 7F, 7J; ii. The permit should be conditioned as indicated in item 2 below.
h Condition to allow ground water production from no shallower than	32.	a.	Condition to allow ground water production from no deeper than ft. below land surface;
o. Condition to allow ground water production from no snahower thanit. below land surface;		b.	Condition to allow ground water production from no shallower than ft. below land surface;
c. Condition to allow ground water production only from the ground water reservoir between approximately ft. and ft. below land surface;		c.	Condition to allow ground water production only from the ground water reservoir between approximately ft. and ft. below land surface;
to occur with this use and without reconstructing are cited below. Without reconstruction, I recommend		d.	withholding issuance of the permit until evidence of well reconstruction is filed with the Department and approved
Describe injury —as related to water availability— that is likely to occur without well reconstruction (interference w/senior water rights, not within the capacity of the resource, etc):			Describe injury –as related to water availability– that is likely to occur without well reconstruction (interference w/senior water rights, not within the capacity of the resource, etc):
Ground water availability remarks: Some water level data are available from several wells in the immediate area. Overall, there appears to be several 10's of feet of seasonal fluctuation but no long-term decline. A prior interference complaint investigation did not conclude that there was substantial interference between wells. The well yields are surprisingly prolific given the materials descriptions on well logs. This is supported by the review of file G-15794 by Ivan Gall in 2004 which involved a neighboring tax lot. The aquifer is described as a pervasively fractured bedrock system. This evaluation relies on and affirms the prior conclusions.	33.	Ove com surr Ivar	rall, there appears to be several 10's of feet of seasonal fluctuation but no long-term decline. A prior interference plaint investigation did not conclude that there was substantial interference between wells. The well yields are prisingly prolific given the materials descriptions on well logs. This is supported by the review of file G-15794 by a Gall in 2004 which involved a neighboring tax lot. The aquifer is described as a pervasively fractured bedrock
*Require applicant to install and maintain a properly functioning totalizing flow meter at the POA.		*Re	quire applicant to install and maintain a properly functioning totalizing flow meter at the POA.
This application is similar to file G-16957 which is just to the north, sandwiched between this application and G-15794. They reflect the same situation and review responses.			

Date____

6/5/2008

Application G-<u>16934</u> continued

Applica	ation G-	16934 continued	Date6	/5/2008
		WATER/SURFACE WATER CONSIDERATIONS, O	AR 690-09-040	
C1. 69	_	40 (1): Evaluation of aquifer confinement:		
	Wel 1	Aquifer or Proposed Aquifer	Confined	Unconfined
	1	sandstone		
	2	sandstone(estimated)		
,				

Basis for aquifer confinement evaluation: <u>well log entries showing first water at depth with shallower static water</u>

C2. **690-09-040 (2) (3):** Evaluation of distance to, and hydraulic connection with, surface water sources. All wells located a horizontal distance less than ¼ mile from a surface water source that produce water from an unconfined aquifer shall be assumed to be hydraulically connected to the surface water source. Include in this table any streams located beyond one mile that are evaluated for PSI.

Well	SW #	Surface Water Name	GW Elev ft msl	SW Elev ft msl	Distance (ft)	Hydraulically Connected? YES NO ASSUMED	Potential for Subst. Interfer. Assumed? YES NO
1	1	Unnamed trib of Constance Creek	1394	1400	200		
2	1	Unnamed trib of Constance Creek	E1390	1395	200		

Basis for aquifer hydraulic connection evaluation: The investigation of stream flow for Constance Creek located in file G-15794. This is a situation in which WRD concluded that there was negligible ground water base flow to the creek and that flow was derived from contemporary precipitation. Flow in the creek does not occur in the summer unless it rains. Without the special investigation, connection with Constance Creek would be a reasonable conclusion based on proximity and winter heads.

Water Availability Basin the well(s) are located within: Rogue River above Curry Gulch

C3a. **690-09-040** (4): Evaluation of stream impacts for <u>each well</u> that has been determined or assumed to be **hydraulically** connected and less than 1 mile from a surface water source. Limit evaluation to instream rights and minimum stream flows that are pertinent to that surface water source, and not lower SW sources to which the stream under evaluation is tributary. Compare the requested rate against the 1% of 80% *natural* flow for the pertinent Water Availability Basin (WAB). If Q is not distributed by well, use full rate for each well. Any checked box indicates the well is assumed to have the potential to cause PSI.

Well	SW #	Well < 1/4 mile?	Qw > 5 cfs?	Instream Water Right ID	Instream Water Right Q (cfs)	Qw > 1% ISWR?	80% Natural Flow (cfs)	Qw > 1% of 80% Natural Flow?	Interference @ 30 days (%)	Potential for Subst. Interfer. Assumed?

Version: 08/15/2003

Application G-	16934	continued	Date	6/5/2008
ripplication o _	10754	Commuca	Date	0/3/2000

C3b. **690-09-040 (4):** Evaluation of stream impacts by total appropriation for all wells determined or assumed to be **hydraulically connected and less than 1 mile** from a surface water source. **Complete only if Q is distributed among wells.** Otherwise same evaluation and limitations apply as in C3a above.

SW #		Qw > 5 cfs?	Instream Water Right ID	Instream Water Right Q (cfs)	Qw > 1% ISWR?	80% Natural Flow (cfs)	Qw > 1% of 80% Natural Flow?	Interference @ 30 days (%)	Potential for Subst. Interfer. Assumed?
Comments: _	NA								

C4a. **690-09-040 (5):** Estimated impacts on **hydraulically connected surface water sources greater than one mile** as a percentage of the proposed pumping rate. Limit evaluation to the effects that will occur up to one year after pumping begins. This table encompasses the considerations required by 09-040 (5)(a), (b), (c) and (d), which are not included on this form. Use additional sheets if calculated flows from more than one WAB are required.

	istributed	Wells											
Well	SW#	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q	as CFS												
Interfer	ence CFS												
Distrib	outed Wel	ls											
Well	SW#	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q	as CFS												
Interfer	ence CFS												
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q	as CFS												
	ence CFS												
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q	as CFS												
Interfer	ence CFS												
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q	as CFS												
	ence CFS												
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q	as CFS												
	ence CFS												
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q	as CFS												
	ence CFS												
$(\mathbf{A}) = \mathbf{T}\mathbf{c}$	otal Interf.												
(B) = 80	% Nat. Q												
(C) = 1	% Nat. Q												
$(\mathbf{D}) = (A$	A) > (C)	√	√										
$(\mathbf{E}) = (\mathbf{A}$	/ B) x 100	%	%	%	%	%	%	%	%	%	%	%	%

Version: 08/15/2003

Applica	ation G	16934	continued		Date	6/5/2008
CFS; (I	tal interference D) = highlight t Basis for imp	he checkma	k for each month whe	atural flow at 80% exceeds re (A) is greater than (C); (E) = total interference di	culated natural flow at 80% exceed. as vided by 80% flow as percentage.
- - -						
- - -						
- - -						
C4b. (690-09-040 Rights Se		e potential to impa	air or detrimentally a	affect the public interest	is to be determined by the Water
C5. 🛚	under this po	ermit can b The permit	e regulated if it is fo should contain con	ound to substantially in dition #(s) 7B, 7C.	iterfere with surface water	
gro cor cor thi	ound water a atribute (much aclusion of hy nk that there	nd surface ch) base flo ydraulic co e is a contin	water are not come ow to Constance Connection. The fac- nuum at play in the	nected locally. Actureek. This conclusion its with photos give s	ally, the conclusion is the n was an overturning of upport to the no hydrau there are some locations	G-15794 conclude that the at ground water does not a prior review's positive lic connection conclusion. I of strong continual connection
				nich is just to the nor nme situation and rev	th. That proposal is san riew responses.	dwiched between this
Pot	ferences Uses	d. Ilaw •h	os File C-15704 I	File G-16957 tono m	ap, DOGAMI map of Bo	oswell Mountain Ouad
	ici ciices Used	u. <u>wen 10</u>	gs, PHC G-13/94, I	ne G-1023/, top0 III	ap, DOGAMI IIIap 01 Do	oswen Mountain Quau

D. <u>V</u>	VEI	LL CO	NSTRUCTION, OAR 690-200
D1.		Well #:	Logid:
D2.		a.	TELL does not meet current well construction standards based upon: review of the well log; field inspection by report of CWRE other: (specify)
D3.		a.	TELL construction deficiency: constitutes a health threat under Division 200 rules; commingles water from more than one ground water reservoir; permits the loss of artesian head; permits the de-watering of one or more ground water reservoirs; other: (specify)
D4.		THE W	ELL construction deficiency is described as follows:
D5.		THE W	 a. □ was, or □ was not constructed according to the standards in effect at the time of original construction or most recent modification. b. □ I don't know if it met standards at the time of construction.
D6.			to the Enforcement Section. I recommend withholding issuance of the permit until evidence of well reconstruction with the Department and approved by the Enforcement Section and the Ground Water Section.
TH	IS S	ECTIO	ON TO BE COMPLETED BY ENFORCEMENT PERSONNEL
D7.		Well co	nstruction deficiency has been corrected by the following actions:
			. 200
			(Enforcement Section Signature)
D8.		Route	to Water Rights Section (attach well reconstruction logs to this page).
	_		

Date____

6/5/2008

Application G- 16934 continued