
WATER RESO	URCES DEPARTMENT
МЕМО	Date: August 28, 2008
TO:	Application: G-17053
FROM: GW:	K. Lite (Reviewer's Name)
SUBJECT:	Scenic Waterway Interference & General/Local Surface Water Evaluation for Deschutes Ground Water Study Area
The source of Scenic Water	appropriation is within or above the <u>Deschutes</u> way.
Use the Sceni	c Waterway condition (Condition 7J).
PREPONDER	RANCE OF EVIDENCE FINDING UNDER ORS 390.835:
ground water free-flowing o	as found that there is a preponderance of evidence that the proposed use of will measurably reduce the surface water flows necessary to maintain the character of the Scenic Waterway in essary for recreation, fish and wildlife.
LOCALIZED	IMPACT FINDING
The printhe	roposed use of ground water will have a localized impact to surface water River/Creek Subbasin.
pursuant to the within the ide Zone of Impa	ed impact box above is checked, then the water use under any right issued is application is presumed to have a localized impact on surface water entified subbasin. Mitigation of the impact, originating from within the Local ct identified by the Department, will be required before a permit may be proposed use.
issued pursua surface water	ed impact box above is not checked, then the water use under any right ant to this application is presumed to have a general (regional) impact on Mitigation of the impact, originating anywhere within the Deschutes Basin dras gage, will be required before a permit may be issued for the proposed

G-17053: Henkle Butte Quadrangle



PUBLIC INTEREST REVIEW FOR GROUND WATER APPLICATIONS TO: Water Rights Section Date 8/28/2008 FROM: Ground Water/Hydrology Section K. Lite Reviewer's Name Application G-_ 17053 SUBJECT: Supersedes review of_____ Date of Review(s) PUBLIC INTEREST PRESUMPTION; GROUNDWATER OAR 690-310-130 (1) The Department shall presume that a proposed groundwater use will ensure the preservation of the public welfare, safety and health as described in ORS 537.525. Department staff review ground water applications under OAR 690-310-140 to determine whether the presumption is established. OAR 690-310-140 allows the proposed use be modified or conditioned to meet the presumption criteria. This review is based upon available information and agency policies in place at the time of evaluation. Applicant's Name: Baker County: Deschutes A. GENERAL INFORMATION: Applicant(s) seek(s) 0.2 cfs from 1 well(s) in the Deschutes Basin, A1. Deep Canyon subbasin Quad Map: Henkle Butte Proposed use: Irrigation Seasonality: April 1 – October 31 Well and aquifer data (attach and number logs for existing wells; mark proposed wells as such under logid): A2. A3. Applicant's Proposed Proposed Location Location, metes and bounds, e.g. Well Logid Well# Aquifer* Rate(cfs) (T/R-S QQ-Q) 2250' N, 1200' E fr NW cor S 36 Not yet 1 1 **Deschutes Fm** 0.2 15S/11E-17BAB 80' S, 1595' E fr NW cor, S 17 drilled 2 3 4 5 Alluvium, CRB, Bedrock Well First Well Seal Casing Liner Perforations Well Draw SWL **SWL** Test Well Elev Water Depth Interval Intervals Intervals Or Screens Yield Down ft bls Date Type ft msl ft bls (ft) (ft)(ft) (ft) (ft) (gpm) (ft) 1 3080 400 425 18.5 385 prop est. prop prop Use data from application for proposed wells. Comments: WELL WILL LIKELY BE CONSTRUCTED INTO WATER BEARING ZONES WITHIN THE DESCHUTES FM. GROUND WATER FLOW IS TOWARDS THE NORTHEAST WITH THE NEAREST DOWN-GRADIENT DISCHARGE AREA ABOUT 9.5 MILES DISTANCE. GROUND-WATER LEVELS IN THE WELL WILL LIKELY BE WELL BELOW SURFACE WATER AT THE NEAREST REACHES (WHYCHUS CREEK). WELL IS LOCATED WITHIN THE DESCHUTES GROUND WATER STUDY AREA A5. Provisions of the <u>Deschutes</u> Basin rules relative to the development, classification and/or management of ground water hydraulically connected to surface water \(\sqrt{are}, or \(\sqrt{are not}, \) activated by this application. (Not all basin rules contain such provisions.) Comments: Within USGS Study Area Boundary.

_, ____, , ____, , ____, tap(s) an aquifer limited by an administrative restriction.

A6. Well(s) #_____

Comments:

Name of administrative area:

B. GROUND WATER AVAILABILITY CONSIDERATIONS, OAR 690-310-130, 400-010, 410-0070

B1.	Bas	sed upon available data, I have determined that ground water* for the proposed use:
	a.	is over appropriated, ⊠ is not over appropriated, or □ cannot be determined to be over appropriated during any period of the proposed use. * This finding is limited to the ground water portion of the over-appropriation determination as prescribed in OAR 690-310-130;
	b.	will not or will likely be available in the amounts requested without injury to prior water rights. * This finding is limited to the ground water portion of the injury determination as prescribed in OAR 690-310-130;
	c.	will not or will likely to be available within the capacity of the ground water resource; or
	d.	will, if properly conditioned, avoid injury to existing ground water rights or to the ground water resource: i. The permit should contain condition #(s) 7B; The permit should be conditioned as indicated in item 2 below. The permit should contain special condition(s) as indicated in item 3 below;
B2.	a.	Condition to allow ground water production from no deeper than ft. below land surface;
	b.	Condition to allow ground water production from no shallower than ft. below land surface;
	c.	Condition to allow ground water production only from the ground water reservoir between approximately ft. and ft. below land surface;
	d.	Well reconstruction is necessary to accomplish one or more of the above conditions. The problems that are likely to occur with this use and without reconstructing are cited below. Without reconstruction, I recommend withholding issuance of the permit until evidence of well reconstruction is filed with the Department and approved by the Ground Water Section.
		Describe injury —as related to water availability— that is likely to occur without well reconstruction (interference w/ senior water rights, not within the capacity of the resource, etc):
В3.	(D) PEI EQ TH AM FEI	ound water availability remarks: THE NEAREST STATE OBSERVATION WELL IS OBS WELL 1301 ESC 2929), LOCATED ABOUT 3.1 MILES TO THE NORTHWEST, IT HAS BEEN MONITORED RIODICALLY SINCE 1977. STATE OBSERVATION WELL 1301 APPEARS TO BE IN DYNAMIC UILIBRIUM. THE LONG-TERM TREND SHOWS A DECADAL-SCALE WATER LEVEL FLUCTUATION AT IS COINCIDENT WITH CLIMATE CYCLES. THE DECADAL FLUCTUATION HAS A MAXIMUM IPLITUDE OF APPROXIMATELY 15- FEET. SINCE 2000, THE WATER LEVEL HAS DROPPED ABOUT 14 ET, AND HAS LEVELED OFF SINCE 2005. THE DECLINE IS LIKELY MOSTLY DUE TO DECREASED CHARGE.

C. GROUND WATER/SURFACE WATER CONSIDERATIONS, OAR 690-09-040

C1. 690-09-040 (1): Evaluation of aquifer confinement:

Well	Aquifer or Proposed Aquifer	Confined	Unconfined
			<u> </u>
sis for aquife	er confinement evaluation:		

C2. **690-09-040 (2) (3):** Evaluation of distance to, and hydraulic connection with, surface water sources. All wells located a horizontal distance less than ¼ mile from a surface water source that produce water from an unconfined aquifer shall be assumed to be hydraulically connected to the surface water source. Include in this table any streams located beyond one mile that are evaluated for PSI.

Well	SW #	Surface Water Name	GW Elev ft msl	SW Elev ft msl	Distance (ft)	Hydraulically Connected? YES NO ASSUMED	Potential for Subst. Interfer. Assumed? YES NO	
								\exists
	15							╡
=								<u> </u> -

Basis for aquifer hydraulic connection evaluation:	 	
Water Availability Basin the well(s) are located within:		

C3a. 690-09-040 (4): Evaluation of stream impacts for each well that has been determined or assumed to be hydraulically connected and less than 1 mile from a surface water source. Limit evaluation to instream rights and minimum stream flows that are pertinent to that surface water source, and not lower SW sources to which the stream under evaluation is tributary. Compare the requested rate against the 1% of 80% natural flow for the pertinent Water Availability Basin (WAB). If Q is not distributed by well, use full rate for each well. Any checked box indicates the well is assumed to have the potential to cause PSI.

Well	SW #	Well < 1/4 mile?	Qw > 5 cfs?	Instream Water Right ID	Instream Water Right Q (cfs)	Qw> 1% ISWR?	80% Natural Flow (cfs)	Qw > 1% of 80% Natural Flow?	Interference @ 30 days (%)	Potential for Subst. Interfer. Assumed?

Version: 08/15/2003

C3b. 690-09-040 (4): Evaluation of stream impacts by total appropriation for all wells determined or assumed to be hydraulically connected and less than 1 mile from a surface water source. Complete only if Q is distributed among wells. Otherwise same evaluation and limitations apply as in C3a above

SW #	Qw > 5 cfs?	Instream Water Right ID	Instream Water Right Q (cfs)	Qw > 1% ISWR?	80% Natural Flow (cfs)	Qw > 1% of 80% Natural Flow?	Interference @ 30 days (%)	Potential for Subst. Interfer. Assumed?
omments:								

C4a. 690-09-040 (5): Estimated impacts on hydraulically connected surface water sources greater than one mile as a percentage of the proposed pumping rate. Limit evaluation to the effects that will occur up to one year after pumping begins. This table encompasses the considerations required by 09-040 (5)(a), (b), (c) and (d), which are not included on this form. Use additional sheets if calculated flows from more than one WAB are required.

	istributed	Wells											
Well	SW#	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q	as CFS												
Interfere	ence CFS									· ·			
				Design of the last									
	uted Well		D 1				Ţ	× 1		0	•	3.7	
Well	SW#	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q													
Interfere	ence CFS	- 01					- 21		- 01	21			
	L	%	%	%	%	%	%	%	%	%	%	%	%
Well Q													
Interfere	ence CFS												
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q													
Interfere	ence CFS												
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q	as CFS												
Interfere	ence CFS												
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q	as CFS												
Interfere	ence CFS												
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q	as CFS												
Interfere	ence CFS												
(A) = To	tal Interf.												
(B) = 80	% Nat. Q												
$(C) = 1^{\circ}$	% Nat. Q										- 2		
(D) = (A	a) > (C)	1	1	V	1	1	1	1		1	1	1	
(E) = (A	/ B) x 100	%	%	%	%	%	%	%	%	%	%	%	%
(E) - (A	/ B) X 100						.,,						

(A) = total interference as CFS; (B) = WAB calculated natural flow at 80% exceed. as CFS; (C) = 1% of calculated natural flow at 80% exceed. as CFS; (D) = highlight the checkmark for each month where (A) is greater than (C); (E) = total interference divided by 80% flow as percentage.

690-09-040 (5) (b Rights Section.	The potential to impair or	detrimentally affect the	public interest is to	be determined by the V
under this permit c	ioned, the surface water source an be regulated if it is found to rmit should contain condition	substantially interfere wi	th surface water:	nce, and/or ground wate
ii. 🗌 The po	rmit should contain condition rmit should contain special co	ndition(s) as indicated in	"Remarks" below;	
V / GW Remarks ar	d Conditions			
V / GW Remarks ar	d Conditions			
V / GW Remarks an	d Conditions			
W / GW Remarks an	d Conditions			
W / GW Remarks ar	d Conditions			
W / GW Remarks ar	d Conditions			
N / GW Remarks ar	d Conditions			
W / GW Remarks ar	d Conditions			
W / GW Remarks an	d Conditions			
W / GW Remarks ar	d Conditions			
W / GW Remarks ar	d Conditions			
W / GW Remarks ar	d Conditions			
W / GW Remarks ar	d Conditions			
W / GW Remarks ar	d Conditions			
eferences Used:	SGS WRIR 00-4162; WRIR -17053; WELL CONSTRUC	02-4015; OWRD STAT)	E OBSERVATION V	VELL DATA (OBS W
eferences Used: U	SGS WRIR 00-4162; WRIR -17053; WELL CONSTRUC	02-4015; OWRD STAT)	E OBSERVATION V	WELL DATA (OBS W

. Application G-17053 continued

Date 8/28/2008

D. WELL CONSTRUCTION, OAR 690-200

D1.	\	Well #: _	Logid:	
D2.	a b	i. 1 5. 1 5. 1	ELL does not meet current well construction standards based upon: review of the well log; field inspection by report of CWRE other: (specify)	
D3.	a		ELL construction deficiency: constitutes a health threat under Division 200 rules; commingles water from more than one ground water reservoir; permits the loss of artesian head; permits the de-watering of one or more ground water reservoirs; other: (specify)	
D4.	7 - -		ELL construction deficiency is described as follows:	
D5.		THE WE	a. was, or was not constructed according to the standards in effect at the time of original construction or most recent modification. b. I don't know if it met standards at the time of construction. the Enforcement Section. I recommend withholding issuance of the permit until evidence of well reconstruction.	netion
	i	s filed w	ith the Department and approved by the Enforcement Section and the Ground Water Section.	uction —
			N TO BE COMPLETED BY ENFORCEMENT PERSONNEL struction deficiency has been corrected by the following actions:	
D8.			(Enforcement Section Signature) o Water Rights Section (attach well reconstruction logs to this page).	