



Oregon

Theodore R. Kulongoski, Governor

Water Resources Department

North Mall Office Building
725 Summer Street NE, Suite A
Salem, OR 97301-1271
503-986-0900
FAX 503-986-0904

HANS BECK
P.O. BOX 1075
WINSTON, OR 97496

September 19, 2008

Reference: File S-87178

Dear Mr. Beck:

THIS IS NOT A PERMIT AND IS SUBJECT TO CHANGE AT THE NEXT PHASE OF PROCESSING.

This letter is to inform you of the preliminary analysis of your water use permit application and to describe your options. In determining whether a water use permit application may be approved, the Department must consider the factors listed below, all of which must be favorable to the proposed use if it is to be allowed. Based on the information you have supplied, the Water Resources Department has made the following preliminary determinations:

Initial Review Determinations:

1. The application proposed the use of 0.002 cubic foot per second (CFS) of water from an unnamed stream, tributary to Roberts Creek, for domestic use for one household from September 15 through May 15.
2. The proposed use is not prohibited by law or rule except where otherwise noted below.
3. The use of water from an unnamed stream, tributary to Roberts Creek, for domestic use for one household is allowable from May 15 through September 15 only and not to exceed 0.002 CFS under the Umpqua Basin Program.
4. Surface water is not available in the amount requested during the period July 1 through November 30. However, you have requested human consumption use and completed the "Application Supplement for Human Consumption & Livestock Uses" form. Human consumption use is limited to indoor use only: cooking, drinking, and sanitation, limited to 500 gallons per day per household. If the application is approved it will be limited to the above use.
5. The Department determined there are deficiencies with the application. Please refer to the **Additional Information Required** section below for specific information.

Summary of Initial Determinations

Because not all items above are favorable, the use of 0.002 CFS of water from an unnamed stream, tributary to Roberts Creek, for domestic use for one household is not allowable, and it appears unlikely that you will be issued a permit. However, by providing additional information you may be able to pursue a limited permit for human consumption use (indoor use only: cooking, drinking, sanitation), limited to 500 gallons per day per household. At this time, you must decide whether to proceed or to withdraw your application as described below.

Additional Information Required

Due to requirements for existing water rights and/or minimum flows in a scenic waterway, water is not available in sufficient quantities to support the proposed use. However, human consumption of water (indoor use only: cooking, drinking and sanitation) from the proposed source may be considered a high public interest use if there is no reasonable alternative. However, you made no mention of Permit R-14153, which allows the storage of 1.0 acre foot of water in Dodson Butte Pond for multiple purpose. Please explain why you cannot make use of the stored water for your domestic use.

If you can provide evidence that there is no reasonable alternative, we will work with the Oregon Department of Fish and Wildlife to attempt to determine conditions which will protect instream values during the months when instream flow requirements are not met. These conditions may include mitigation measures to offset the impact of the requested use.

Please submit this information no later than October 23, 2008. If you are unable to submit the information listed above, you may request an administrative hold for up to an additional 180 days. You must submit the request in writing, stating how much more time you will need and why you need additional time. If an administrative hold is granted, your application will not be processed further until the requested information is received or the extended deadline has passed.

If we do not receive the items requested above or a request for an administrative hold by this date, the Department will likely proceed with a Proposed Final Order recommending denial of the application.

Please reference the application number when sending any correspondence regarding the conclusions of this initial review. Comments received within the comment period will be evaluated at the next phase of the process.

To Proceed With Your Application:

If you choose to proceed with your application, you do not have to notify the Department. Your application will automatically be placed on the Department's Public Notice to allow others the opportunity to comment. After the comment period the Department will complete a public interest review and issue a Proposed Final Order.

Withdrawal Refunds:

If you choose not to proceed, you may withdraw your application and receive a refund (minus a \$150 processing charge per application.) To accomplish this you must notify the Department in writing by **Friday, October 3, 2008**. For your convenience you may use the enclosed "STOP PROCESSING" form.

If A Permit Is Issued It Will Likely Include The Following Conditions:

1.Measurement, recording and reporting conditions:

- A. Before water use may begin under this permit, the permittee shall install a totalizing flow meter or other suitable measuring device as approved by the Director at each point of diversion. The permittee shall maintain the meter or measuring device in good working order, shall keep a complete record of the amount of water used each month, and shall submit a report which includes the recorded water use measurements to the Department annually or more frequently as may be required by the Director. Further, the Director may require the permittee to report general water-use information, including the place and nature of use of water under the permit.
- B. The permittee shall allow the watermaster access to the meter or measuring device; provided however, where the meter or measuring device is located within a private structure, the watermaster shall request access upon reasonable notice.

- 2. You may be required to install fish screens at the point of diversion to meet Oregon Department of Fish and Wildlife specifications for adequate protection of aquatic life.

This initial review does not attempt to address various public interest issues such as sensitive, threatened, or endangered fish species. These issues will be addressed as the Department reviews comments from the public and other agencies, and prepares a proposed final order. You should be aware that, if significant public interest issues are found to exist, such a finding could have an impact on the eventual outcome of your application.

The water source identified in your application may be affected by an Agricultural Water Quality Management Area Plan. These plans are developed by the Oregon Department of Agriculture (ODA) with the cooperation of local landowners and other interested stakeholders, and help to ensure that current and new appropriations of water are done in a way that does not adversely harm the environment. You are encouraged to explore ODA's Water Quality Program web site at http://www.oregon.gov/ODA/NRD/water_agplans.shtml to learn more about the plans and how they may affect your proposed water use.

If you have any questions:

Feel free to call me at 503-986-0816 if you have any questions regarding the contents of this letter or your application. Please have your application number available if you call. General questions about water rights and water use permits should be directed to our customer service staff at 503-986-0801. When corresponding by mail, please use this address: Kerry Kavanagh, Oregon Water Resources Department, 725 Summer St NE Ste A, Salem OR 97301-1266. Our fax number is 503-986-0901.

Sincerely,



Kerry Kavanagh
Water Right Application Caseworker

enclosures: Application Process Description and Stop Processing Request Form

S-87178
WAB 16-351
POU 16-351
GW

APPLICATION FACT SHEET

Application File Number: S-87178

Applicant: HANS BECK

County: Douglas

Watermaster: 15

Priority Date: May 23, 2008

Source: UNNAMED STREAM, TRIBUTARY TO ROBERTS CREEK

Use: DOMESTIC USE FOR ONE HOUSEHOLD

Quantity: 0.002 CUBIC FOOT PER SECOND

Basin Name & Number: Umpqua, #16

Stream Index Reference: Volume 3C ROBERTS CR & MISC

Point of Diversion Location: NESE, SECTION 22, T28S, R5W, W.M.; 1600 FEET NORTH
AND 100 FEET WEST FROM SE CORNER, SECTION 22

Place of Use:

NE $\frac{1}{4}$ SE $\frac{1}{4}$
SECTION 22
TOWNSHIP 28 SOUTH, RANGE 5 WEST, W.M.

14 DAY STOP PROCESSING DEADLINE DATE: Friday, October 3, 2008

PUBLIC NOTICE DATE: Tuesday, September 23, 2008

30 DAY COMMENT DEADLINE DATE: Thursday, October 23, 2008

Mailing List for IR Copies

Application #S-87178

IR Date: September 19, 2008

Original mailed to applicant:

HANS BECK
P.O. BOX 1075
WINSTON, OR 97496

COPY TO: HANS BECK
8655 BUENA TIERRA PLACE
BUENA PARK, CA 90621

Copies sent to:

1. WRD - File # S-87178
2. WRD - Water Availability: Ken Stahr

IR, Map, and Fact Sheet Copies sent VIA EMAIL:

3. WRD - Watermaster #15
4. ODFW: Pete Baki
5. DEQ: Paul Heberling

IR, Map, and Fact Sheet Copies sent to:

6. WRD - Regional Manager: SW
7. Department of Agriculture

Div 33 App Work Sheet - Human Consumption Exception Form to:

8. WRD - Watermaster #15
9. ODFW: Pete Baki
10. DEQ: Paul Heberling

Affected Landowners (include "Notice of Initial Review--Affected Landowner"):

Copies sent to Other Interested Persons (CWRE, Agent, Well Driller, Commenter, etc.)

Caseworker: Kerry Kavanagh

COPYSHT.IR

REMINDER: Copy **all** IR's for uses in the Klamath Basin to DEQ and ODFW contacts, regardless of whether they are subject to Division 33. (If they are not subject to Division 33, do not include Division 33 forms.)

Copies Mailed

By: _____
(SUPPORT STAFF)

on: _____
(DATE)