## PUBLIC INTEREST REVIEW FOR GROUND WATER APPLICATIONS

<u>1 ODI</u>									5115			
TO:		Water	Rights S	ection				Date	e April 23	3, 2009		
FROM	<b>I</b> :	Grour	nd Water/	Hydrology	Section	Mich	ael Zwart					
SUBJI		Appli	cation G	17173			iewer's Name	view of				
SODI	LC1.	Аррп	cation O-	1/1/5		Su	perseues re			Date of Re	view(s)	
PURL	IC INTI	EREST	PRESU	MPTION;	GROUN	DWATE	R					
								ater use will	ensure the pre.	servation	of the pu	blic
welfare	e, safety a	nd healt	th as descr	ibed in ORS	5 <i>537.525.</i> I	Departmen	t staff reviev	w ground wat	er applications	under OA	AR 690-3	10-140
									use be modifie icies in place a			
1	1				-				-			iation.
A. <u>GE</u>	NERAL	/ INFO	RMATIO	<u>DN</u> : A	pplicant's l	Name:	Town of L	akeview		County:	Lake	
A1.	Applica	ant(s) se	ek(s) <u>0.5</u>	<u>57</u> cfs fro	m <u>one</u>	well	(s) in the	Goose and	Summer Lak	es		_Basin,
	,	Thomas	s Creek			subb	asin Qu	ad Map: <u>L</u>	akeview NE			
4.0	D		C		r	C	1.	<b>T</b> 7				
A2. A3.	Propose Well an	ed use: <u></u> d aquife	Ge er data ( <b>at</b> t	othermal H tach and nu	leating Imber logs	Seas for existin	sonality: <u> </u>	Year roun	d I wells as such	under lo	gid):	
		a aquit						proposed			8).	
Wel	Log	id	Applican s	PI	oposed	Propos		Location		n, metes		
1	_		Well #		quifer*	Rate(ct		/R-S QQ-Q)		N, 1200' E		
1 2	LAKE	2611	1	Be	edrock	0.557	398/2	20E-27 NW-5	<u>SE 2835' S</u>	5, 3039' E	fr NW co	r S 27
3												
4												
5	ium, CRB,	Padroak	-									
Anuv	iuiii, CKB,	Beulock	<u> </u>	-								
W-11	Well	First	SWL	SWL	Well	Seal	Casing	Liner	Perforations	Well	Draw	Test
Well	Elev ft msl	Water ft bls	ft bls	Date	Depth (ft)	Interval (ft)	Intervals (ft)	Intervals (ft)	Or Screens (ft)	Yield (gpm)	Down (ft)	Туре
1	4790	50	20	9/15/80	1355	0-179	0-179	None	None	100		Air
Ļ												
Use data	a from app	lication f	for proposed	d wells.								
A4.									sed as an inje			
								<u>tion well. P</u> he applicant	lease include t	he attach	ed Requ	est for
<u>whhio</u>	val 101 III		and the Ir	<u>voi uniel a</u>	hhi ohi igu	correspo			•			

A5. A5. Provisions of the <u>Goose and Summer Lakes</u> Basin rules relative to the development, classification and/or management of ground water hydraulically connected to surface water are, *or* are not, activated by this application.

(Not all basin rules contain such provisions.)

Comments: \_\_\_\_\_

A6. Well(s) #\_\_\_\_\_, \_\_\_\_, \_\_\_\_, \_\_\_\_, tap(s) an aquifer limited by an administrative restriction. Name of administrative area: \_\_\_\_\_\_

Comments:

Version: 08/15/2003

## B. GROUND WATER AVAILABILITY CONSIDERATIONS, OAR 690-310-130, 400-010, 410-0070

- B1. **Based upon available data**, I have determined that ground water\* for the proposed use:
  - **is** over appropriated, **is not** over appropriated, or **is cannot be determined to be** over appropriated during any a. period of the proposed use. \* This finding is limited to the ground water portion of the over-appropriation determination as prescribed in OAR 690-310-130;
  - will not or will likely be available in the amounts requested without injury to prior water rights. \* This finding b. is limited to the ground water portion of the injury determination as prescribed in OAR 690-310-130;
  - will not or will likely to be available within the capacity of the ground water resource; or c.
  - **will, if properly conditioned**, avoid injury to existing ground water rights or to the ground water resource: d.
    - The permit should contain condition #(s) 7L i.
    - The permit should be conditioned as indicated in item 2 below. ii.
    - iii.  $\square$  The permit should contain special condition(s) as indicated in item 3 below;
- **Condition** to allow ground water production from no deeper than \_\_\_\_\_\_ ft. below land surface; B2. a.
  - Condition to allow ground water production from no shallower than \_\_\_\_\_\_ ft. below land surface; b.
  - **Condition** to allow ground water production only from the c. \_ ground water reservoir between approximately\_\_\_\_\_\_ft. and \_\_\_\_\_\_ft. below land surface;
  - d. Well reconstruction is necessary to accomplish one or more of the above conditions. The problems that are likely to occur with this use and without reconstructing are cited below. Without reconstruction, I recommend withholding issuance of the permit until evidence of well reconstruction is filed with the Department and approved by the Ground Water Section.

**Describe injury** –as related to water availability– that is likely to occur without well reconstruction (interference w/ senior water rights, not within the capacity of the resource, etc):

B3. Ground water availability remarks: The proposed use will be non-consumptive, except for thermal properties. The injection well is located downgradient and therefore should not result in substantial thermal alteration or substantial thermal interference.

**RECOMMENDED CONDITION LANGUAGE:** All water produced under this permit shall be injected into the authorized well(s). Prior to receiving a certificate of water right, the permit holder shall submit documentation affirming that any applicable additional requirements of the Department's Division 230 rules have been met.

## C. GROUND WATER/SURFACE WATER CONSIDERATIONS, OAR 690-09-040

C1. 690-09-040 (1): Evaluation of aquifer confinement:

Wel 1	Aquifer or Proposed Aquifer	Confined	Unconfined
1	Interbedded tuff brecia, basalt, andesite and other volcanic rocks	$\boxtimes$	

Basis for aquifer confinement evaluation: <u>Review of geothermal well logs and reports in the area indicated that most</u> thermal water occurs under confined conditions.

C2. **690-09-040** (2) (3): Evaluation of distance to, and hydraulic connection with, surface water sources. All wells located a horizontal distance less than <sup>1</sup>/<sub>4</sub> mile from a surface water source that produce water from an unconfined aquifer shall be assumed to be hydraulically connected to the surface water source. Include in this table any streams located beyond one mile that are evaluated for PSI.

Well	SW #	Surface Water Name	GW Elev ft msl	SW Elev ft msl	Distance (ft)	Hydraulically Connected? YES NO ASSUMED	Potential f Subst. Inter Assumed	rfer.
			it illsi	it illsi		TES NO ASSOMED	YES	NO

Basis for aquifer hydraulic connection evaluation: <u>The use of water will be non-consumptive</u>. <u>There is no potential for</u> <u>substantial interference with any surface water sources</u>.

Water Availability Basin the well(s) are located within: <u>Thomas Creek > Goose Lake at mouth (31300102).</u>

C3a. **690-09-040** (4): Evaluation of stream impacts for <u>each well</u> that has been determined or assumed to be **hydraulically connected and less than 1 mile** from a surface water source. Limit evaluation to instream rights and minimum stream flows that are pertinent to that surface water source, and not lower SW sources to which the stream under evaluation is tributary. Compare the requested rate against the 1% of 80% *natural* flow for the pertinent Water Availability Basin (WAB). If Q is not distributed by well, use full rate for each well. Any checked 🖾 box indicates the well is assumed to have the potential to cause PSI.

Well	SW #	Well < <sup>1/4</sup> mile?	Qw > 5 cfs?	Instream Water Right ID	Instream Water Right Q (cfs)	Qw > 1% ISWR?	80% Natural Flow (cfs)	Qw > 1% of 80% Natural Flow?	Interference @ 30 days (%)	Potential for Subst. Interfer. Assumed?

Date: April 23, 2009

C3b. **690-09-040 (4):** Evaluation of stream impacts by total appropriation for all wells determined or assumed to be hydraulically connected and less than 1 mile from a surface water source. Complete only if Q is distributed among wells. Otherwise same evaluation and limitations apply as in C3a above.

Same e araa	and mint	acronic ap	p1) us in 000						
SV #		Qw > 5 cfs?	Instream Water Right ID	Instream Water Right Q (cfs)	Qw > 1% ISWR?	80% Natural Flow (cfs)	Qw > 1% of 80% Natural Flow?	Interference @ 30 days (%)	Potential for Subst. Interfer. Assumed?

Comments: This section does not apply.

C4a. **690-09-040 (5):** Estimated impacts on **hydraulically connected surface water sources greater than one mile** as a percentage of the proposed pumping rate. Limit evaluation to the effects that will occur up to one year after pumping begins. This table encompasses the considerations required by 09-040 (5)(a), (b), (c) and (d), which are not included on this form. Use additional sheets if calculated flows from more than one WAB are required.

	istributed	Wells											
Well	SW#	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q	as CFS												
Interfer	ence CFS												
<b>D</b> ! / !!	4 1 7 7 7												
Distrit	outed Wel	ls											
Well	SW#	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q													
Interfer	ence CFS												
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q													
Interfer	ence CFS												
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q													
Interfer	ence CFS												
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q	as CFS												
Interfer	ence CFS												
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q													
Interfer	ence CFS												
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q													
Interfer	ence CFS												
$(\mathbf{A}) = \mathbf{T}0$	tal Interf.												
	% Nat. Q												
(C) = 1	% Nat. Q												
$(\mathbf{D}) = (\mathbf{A})$	(C)	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\sim$	$\checkmark$						
(E) = (A	/ B) x 100	%	%	%	%	%	%	%	%	%	%	%	%

pplication	on G- <u>17173</u>	continued	Date: <u>April 23, 2009</u>
FS; (D)	= highlight the check	mark for each month where (A) is	w at 80% exceed. as CFS; (C) = 1% of calculated natural flow at 80% exceed. as greater than (C); (E) = total interference divided by 80% flow as percentage.
Ba	sis for impact eval	uation: <u>This section does no</u>	t apply.
_			
b. <b>69</b>	00-09-040 (5) (b) Rights Section.	The potential to impair or de	etrimentally affect the public interest is to be determined by the Wate
. 🗌 I u	under this permit ca	n be regulated if it is found to s	(s) can be adequately protected from interference, and/or ground water us substantially interfere with surface water:
	ii. The per	mit should contain condition #( mit should contain special cond	dition(s) as indicated in "Remarks" below;
5. SW /	GW Remarks and	d Conditions	
			eviews; regional geologic maps; Town of Lakeview Geothermal , 2002, by ECO:LOGIC Engineering, LLC, Reno, Nevada.
Expl		-1, Consu action and Testing,	2002, by ECO.LOGIC Eligineering, LLC, Kello, Nevaua.

, 200\_\_\_\_.

D. WE	LL CONSTRUCTION, OAR 690-200
D1.	Well #:   1   Logid:   LAKE 2611
D2.	THE WELL does not meet current well construction standards based upon:   a. review of the well log;   b. field inspection by   c. report of CWRE   d. other: (specify)
D3.	THE WELL construction deficiency:   a. constitutes a health threat under Division 200 rules;   b. commingles water from more than one ground water reservoir;   c. permits the loss of artesian head;   d. permits the de-watering of one or more ground water reservoirs;   e. other: (specify)
D4.	THE WELL construction deficiency is described as follows:
D5.	<b>THE WELL</b> a. <b>was</b> , <i>or</i> <b>was not</b> constructed according to the standards in effect at the time of original construction or most recent modification.
	b. I don't know if it met standards at the time of construction.
D6.	<b>Route to the Enforcement Section.</b> I recommend withholding issuance of the permit until evidence of well reconstruction is filed with the Department and approved by the Enforcement Section and the Ground Water Section.
THIS S	SECTION TO BE COMPLETED BY ENFORCEMENT PERSONNEL

D7. Well construction deficiency has been corrected by the following actions:

(Enforcement Section Signature)

D8. **Route to Water Rights Section (attach well reconstruction logs to this page).** 

\_\_\_\_

\_