PUBLI	C INTE	REST	REVIEW	FOR GROU	JND WAT	ER APPL	ICATIO	NS					
TO:		Wate	r Rights S	Section				Dat	e	May 11,	2009		
FROM													
	IECT: Application G- 17196 Reviewer's Name Supersedes review of												
SODIE		Аррп	Ication G	- 1/190		Suj	perseues	review of			Date of Rev	view(s)	
σιτατι	C INTI	DECT	r ddegi		CDOUNI								
OAR 69 welfare, to determ	90-310-1 <i>safety an</i> mine whe	30 (1) <i>I ind heal</i> ther th	<i>The Depar</i> <i>th as desc</i> e presump	<i>ribed in ORS</i> tion is establi	<i>resume tha</i> 537.525. E ished. OAR	<i>t a propos</i> Department 8 690-310-	<i>ed ground</i> staff revi 140 allow	lwater use will ew ground wa s the proposed nd agency po	ter apj l use b	plications be modified	under OA	R 690-3	10-140 meet
A. GEN	ERAL I	NFORM	MATION:	Applicant's	Name:	Thomas B	arnett		Cou	inty: <u> </u>	Marion		
A1.	Applica	nt(s) se	eek(s) <u>1.</u>	<u>0</u> cfs f	rom <u>we</u>	ll(s) in the		Willamett	e				_Basin,
						subł	oasin (Quad Map: <u>S</u>	herwo	ood			
A2. A3.								January 1 nark propose			under log	gid):	
Well	Log	id	Applican		d Aquifer*	Propose		Location		Locatio	n, metes a	nd bound	s, e.g.
1	MARI		Well #	-	uvium	Rate(cfs 1.0		(T/R-S QQ-Q) S/1W-3 NE-NW	/	620's, 600	I, 1200' E : D'E fr NW 3		
2											5		
3													
4 5													
	ım, CRB,	Bedroc	k										
Well	Well Elev	First Wate	r SWL	SWL Date	Well Depth	Seal Interval	Casing Interval	s Intervals		rforations r Screens	Well Yield	Draw Down	Test Type
1	ft msl 182	ft bls	53	01/05/2009	(ft) 240	(ft) 0-122	(ft) 2.5- 199.75	(ft)	197 235	(ft) -221, 221-	(gpm) 600	(ft)	A
Use data	from app	lication	for propose	d wells.									
A4.	Comme	ents:											
													<u>.</u>
A5. 🛛	Provisi			Willamette				rules relative					
				in such provi		ected to su	rface wate	er 🗌 are , or [⊠ are	e not, activ	ated by the	nis applic	cation.
						m a confir	ned aquife	r, so the pertin	ent ba	asin rules d	lo not app	oly.	

A6. Well(s) #_____, ____, ____, ____, tap(s) an aquifer limited by an administrative restriction. Name of administrative area: ______

Comments:

B. GROUND WATER AVAILABILITY CONSIDERATIONS, OAR 690-310-130, 400-010, 410-0070

- B1. **Based upon available data**, I have determined that ground water* for the proposed use:
 - a. **is** over appropriated, **is not** over appropriated, *or* **is cannot be determined to be** over appropriated during any period of the proposed use. * This finding is limited to the ground water portion of the over-appropriation determination as prescribed in OAR 690-310-130;
 - b. **will not** *or* **will** likely be available in the amounts requested without injury to prior water rights. * This finding is limited to the ground water portion of the injury determination as prescribed in OAR 690-310-130;
 - c. **will not** *or* **will** likely to be available within the capacity of the ground water resource; or
 - d. **will, if properly conditioned**, avoid injury to existing ground water rights or to the ground water resource: i. **The permit should contain condition** #(s) 7B, 7C
 - ii. The permit should be conditioned as indicated in item 2 below.
 - iii. \square The permit should contain special condition(s) as indicated in item 3 below;

B2. a. Condition to allow ground water production from no deeper than ______ ft. below land surface;

- b. Condition to allow ground water production from no shallower than ______ ft. below land surface;
- c. Condition to allow ground water production only from the ______ alluvial ______ ground water reservoir-between approximately______ ft. and ______ ft. below land surface;
- d. **Well reconstruction** is necessary to accomplish one or more of the above conditions. The problems that are likely to occur with this use and without reconstructing are cited below. Without reconstruction, I recommend withholding issuance of the permit until evidence of well reconstruction is filed with the Department and approved by the Ground Water Section.

Describe injury –as related to water availability– that is likely to occur without well reconstruction (interference w/ senior water rights, not within the capacity of the resource, etc):

B3. Ground water availability remarks: _____

The applicant's well is located in an area that contains low permeability saturated silt and clay from land surface to a depth of approximately 80-100 feet. About 30 feet of productive sand and gravel underlie the low permeability silt. Over 400 feet of clay and silt with thin beds of sand and gravel underlie the sand and gravel. The applicant's well is open to water-bearing sands and gravels below a depth of 125 feet.

Water levels in nearby wells show no obvious declines (see attached hydrograph).

C. GROUND WATER/SURFACE WATER CONSIDERATIONS, OAR 690-09-040

C1. 690-09-040 (1): Evaluation of aquifer confinement:

Well	Aquifer or Proposed Aquifer	Confined	Unconfined
1	alluvial	\square	

Basis for aquifer confinement evaluation: <u>The applicant's well produces water from sands and gravels that are confined by about 180 feet of mostly fine grained alluvial sediments. Additionally, static water levels in nearby wells rise above water bearing zones. These factors indicate the well produces from a confined aquifer.</u>

C2. **690-09-040** (2) (3): Evaluation of distance to, and hydraulic connection with, surface water sources. All wells located a horizontal distance less than ¹/₄ mile from a surface water source that produce water from an unconfined aquifer shall be assumed to be hydraulically connected to the surface water source. Include in this table any streams located beyond one mile that are evaluated for PSI.

Well	SW #	Surface Water Name	GW Elev ft msl	SW Elev ft msl	Distance (ft)	Hydraulically Connected? YES NO ASSUMED	Potential for Subst. Interfer. Assumed? YES NO
1	1	Deer Creek	130	140	800		

Basis for aquifer hydraulic connection evaluation: <u>Water table maps indicate that ground water discharges to streams in the area. Additionally, water levels in nearby wells are coincident with local stream elevations. These factors indicate a hydraulic connection between nearby streams and the ground water system.</u>

Water Availability Basin the well(s) are located within: <u>30200901: MILL CR > PUDDING R – AT MOUTH</u>

C3a. **690-09-040** (4): Evaluation of stream impacts for <u>each well</u> that has been determined or assumed to be **hydraulically connected and less than 1 mile** from a surface water source. Limit evaluation to instream rights and minimum stream flows that are pertinent to that surface water source, and not lower SW sources to which the stream under evaluation is tributary. Compare the requested rate against the 1% of 80% *natural* flow for the pertinent Water Availability Basin (WAB). If Q is not distributed by well, use full rate for each well. Any checked 🖾 box indicates the well is assumed to have the potential to cause PSI.

Well	SW #	Well < ¼ mile?	Qw > 5 cfs?	Instream Water Right ID	Instream Water Right Q (cfs)	Qw > 1% ISWR?	80% Natural Flow (cfs)	Qw > 1% of 80% Natural Flow?	Interference @ 30 days (%)	Potential for Subst. Interfer. Assumed?
1	1	\boxtimes		n/a	n/a		1.88	\boxtimes	<<25%	\boxtimes

C3b. **690-09-040 (4):** Evaluation of stream impacts by total appropriation for all wells determined or assumed to be hydraulically connected and less than 1 mile from a surface water source. Complete only if Q is distributed among wells. Otherwise same evaluation and limitations apply as in C3a above.

sume evaluation	i and miniations ap	pry us in CS	a ubove.					
SW #	Qw > 5 cfs?	Instream Water Right ID	Instream Water Right Q (cfs)	Qw > 1% ISWR?	80% Natural Flow (cfs)	Qw > 1% of 80% Natural Flow?	Interference @ 30 days (%)	Potential for Subst. Interfer. Assumed?

Comments: The water-bearing zones in the well are overlain by at least 50 feet of fine-grained sediments (Willamette Silt Unit of Gannett and Caldwell, 1998) along adjacent stream reaches. This results in a relatively inefficient connection between the productive beds and local streams. Modeling in similar situations in the area indicates that impacts are likely to be much less than 25% after 30 days for stream reaches within one mile of the well.

C4a. **690-09-040 (5):** Estimated impacts on **hydraulically connected surface water sources greater than one mile** as a percentage of the proposed pumping rate. Limit evaluation to the effects that will occur up to one year after pumping begins. This table encompasses the considerations required by 09-040 (5)(a), (b), (c) and (d), which are not included on this form. Use additional sheets if calculated flows from more than one WAB are required.

Well	SW#	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q	as CFS												
Interfer	ence CFS												
54 - 1													
Well	uted Wells SW#	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
wen	544	9⁄0	%	%	<u>%</u>	%	3un %	3ui %	%	900 Sep	%	%	<u>%</u>
Well O	as CFS	/0	/0	/0	/0	/0	70	/0	/0	70	/0	/0	70
	ence CFS												
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q	as CFS												
Interfer	rence CFS												
		%	%	%	%	%	%	%	%	%	%	%	%
	as CFS												
Interfer	rence CFS												
		%	%	%	%	%	%	%	%	%	%	%	%
-	as CFS												
Interfer	rence CFS												
W 11 O	CEC	%	%	%	%	%	%	%	%	%	%	%	%
Well Q	as CFS rence CFS												
Interfer	elice CFS	%	%	%	%	%	%	%	%	%	%	%	%
Well O	as CFS	70	70	70	70	/0	70	70	/0	/0	70	70	70
	rence CFS												
1111011101													
$(\mathbf{A}) = \mathbf{T}\mathbf{c}$	otal Interf.												
$(\mathbf{B}) = \mathbf{\overline{80}}$	% Nat. Q												
(C) = 1	% Nat. Q												
$(\mathbf{D}) = (A$		\checkmark	√	~	\checkmark	\checkmark	~	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	~
(E) = (A	/ B) x 100	%	%	%	%	%	%	%	%	%	%	%	%

24b. 690-09-040 (5) (b) The potential to impair or detrimentally affect the public interest is to be determined Rights Section. 25. If properly conditioned, the surface water source(s) can be adequately protected from interference, and/or grunder this permit should contain condition #(s)	ntally affect the public interest is to be determined by the Wat be adequately protected from interference, and/or ground water u tially interfere with surface water: s) as indicated in "Remarks" below; s) as i		S; (C	al interference as CFS; (B) = WAB calculated natural flow at 80% exceed. as CFS; (C) = 1% of calculated natural flow at 80% exceed (b) = highlight the checkmark for each month where (A) is greater than (C); (E) = total interference divided by 80% flow as percentage (c) as for impact evaluation:
Rights Section. If properly conditioned, the surface water source(s) can be adequately protected from interference, and/or grunder this permit can be regulated if it is found to substantially interfere with surface water: i. The permit should contain condition #(s). ii. The permit should contain special condition(s) as indicated in "Remarks" below; SW / GW Remarks and Conditions: SW / GW Remar	be adequately protected from interference, and/or ground water tially interfere with surface water: s) as indicated in "Remarks" below; s)	Rights Section. If properly conditioned, the surface water source(s) can be adequately protected from interference, and/or ground water under this permit can be regulated if it is found to substantially interfere with surface water: i. The permit should contain condition #(s) ii. The permit should contain special condition(s) as indicated in "Remarks" below; SW / GW Remarks and Conditions:	_	
Rights Section. If properly conditioned, the surface water source(s) can be adequately protected from interference, and/or grunder this permit can be regulated if it is found to substantially interfere with surface water: i. The permit should contain condition #(s). ii. The permit should contain special condition(s) as indicated in "Remarks" below; SW / GW Remarks and Conditions: SW / GW Remar	be adequately protected from interference, and/or ground water tially interfere with surface water: s) as indicated in "Remarks" below;	Rights Section. If properly conditioned, the surface water source(s) can be adequately protected from interference, and/or ground water under this permit can be regulated if it is found to substantially interfere with surface water: i. The permit should contain condition #(s) ii. The permit should contain special condition(s) as indicated in "Remarks" below; SW / GW Remarks and Conditions:	_	
Rights Section. If properly conditioned, the surface water source(s) can be adequately protected from interference, and/or grunder this permit can be regulated if it is found to substantially interfere with surface water: i. The permit should contain condition #(s). ii. The permit should contain special condition(s) as indicated in "Remarks" below; SW / GW Remarks and Conditions:	be adequately protected from interference, and/or ground water tially interfere with surface water: s) as indicated in "Remarks" below;	Rights Section. If properly conditioned, the surface water source(s) can be adequately protected from interference, and/or ground water under this permit can be regulated if it is found to substantially interfere with surface water: i. The permit should contain condition #(s) ii. The permit should contain special condition(s) as indicated in "Remarks" below; SW / GW Remarks and Conditions:		
Rights Section. If properly conditioned, the surface water source(s) can be adequately protected from interference, and/or grunder this permit should contain condition #(s)	be adequately protected from interference, and/or ground water tially interfere with surface water: s) as indicated in "Remarks" below;	Rights Section. If properly conditioned, the surface water source(s) can be adequately protected from interference, and/or ground water under this permit can be regulated if it is found to substantially interfere with surface water: i. The permit should contain condition #(s) ii. The permit should contain special condition(s) as indicated in "Remarks" below; SW / GW Remarks and Conditions:		
Rights Section. If properly conditioned, the surface water source(s) can be adequately protected from interference, and/or grunder this permit should contain condition #(s)	be adequately protected from interference, and/or ground water tially interfere with surface water: s) as indicated in "Remarks" below;	Rights Section. If properly conditioned, the surface water source(s) can be adequately protected from interference, and/or ground water under this permit can be regulated if it is found to substantially interfere with surface water: i. The permit should contain condition #(s) ii. The permit should contain special condition(s) as indicated in "Remarks" below; SW / GW Remarks and Conditions:		
Rights Section. If properly conditioned, the surface water source(s) can be adequately protected from interference, and/or grunder this permit can be regulated if it is found to substantially interfere with surface water: i. The permit should contain condition #(s). ii. The permit should contain special condition(s) as indicated in "Remarks" below; SW / GW Remarks and Conditions:	be adequately protected from interference, and/or ground water tially interfere with surface water: s) as indicated in "Remarks" below;	Rights Section. If properly conditioned, the surface water source(s) can be adequately protected from interference, and/or ground water under this permit can be regulated if it is found to substantially interfere with surface water: i. The permit should contain condition #(s) ii. The permit should contain special condition(s) as indicated in "Remarks" below; SW / GW Remarks and Conditions:	_	
Rights Section. If properly conditioned, the surface water source(s) can be adequately protected from interference, and/or grunder this permit should contain condition #(s)	be adequately protected from interference, and/or ground water tially interfere with surface water: s) as indicated in "Remarks" below;	Rights Section. If properly conditioned, the surface water source(s) can be adequately protected from interference, and/or ground water under this permit can be regulated if it is found to substantially interfere with surface water: i. The permit should contain condition #(s) ii. The permit should contain special condition(s) as indicated in "Remarks" below; SW / GW Remarks and Conditions:		
Rights Section. If properly conditioned, the surface water source(s) can be adequately protected from interference, and/or grunder this permit should contain condition #(s)	be adequately protected from interference, and/or ground water tially interfere with surface water: s) as indicated in "Remarks" below;	Rights Section. If properly conditioned, the surface water source(s) can be adequately protected from interference, and/or ground water under this permit can be regulated if it is found to substantially interfere with surface water: i. The permit should contain condition #(s) ii. The permit should contain special condition(s) as indicated in "Remarks" below; SW / GW Remarks and Conditions:	_	
Rights Section. If properly conditioned, the surface water source(s) can be adequately protected from interference, and/or grunder this permit should contain condition #(s)	be adequately protected from interference, and/or ground water tially interfere with surface water: s) as indicated in "Remarks" below;	Rights Section. If properly conditioned, the surface water source(s) can be adequately protected from interference, and/or ground water under this permit can be regulated if it is found to substantially interfere with surface water: i. The permit should contain condition #(s) ii. The permit should contain special condition(s) as indicated in "Remarks" below; SW / GW Remarks and Conditions:	_	
If properly conditioned, the surface water source(s) can be adequately protected from interference, and/or grounder this permit can be regulated if it is found to substantially interfere with surface water: i. The permit should contain condition #(s) ii. The permit should contain special condition(s) as indicated in "Remarks" below; SW / GW Remarks and Conditions: SW / GW Remarks and Conditions: SW / GW Remarks and Conditions:	tially interfere with surface water: s) as indicated in "Remarks" below; amette Basin, Oregon: U.S Geological Survey Scientific amette lowland aquifer system, Oregon and Washington: U.S.	If properly conditioned, the surface water source(s) can be adequately protected from interference, and/or ground water under this permit can be regulated if it is found to substantially interfere with surface water: i. The permit should contain condition #(s) ii. The permit should contain special condition(s) as indicated in "Remarks" below; SW / GW Remarks and Conditions: SW / GW Remarks and Condition	o. 6	
under this permit can be regulated if it is found to substantially interfere with surface water: i. The permit should contain condition #(s) ii. The permit should contain special condition(s) as indicated in "Remarks" below; SW / GW Remarks and Conditions:	tially interfere with surface water: s) as indicated in "Remarks" below; amette Basin, Oregon: U.S Geological Survey Scientific amette lowland aquifer system, Oregon and Washington: U.S.	under this permit can be regulated if it is found to substantially interfere with surface water: i. The permit should contain condition #(s) ii. The permit should contain special condition(s) as indicated in "Remarks" below; SW / GW Remarks and Conditions: SW / GW Remarks and Conditions: References Used: Conlon and others, 2005, Ground-water hydrology of the Willamette Basin, Oregon: U.S Geological Survey Scientific Investigations Report 2005-5168. Cannett and Caldwell, 1998, Geologic framework of the Willamette lowland aquifer system, Oregon and Washington: U.S. Geological Survey Professional Paper 1424-A.		Ngits Section.
SW / GW Remarks and Conditions:	lamette Basin, Oregon: U.S Geological Survey Scientific amette lowland aquifer system, Oregon and Washington: U.S.	SW / GW Remarks and Conditions: SW / GW Remarks and Conditions:		under this permit can be regulated if it is found to substantially interfere with surface water: i \square The permit should contain condition #(s)
References Used: Conlon and others, 2005, Ground-water hydrology of the Willamette Basin, Oregon: U.S Geological Survey Scien Investigations Report 2005-5168. Gannett and Caldwell, 1998, Geologic framework of the Willamette lowland aquifer system, Oregon and Washing Geological Survey Professional Paper 1424-A,	lamette Basin, Oregon: U.S Geological Survey Scientific amette lowland aquifer system, Oregon and Washington: U.S.	References Used:		ii. The permit should contain special condition(s) as indicated in "Remarks" below;
References Used: Conlon and others, 2005, Ground-water hydrology of the Willamette Basin, Oregon: U.S Geological Survey Scien Investigations Report 2005-5168. Gannett and Caldwell, 1998, Geologic framework of the Willamette lowland aquifer system, Oregon and Washing Geological Survey Professional Paper 1424-A,	lamette Basin, Oregon: U.S Geological Survey Scientific amette lowland aquifer system, Oregon and Washington: U.S.	References Used:		
Conlon and others, 2005, Ground-water hydrology of the Willamette Basin, Oregon: U.S Geological Survey Scien Investigations Report 2005-5168. Gannett and Caldwell, 1998, Geologic framework of the Willamette lowland aquifer system, Oregon and Washing Geological Survey Professional Paper 1424-A,	lamette Basin, Oregon: U.S Geological Survey Scientific amette lowland aquifer system, Oregon and Washington: U.S.	Conlon and others, 2005, Ground-water hydrology of the Willamette Basin, Oregon: U.S Geological Survey Scientific Investigations Report 2005-5168. Gannett and Caldwell, 1998, Geologic framework of the Willamette lowland aquifer system, Oregon and Washington: U.S. Geological Survey Professional Paper 1424-A, Woodward and others, 1998, Hydrogeologic framework of the Willamette lowland aquifer system, Oregon and Washington:	SW	/ GW Remarks and Conditions:
Conlon and others, 2005, Ground-water hydrology of the Willamette Basin, Oregon: U.S Geological Survey Scien Investigations Report 2005-5168. Gannett and Caldwell, 1998, Geologic framework of the Willamette lowland aquifer system, Oregon and Washing Geological Survey Professional Paper 1424-A,	lamette Basin, Oregon: U.S Geological Survey Scientific amette lowland aquifer system, Oregon and Washington: U.S.	Conlon and others, 2005, Ground-water hydrology of the Willamette Basin, Oregon: U.S Geological Survey Scientific Investigations Report 2005-5168. Gannett and Caldwell, 1998, Geologic framework of the Willamette lowland aquifer system, Oregon and Washington: U.S. Geological Survey Professional Paper 1424-A, Woodward and others, 1998, Hydrogeologic framework of the Willamette lowland aquifer system, Oregon and Washington:		
Conlon and others, 2005, Ground-water hydrology of the Willamette Basin, Oregon: U.S Geological Survey Scien Investigations Report 2005-5168. Gannett and Caldwell, 1998, Geologic framework of the Willamette lowland aquifer system, Oregon and Washing Geological Survey Professional Paper 1424-A,	lamette Basin, Oregon: U.S Geological Survey Scientific amette lowland aquifer system, Oregon and Washington: U.S.	Conlon and others, 2005, Ground-water hydrology of the Willamette Basin, Oregon: U.S Geological Survey Scientific Investigations Report 2005-5168. Gannett and Caldwell, 1998, Geologic framework of the Willamette lowland aquifer system, Oregon and Washington: U.S. Geological Survey Professional Paper 1424-A, Woodward and others, 1998, Hydrogeologic framework of the Willamette lowland aquifer system, Oregon and Washington:		
Conlon and others, 2005, Ground-water hydrology of the Willamette Basin, Oregon: U.S Geological Survey Scien Investigations Report 2005-5168. Gannett and Caldwell, 1998, Geologic framework of the Willamette lowland aquifer system, Oregon and Washing Geological Survey Professional Paper 1424-A,	lamette Basin, Oregon: U.S Geological Survey Scientific amette lowland aquifer system, Oregon and Washington: U.S.	Conlon and others, 2005, Ground-water hydrology of the Willamette Basin, Oregon: U.S Geological Survey Scientific Investigations Report 2005-5168. Gannett and Caldwell, 1998, Geologic framework of the Willamette lowland aquifer system, Oregon and Washington: U.S. Geological Survey Professional Paper 1424-A, Woodward and others, 1998, Hydrogeologic framework of the Willamette lowland aquifer system, Oregon and Washington:		
Conlon and others, 2005, Ground-water hydrology of the Willamette Basin, Oregon: U.S Geological Survey Scien Investigations Report 2005-5168. Gannett and Caldwell, 1998, Geologic framework of the Willamette lowland aquifer system, Oregon and Washing Geological Survey Professional Paper 1424-A,	lamette Basin, Oregon: U.S Geological Survey Scientific amette lowland aquifer system, Oregon and Washington: U.S.	Conlon and others, 2005, Ground-water hydrology of the Willamette Basin, Oregon: U.S Geological Survey Scientific Investigations Report 2005-5168. Gannett and Caldwell, 1998, Geologic framework of the Willamette lowland aquifer system, Oregon and Washington: U.S. Geological Survey Professional Paper 1424-A, Woodward and others, 1998, Hydrogeologic framework of the Willamette lowland aquifer system, Oregon and Washington:		
Conlon and others, 2005, Ground-water hydrology of the Willamette Basin, Oregon: U.S Geological Survey Scien Investigations Report 2005-5168. Gannett and Caldwell, 1998, Geologic framework of the Willamette lowland aquifer system, Oregon and Washing Geological Survey Professional Paper 1424-A,	lamette Basin, Oregon: U.S Geological Survey Scientific amette lowland aquifer system, Oregon and Washington: U.S.	Conlon and others, 2005, Ground-water hydrology of the Willamette Basin, Oregon: U.S Geological Survey Scientific Investigations Report 2005-5168. Gannett and Caldwell, 1998, Geologic framework of the Willamette lowland aquifer system, Oregon and Washington: U.S. Geological Survey Professional Paper 1424-A, Woodward and others, 1998, Hydrogeologic framework of the Willamette lowland aquifer system, Oregon and Washington:		
Conlon and others, 2005, Ground-water hydrology of the Willamette Basin, Oregon: U.S Geological Survey Scien Investigations Report 2005-5168. Gannett and Caldwell, 1998, Geologic framework of the Willamette lowland aquifer system, Oregon and Washing Geological Survey Professional Paper 1424-A,	lamette Basin, Oregon: U.S Geological Survey Scientific amette lowland aquifer system, Oregon and Washington: U.S.	Conlon and others, 2005, Ground-water hydrology of the Willamette Basin, Oregon: U.S Geological Survey Scientific Investigations Report 2005-5168. Gannett and Caldwell, 1998, Geologic framework of the Willamette lowland aquifer system, Oregon and Washington: U.S. Geological Survey Professional Paper 1424-A, Woodward and others, 1998, Hydrogeologic framework of the Willamette lowland aquifer system, Oregon and Washington:		
Conlon and others, 2005, Ground-water hydrology of the Willamette Basin, Oregon: U.S Geological Survey Scien Investigations Report 2005-5168. Gannett and Caldwell, 1998, Geologic framework of the Willamette lowland aquifer system, Oregon and Washing Geological Survey Professional Paper 1424-A,	lamette Basin, Oregon: U.S Geological Survey Scientific amette lowland aquifer system, Oregon and Washington: U.S.	Conlon and others, 2005, Ground-water hydrology of the Willamette Basin, Oregon: U.S Geological Survey Scientific Investigations Report 2005-5168. Gannett and Caldwell, 1998, Geologic framework of the Willamette lowland aquifer system, Oregon and Washington: U.S. Geological Survey Professional Paper 1424-A, Woodward and others, 1998, Hydrogeologic framework of the Willamette lowland aquifer system, Oregon and Washington:		
Conlon and others, 2005, Ground-water hydrology of the Willamette Basin, Oregon: U.S Geological Survey Scien Investigations Report 2005-5168. Gannett and Caldwell, 1998, Geologic framework of the Willamette lowland aquifer system, Oregon and Washing Geological Survey Professional Paper 1424-A,	lamette Basin, Oregon: U.S Geological Survey Scientific amette lowland aquifer system, Oregon and Washington: U.S.	Conlon and others, 2005, Ground-water hydrology of the Willamette Basin, Oregon: U.S Geological Survey Scientific Investigations Report 2005-5168. Gannett and Caldwell, 1998, Geologic framework of the Willamette lowland aquifer system, Oregon and Washington: U.S. Geological Survey Professional Paper 1424-A, Woodward and others, 1998, Hydrogeologic framework of the Willamette lowland aquifer system, Oregon and Washington:		
Conlon and others, 2005, Ground-water hydrology of the Willamette Basin, Oregon: U.S Geological Survey Scien Investigations Report 2005-5168. Gannett and Caldwell, 1998, Geologic framework of the Willamette lowland aquifer system, Oregon and Washing Geological Survey Professional Paper 1424-A,	lamette Basin, Oregon: U.S Geological Survey Scientific amette lowland aquifer system, Oregon and Washington: U.S.	Conlon and others, 2005, Ground-water hydrology of the Willamette Basin, Oregon: U.S Geological Survey Scientific Investigations Report 2005-5168. Gannett and Caldwell, 1998, Geologic framework of the Willamette lowland aquifer system, Oregon and Washington: U.S. Geological Survey Professional Paper 1424-A, Woodward and others, 1998, Hydrogeologic framework of the Willamette lowland aquifer system, Oregon and Washington:		
Conlon and others, 2005, Ground-water hydrology of the Willamette Basin, Oregon: U.S Geological Survey Scien Investigations Report 2005-5168. Gannett and Caldwell, 1998, Geologic framework of the Willamette lowland aquifer system, Oregon and Washing Geological Survey Professional Paper 1424-A,	lamette Basin, Oregon: U.S Geological Survey Scientific amette lowland aquifer system, Oregon and Washington: U.S.	Conlon and others, 2005, Ground-water hydrology of the Willamette Basin, Oregon: U.S Geological Survey Scientific Investigations Report 2005-5168. Gannett and Caldwell, 1998, Geologic framework of the Willamette lowland aquifer system, Oregon and Washington: U.S. Geological Survey Professional Paper 1424-A, Woodward and others, 1998, Hydrogeologic framework of the Willamette lowland aquifer system, Oregon and Washington:		
Investigations Report 2005-5168. Gannett and Caldwell, 1998, Geologic framework of the Willamette lowland aquifer system, Oregon and Washing Geological Survey Professional Paper 1424-A,	amette lowland aquifer system, Oregon and Washington: U.S.	Investigations Report 2005-5168. Gannett and Caldwell, 1998, Geologic framework of the Willamette lowland aquifer system, Oregon and Washington: U.S. Geological Survey Professional Paper 1424-A, Woodward and others, 1998, Hydrogeologic framework of the Willamette lowland aquifer system, Oregon and Washington:	Ref	erences Used:
Geological Survey Professional Paper 1424-A,		Geological Survey Professional Paper 1424-A, Woodward and others, 1998, Hydrogeologic framework of the Willamette lowland aquifer system, Oregon and Washington:		
Geological Survey Professional Paper 1424-A,		Geological Survey Professional Paper 1424-A, Woodward and others, 1998, Hydrogeologic framework of the Willamette lowland aquifer system, Oregon and Washington:		
Woodward and others 1998 Hydrogeologic framework of the Willamette lowland aquifer system. Oregon and W	Willamette lowland aquifer system, Oregon and Washington:			
Woodward and others 1998 Hydrogeologic framework of the Willamette lowland aquifer system. Oregon and W	e Willamette lowland aquifer system, Oregon and Washington:			
Geological Survey Professional Paper 1424-B,				

D. WELL CONSTRUCTION, OAR 690-200

D1.	Well #: Logid:
D2.	THE WELL does not meet current well construction standards based upon: a. review of the well log; b. field inspection by
D3.	THE WELL construction deficiency: a. constitutes a health threat under Division 200 rules; b. commingles water from more than one ground water reservoir; c. permits the loss of artesian head; d. permits the de-watering of one or more ground water reservoirs; e. other: (specify)
D4.	THE WELL construction deficiency is described as follows:
D5.	THE WELL a. was , <i>or</i> was not constructed according to the standards in effect at the time of original construction or most recent modification.
	b. I don't know if it met standards at the time of construction.
D6.	Route to the Enforcement Section. I recommend withholding issuance of the permit until evidence of well reconstruction is filed with the Department and approved by the Enforcement Section and the Ground Water Section.
THI	SECTION TO BE COMPLETED BY ENFORCEMENT PERSONNEL
D7.	Well construction deficiency has been corrected by the following actions:
	, 200
	(Enforcement Section Signature)
D8.] Route to Water Rights Section (attach well reconstruction logs to this page).

Water Availability Tables

MILL CR > PUDDING R - AT MOUTH WILLAMETTE BASIN


Water Availability as of 5/11/2009 Watershed ID #: 30200901 Date: 5/11/2009 Exceedance Level: 80% Image: S/11/2009 Water Availability Calculation Consumptive Uses and Storages Image: Image:

Water Availability Calculation

Monthly Streamflows in Cubic Feet per Second Storage at 50% Exceedance in Acre-Feet

Month	Natural Stream Flow	Consumptive Uses and Storages	Expected Stream Flow	Reserved Stream Flow	Instream Flow Requirement	Net Water Available
JAN	39.20	10.40	28.80	0.00	0.00	28.80
FEB	53.90	10.50	43.40	0.00	0.00	43.40
MAR	38.40	10.10	28.30	0.00	0.00	28.30
APR	27.60	7.62	20.00	0.00	0.00	20.00
MAY	13.70	6.11	7.59	0.00	0.00	7.59
JUN	8.72	7.33	1.39	0.00	0.00	1.39
JUL	3.79	10.80	-7.01	0.00	0.00	-7.01
AUG	2.09	8.87	-6.78	0.00	0.00	-6.78
SEP	1.88	5.06	-3.18	0.00	0.00	-3.18
OCT	2.39	1.76	0.63	0.00	0.00	0.63
NOV	6.05	7.78	-1.73	0.00	0.00	-1.73
DEC	25.90	10.20	15.70	0.00	0.00	15.70

<u>Water Levels in Nearby Wells</u>



Well Location Map

