



Oregon

Theodore R. Kulongoski, Governor

Water Resources Department

North Mall Office Building
725 Summer Street NE, Suite A
Salem, OR 97301-1271
503-986-0900
FAX 503-986-0904

June 12, 2009

NANCY AND PAT CROSS
2199 FAIRMOUNT BLVD
EUGENE, OR 97403

Reference: File S-87362

Dear Mr. and Mrs. Cross:

THIS IS NOT A PERMIT AND IS SUBJECT TO CHANGE AT THE NEXT PHASE OF PROCESSING.

This letter is to inform you of the preliminary analysis of your water use permit application and to describe your options. In determining whether a water use permit application may be approved, the Department must consider the factors listed below, all of which must be favorable to the proposed use if it is to be allowed. Based on the information you have supplied, the Water Resources Department has made the following preliminary determinations:

Initial Review Determinations:

1. The application proposed the use of 0.01 cubic foot per second (CFS) of water from a spring, tributary to Odell Lake, for year-round human consumption use for one household.
2. The proposed use is not prohibited by law or rule except where otherwise noted below.
3. The use of water from a spring, tributary to Odell Lake, for human consumption use is allowable under the Deschutes Basin Program.
4. Surface water is available for human consumption (indoor use only: cooking, drinking, and sanitation) at a **rate of 0.005 CFS**, further limited to 500 gallons per day (GPD) per household, as this amount is *de minimis* (insignificant) and would not likely have an adverse affect on downstream water given that there is no overland downstream flow from Odell Lake.

If you would like to amend your application to human consumption use **at a rate of 0.005 CFS**, please send your written request by **Monday, July 13, 2009**.

5. The proposed use is located above the Deschutes Scenic Waterway, as designated under ORS 390.826.

Summary of Allowable Water Use

The use of 0.01 CFS from a spring, tributary to Odell Lake, for human consumption use for one household year-round, is not allowable. However, if the application is amended to a rate of 0.005 CFS, further limited to 500 GPD, the Department will likely proceed with a Proposed Final Order recommending approval.

Please reference the application number when sending any correspondence regarding the conclusions of this Initial Review. Comments received within the comment period will be evaluated at the next phase of the process.

Withdrawal Refunds:

If you choose not to proceed, you may withdraw your application and receive a refund (minus a \$150 processing charge per application.) To accomplish this you must notify the Department in writing by **Friday, June 26, 2009**. For your convenience you may use the enclosed "STOP PROCESSING" form.

To Proceed With Your Application:

If you choose to proceed with your application, you do not have to notify the Department. Your application will automatically be placed on the Department's Public Notice to allow others the opportunity to comment. After the comment period the Department will complete a public interest review and issue a Proposed Final Order.

If A Permit Is Issued It Will Likely Include The Following Conditions:

Measurement, recording and reporting conditions:

- A. Before water use may begin under this permit, the permittee shall install a totalizing flow meter or other suitable measuring device as approved by the Director at each point of diversion. The permittee shall maintain the meter or measuring device in good working order, shall keep a complete record of the amount of water used each month, and shall submit a report which includes the recorded water use measurements to the Department annually or more frequently as may be required by the Director. Further, the Director may require the permittee to report general water-use information, including the place and nature of use of water under the permit.
- B. The permittee shall allow the watermaster access to the meter or measuring device; provided however, where the meter or measuring device is located within a private structure, the watermaster shall request access upon reasonable notice.

This initial review does not attempt to address various public interest issues such as sensitive, threatened, or endangered fish species. These issues will be addressed as the Department reviews comments from the public and other agencies, and prepares a Proposed Final Order. You should be aware that, if significant public interest issues are found to exist, such a finding could have an impact on the eventual outcome of your application.

The water source identified in your application may be affected by an Agricultural Water Quality Management Area Plan. These plans are developed by the Oregon Department of Agriculture (ODA) with the cooperation of local landowners and other interested stakeholders, and help to ensure that current and new appropriations of water are done in a way that does not adversely harm the environment. You are encouraged to explore ODA's Water Quality Program web site at http://www.oregon.gov/ODA/NRD/water_agplans.shtml to learn more about the plans and how they may affect your proposed water use.

If you have any questions:

Feel free to call me at 503-986-0853 if you have any questions regarding the contents of this letter or your application. Please have your application number available if you call. General questions about water rights and water use permits should be directed to our customer service staff at 503-986-0801. When corresponding by mail, please use this address: Michele McAleer, Oregon Water Resources Department, 725 Summer St NE Ste A, Salem OR 97301-1266. Our fax number is 503-986-0901.

Sincerely,

A handwritten signature in cursive script that reads "Michele R. McAleer".

Michele McAleer
Water Right Application Caseworker

enclosures: Application Process Description and Stop Processing Request Form

S-87362
WAB 5-199
POU 5-199
GW

APPLICATION FACT SHEET

Application File Number: S-87362

Applicant: NANCY CROSS

County: KLAMATH

Watermaster: 11

Priority Date: December 12, 2008

Source: A SPRING, A TRIBUTARY OF ODELL LAKE

Use: HUMAN CONSUMPTION

Quantity: 0.01 CUBIC FOOT PER SECOND

Basin Name & Number: Deschutes, #5

Stream Index Reference: Volume 1A ODELL L & MISC

Point of Diversion:

SESW, SECTION 14, T23S, R6E, W.M.; 460 FEET SOUTH AND 1020 FEET EAST
FROM NW CORNER

Place of Use:

SE $\frac{1}{4}$ SW $\frac{1}{4}$ DOMESTIC
SECTION 14
TOWNSHIP 23 SOUTH, RANGE 6 EAST, W.M.

14 DAY STOP PROCESSING DEADLINE DATE: Friday, June 26, 2009

PUBLIC NOTICE DATE: Tuesday, June 16, 2009

30 DAY COMMENT DEADLINE DATE: Monday, July 13, 2009

Mailing List for IR Copies

Application #S-87362

IR Date: June 12, 2009

Original mailed to applicant:

NANCY CROSS , 2199 FAIRMOUNT BLVD, EUGENE, OR 97403

Copies sent to:

1. WRD - File # S-87362
2. WRD - Water Availability: Ken Stahr

IR, Map, and Fact Sheet Copies sent via e-mail to:

3. WRD - Watermaster # 11
4. ODFW: Brett Hodgson
5. DEQ: Eric Nigg

IR, Map, and Fact Sheet Copies sent to:

6. Department of Agriculture
7. Columbia River Intertribal Fish Commission, Julie Carter,
729 NE Oregon St, Ste 200, Portland OR 97232
8. US Fish & Wildlife Service, Gary Miller, 3502 Hwy 30, La Grande, OR 97850
9. NW Power Planning Council, Fish & Wildlife Division, Karl Weist
851 SW Sixth Ave, Ste 1020, Portland OR 97204
10. Confederated Tribes of the Umatilla Indian Reservation, Carl Merkle or Jennifer Hudson
PO Box 638, 73239 Confederated Way, Pendleton, OR 97801
11. National Marine Fisheries Service, Spencer Hovekamp
3502 Hwy 30, La Grande, OR 97850

Affected Landowners (include "Notice of Initial Review--Affected Landowner"):

Copies sent to Other Interested Persons (CWRE, Agent, Well Driller, Commenter, etc.)

Copies Mailed By: _____ (SUPPORT STAFF) on: _____ (DATE)

Caseworker: Michele McAleer

\\COPYSH.T.IR