

HB 2153

FEES PAID**Date**

Amount

Receipt No.

12-30-94

300

2902/

Cert. Fee

FEES REFUNDED

Date _____

Amount

Check No.

ASSIGNMENTS

Date

To Whom

Address

Volume

Page

REMARKS

See files 80892 - 80902

CONSTRUCTION

Date filed _____

Priority _____

Action suspended until_____

Return to applicant _____

Date of approval _____

Date for beginning _____

Date for completion _____

Extended to _____

Date for application of water _____

Extended to _____

PROSECUTION OF WORK

Form "A" filed _____

Form "B" filed _____

Form "C" filed _____

FINAL PROOF

Blank mailed _____

Proof received _____

Date Certificate issued JAN 6 1997

STATE OF OREGON
COUNTY OF Wheeler

CERTIFICATE OF WATER RIGHT (HB - 2153)

THIS CERTIFICATE ISSUED TO

CRAIG WOODWARD
WOODWARD OREGON FIR
PO BOX 663 126 W 1ST
PRINEVILLE, OR 97754

Superseded by 73964
Cert. No.

confirms the right to store the waters of
ELEVEN RESERVOIRS AND STORE THE WATERS OF UNNAMED STREAMS, WEDDLE
CREEK, THOMPSON CREEK, GABLE CREEK, TRIBUTARIES GABLE CREEK, MUD
CREEK
for RECREATION, FIRE PROTECTION, LIVESTOCK AND
WILDLIFE.


The right to store and use these waters was perfected under Reservoir Application R-80897.
The date of priority is January 1, 1993. The amount of water entitled to be stored and
used each year under this right is not more than 3.7 ACRE-FEET, BEING
0.4 AF IN RESERVOIRS 31, 35, 36, 38, 41, 0.2 AF IN RES 34, AND
3.0 AF IN RES 32, 33, 37, 39, 40

Located as follows:

NW 1/4 SE 1/4 SECTION 6, TOWNSHIP 12 SOUTH, RANGE 21 EAST WM.
SE 1/4 SE 1/4 SECTION 6, TOWNSHIP 12 SOUTH, RANGE 21 EAST WM.
1/4 NE 1/4 SECTION 7, TOWNSHIP 12 SOUTH, RANGE 21 EAST WM.
1/4 SE 1/4 SECTION 7, TOWNSHIP 12 SOUTH, RANGE 21 EAST WM.
1/4 1/4 SECTION 19, TOWNSHIP 12 SOUTH, RANGE 21 EAST WM.
NE 1/4 SW 1/4 SECTION 19, TOWNSHIP 12 SOUTH, RANGE 21 EAST WM.
SW 1/4 SW 1/4 SECTION 30, TOWNSHIP 12 SOUTH, RANGE 21 EAST WM.
NW 1/4 SE 1/4 SECTION 30, TOWNSHIP 12 SOUTH, RANGE 21 EAST WM.
NE 1/4 SW 1/4 SECTION 29, TOWNSHIP 12 SOUTH, RANGE 21 EAST WM.
NE 1/4 SW 1/4 SECTION 29, TOWNSHIP 12 SOUTH, RANGE 21 EAST WM.
SW 1/4 NW 1/4 SECTION 20, TOWNSHIP 12 SOUTH, RANGE 21 EAST WM. The storage of
water allowed herein is subject to the installation and maintenance of an outlet pipe, with a minimum
diameter of 8", or the provision of other means to evacuate water when determined necessary for public
safety or to satisfy prior downstream rights as determined by the Water Resources Director.

The right to store and use the water for the above purpose is restricted to beneficial use at the place of
use listed above.

WITNESS the signature of the Water Resources Director, affixed **FEBRUARY 27, 1996.**



Martha O. Pagel

Recorded in State Record of Water Right Certificates numbered 72105

February 5, 1996

WATER
RESOURCES
DEPARTMENT

CRAIG WOODWARD
WOODWARD OREGON FIR
PO BOX 663 126 W 1ST
PRINEVILLE, OR 97754

REFERENCE: F i l e #
R-80894,R-80896,R-80897,R-80898,R-80899,R-80900,R-80901,R-80902;

We have received your application(s) for a water use permit along with your supporting data, documentation, and fees. A receipt is enclosed here unless you were previously issued one. Your application has been assigned the above referenced file number. Please refer to this number whenever you contact us about your application.

Your application will be considered under House Bill 2153 enacted by the 1993 Oregon Legislature. You may continue the storage of water while a decision is pending on your application.

After an application has been accepted for filing, public notification of the application is made, followed by a mandatory 30-day comment period. Thereafter, applications can be considered for processing as time allows.

At present the Water Resources Department has a backlog of several thousand applications for water use permits which has delayed our application processing time. In general, the Department works through Oregon's 18 river basins on a rotating schedule, processing applications in the order in which they have been received.

The processing of an application does not guarantee that a water right permit will be issued. Each application must undergo specialized analysis called a technical review and a public interest review. Until your application is reviewed, it is not possible to determine whether your particular proposed water use will be recommended for a permit.

Technical Reviews are processed in accordance with Oregon Administrative Rules. The Water Resources Commission is considering the adoption of rules to protect stream flows for fish species. This action is being contemplated in response to current and future Endangered Species Act fish listings, including many runs of salmon, steelhead and resident fish throughout the state.



Commerce Building
158 12th Street NE
Salem, OR 97310-0210
(503) 378-3739
FAX (503) 378-8130

REFERENCE: File(s) - R-80894,R-80896,R-80897,R-80898,R-80899,R-80900,R-80901,R-80902

The proposed rules, if adopted, could limit the issuance of new water right permits in certain areas of the state. If and when the Commission adopts these rules, new criteria or restrictions may be imposed on water use applications received after:

July 17, 1992, for use of water in the Upper Columbia/Snake Basin (above Bonneville Dam), including the mainstem Columbia and Snake Rivers and the Hood, Deschutes, John Day, Umatilla, Grande Ronde, Powder, Malheur and Owyhee Basins;

April 8, 1994, for use of water in the North Coast, Mid Coast, South Coast, Rogue and Umpqua Basins and the Clackamas Subbasin of the Willamette Basin; and

June 3, 1994, for use of water in all Oregon basins.


When the report on the technical review is completed and sent to you, a 60-day objection period begins during which you, the applicant, or anyone who has expressed an interest in your proposed water use may communicate to us their disagreement with what we have said in our report on your application. After the 60-day objection period, the Department conducts the public interest review and considers any objections which have been made.

After any objections have been considered, there may follow time to allow parties to resolve conflicts over the proposed water use. In addition, a 30-day protest period may be required. Lastly, it may be necessary to schedule a hearing or send the application to the Water Resources Commission for their review.

If your application is recommended for approval and a permit is issued, the use allowed by the permit will be subject to the Basin Program Rules of the Water Resources Commission, instream flow requirements, the demands of prior right holders and other conditions to conform the water use to particular standards.

Please contact the Water Rights Information Group (WRIG) if you have any questions. You may write to us at 158 12th ST NE, Salem, Oregon 97310 or you may call 378-3739 in Salem or toll free from within the state 1-800-624-3199.

Sincerely,

A handwritten signature in dark ink, appearing to read "Anita M. Mc Loud", written in a cursive style.

Ms. Anita M. Mc Loud
Water Rights Specialist
Water Rights/Adjudication Division

cc: CWRE

Application No.

R-80897

RECEIVED

DEC 30 1994

WATER RESOURCES DEPT.
SALEM, OREGON

State of Oregon
WATER RESOURCES DEPARTMENT

Application for a Permit to Construct a Reservoir

Applicant(s) Woodward Ore Fir. / Craig Woodward

(Please print or type - use dark ink)

Mailing Address: PO Box 663 126 W. 1st

Prineville

City

Or.

State

97754

Zip

447-3841

Daytime Phone No.

I (We) make application for a permit to construct 10 reservoir and store the following described waters of the State of Oregon:

1. **SOURCE OF WATER** for the proposed use: See List Attached,
a tributary of _____.
If not in channel of a stream, state how it is to be filled: _____

2. **THE DAM:** The maximum height of the structure will be _____ feet above stream bed or ground surface at the centerline.

The dam will be (check one) _____ earthfill, ☒ concrete, _____ flashboard, _____ other.

If "other" give description: _____

Give the location, description, and dimensions of the outlet conduit: See List Attached

NOTE: All dams across natural stream channels must be provided with an outlet conduit, minimum diameter of 8", or be of such capacity and location as to pass the normal flow of the stream at any time.

3. **THE USE(s)** of the impounded water will be: Recreation, Fire Suppression, stock water, Wild Life habitat

4. **THE AMOUNT OF WATER** to be stored is: See Attached List acre-feet.
The area submerged by the reservoir, when filled, will be _____ acres,
and the maximum depth of water will be _____ feet.

5. **SPILLWAY DESCRIPTION** (location and dimensions). State whether over or around the
dam. See Attached List

6. **PROJECT SCHEDULE:** (List month and year)

Proposed date construction work will begin Jan 1, 1993

Proposed date construction work will be completed "

Proposed date water use will be completed "

NOTE: Prior to issuance of a permit, it will be necessary to submit a map prepared by a Certified Water Right Examiner (CWRE) and a complete legal description of the property on which the water is to be used. The legal description may be copied from your deed, title insurance policy, or land sales contract.

7. a) In the event any deficiencies are noted involving the application map enclosed herein, please return the map with instructions for correction to (check one):

☒ Applicant ☐ CWRE ☐ Other (Identify in REMARKS section)

b) In the event any deficiencies are noted involving the application, please return the application with instructions for correction to (check one):

☒ Applicant ☐ CWRE ☐ Other (Identify in REMARKS section)

8. Are all lands involved (including the proposed diversion site, place of use, and access for conveying the water) under your ownership? yes. If not, list in the REMARKS section below, or on an attached sheet, the names and mailing addresses of the legal owners of all property involved in the proposed development.

DEC 30 1994

WATER RESOURCES DEPT.
SALEM, OREGON

REMARKS: This is to apply for a pond in
existence prior to 1-1-93 which didn't
require a permit at time of construction.

I/We certify that the information I have provided in this application is an accurate representation of the proposed water use and is true and correct to the best of my knowledge:

Signature

Date

Signature

Date

FOR WATER RESOURCES DEPARTMENT USE ONLY

Dear Applicant:

I certify that I have examined the foregoing application, together with the accompanying information, and am returning it to you for:

In order to retain its tentative priority, this application must be returned with the requested corrections or additions on or before:

_____, 19____.

WITNESS my hand this _____ day of _____, 19____.

Water Resources Director

By: _____

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the 30 day of December, 1994, at 8 o'clock, A M.

Priority Date 1-1-93

APPLICATION NO: R-80897


Woodward Companies
P. O. Box 663
Prineville, OR 97754
503-447-3841

August 3, 1995


Water Resource Department
Commerce Building
158 12th Street NE
Salem, Oregon 97310-0210


Re: Reference Number I-1018

All ponds listed in the included application for
Woodward Companies existed prior to January 1, 1993.


Craig Woodward 8-4-95
Date

State of Oregon, County of Crook
The above individual, Craig Woodward, personally appeared
before me this date & signed this statement.




NOTARY PUBLIC FOR OREGON 8-4-95
DATE
My commission Expires: 7-21-97

Application No. R-80897
Permit No.

RECEIVED

DEC 30 1994

WATER RESOURCES DEPT.
SALEM, OREGON

LINEBAR BLOCK

<u>LOCATION</u>	<u>HEIGHT</u>	<u>SPILLWAY/ PIPE</u>	<u>SIZE</u>	<u>MAP SHOWN</u>
T12SR21E				
31) NW SE SEC 6	UNDER 10'	SPILLWAY	UNDER .4AC	AFF
32) SE SE SEC 6	UNDER 10'	SPILLWAY	UNDER .3AC	AFF
33) NE SEC 7	UNDER 10'	SPILLWAY	UNDER .3AC	AFF
34) SE SEC 7	UNDER 10'	SPILLWAY	UNDER .2AC	AFF
35) CENTER SEC 19	UNDER 10'	SPILLWAY	UNDER .4AC	AFF
36) NE SW SEC 19	UNDER 10'	SPILLWAY	UNDER .4AC	AFF
37) SW SW SEC 30	UNDER 10'	SPILLWAY	OVER .3AC	AFF
38) NW SE SEC 30	UNDER 10'	SPILLWAY	UNDER .4AC	AFF
39) NE SW SEC 29	UNDER 10'	SPILLWAY	UNDER .3AC	AFF
40) NE SW SEC 29	UNDER 10'	SPILLWAY	UNDER .3AC	AFF
41) SW NW SEC 20	UNDER 10'	SPILLWAY	UNDER .4AC	AFF

Application No. R-80897
Permit No.

PRE-TR APPLICATION PROCESSING OUTLINE

Application File # R80897

MINIMUM REQUIREMENTS TO FILE

OAR 690-11-020

DATE STAMP

DATE 1-24-96 INITIAL SC

Name and mailing address of applicant

Source of water

Quantity of water

Map showing location of POD & POU

Use of water

Names and addresses of legal owners

Signature of applicant

HB 2153/HB 2107 APPLICATION -- SEE REVERSE

Oath

Application date stamped per money receipt date

Land use approved e pending

If reservoir < 5 AF \$, if > 5 AF \$ 300

Route to Data Center (Unless 2153/2107)

DATA CENTER

Stream Code

Entered into WRIS

SUPPORT SERVICES

Stamp contents with application number

Mail ack letter (provided by Data Center) with receipt to applicant, cc to CWRE and file

Place label on file and calendar card

APPLICATION SECTION

Stream Indexed Basin #

Plat Carded and copy made YES NO

If dam is over 10 feet or storage exceeds 9.2

AC-FT, route file to Dam Safety Section

TR CASEWORKER

TR Checklist complete YES NO

Within Irrigation District

District Notified

District excerpt received

TR Mailed DATE

Public Interest Checklist complete

Management Codes

REMARKS:

MINIMUM APPLICATION REQUIREMENTS TO FILE:

HB 2153 - existing, small, EXEMPT ponds

(date & initials) NOTICE OF EXEMPT RESERVOIR form (or letter if prior to April 8, 1994).

Appropriate map (see item 1 on form).

Evidence that reservoir existed before January 1, 1993 (one or more of the following: dated aerial photo, NOTARIZED affidavit, dated map from agency, construction receipts or other documentation).

Items 2, 3, 4, 5, and 6 are completed.

Signature (and title, if applicable)

HB 2153 - non-exempt existing ponds (large, on-channel)

Complete Minimum Requirements to File on reverse, except before routing to Data Center, change priority date to 1/1/1993. Also, confirm the following:

MC 1-29-96 Receipt of evidence that reservoir existed before January 1, 1993 (one or more of the following: dated aerial photo, NOTARIZED affidavit, dated map from agency, construction receipts or other documentation)

HB 2107 - wetland, stream restoration and storm water management

Complete Minimum Requirements to File on reverse EXCEPT DO NOT ROUTE TO DATA CENTER, BUT DO ROUTE TO CAROL. Also confirm the following:

Name/address of adjacent property owner within 1/4 mile

Map with scale not less than 2 in.=1 mi.

CWRE map if > 10 feet dam or > 9.2 AF

Description of proposed use

Condition addressed

Resulting benefits

Public notices (circle) #1 #2

See File

R-80892

for LU

Forms

OK 24-2229021

NAME <i>Woodward Oregon Fir</i>		SHIP TO <i>Woodward Oregon Fir</i>	
ADDRESS		ADDRESS	
CITY, STATE, ZIP		CITY, STATE, ZIP	
ORDER NUMBER <i>1018</i>	TERMS	DATE <i>12-30-94</i>	
WHEN SHIP	HOW SHIP	SALESMAN	
QUANTITY	DESCRIPTION	PRICE	AMOUNT
		<i>\$2,050.-</i>	
	<i>11 applications</i>		
	<i>5 at \$50.- each</i>		
	<i>6 at \$300.- each</i>		
	<i>\$200.- exam</i>		
	<i>100.- Record</i>		
	WATER RESOURCES DEPT.		
	COMMERCE BUILDING		
	158 12TH STREET NE		
	SALEM, OR 97310		
BUYER: <i>D. Bushnell</i>			

KEEP THIS SLIP FOR REFERENCE

TC 5803

R-80897