ODFW ALTERNATE RESERVOIR APPLICATION REVIEW SHEET

Recommendations for Water Right Applications under the Alternate Reservoir review process (ORS 537.409)

In lieu of the water right application process set forth in ORS 537.140 to 537.211, an owner of a reservoir may submit an alternate reservoir application for a reservoir that has a storage capacity less than 9.2 acre-feet or a dam or impoundment structure less than 10 feet in height. ORS 537.409 describes the criteria used to evaluate alternate reservoir applications.

The review shall be limited to issues pertaining to: a) water availability, b) potential detrimental impact to existing fishery resources; and c) potential injury to existing water rights. (ORS 537.409 (6))

Within 60 days after the department provides public notice...any person may submit detailed, legally obtained information in writing, requesting the department to deny the application for a permit on the basis that the reservoir: (a) Would result in injury to an existing water right; or (b) Would pose a significant detrimental impact to existing fishery resources. (ORS 537.409 (5))

The review of alternate reservoirs is limited to these criteria only.

			J
Date: Please return to WRD before:	May 15, 2009	R-87376 DAVE OBRIST	* Apresse also review/comment or the attached adverse comments
Water is available:		PO BOX 2560 CLACKAMAS OR 970	from the neighbor, noble. O15 thanks
Explain: (For ex	d reservoir pose a significant detrimental is sample, list STE species or other existing the line of the boxes below if appropriate:	fishery resources that wo	
Any diversi Water for st	ion or appropriation of water for storage of	trimental impact to existin I cause a significant detri	through ng fishery resources. (For example, if diversion of mental impact to an existing fishery resource, then
ODFW has	sed pond or reservoir contemplates impou determined that additional diversions of curces during the period April 15 through	water in this area poses a	nbia Basin above Bonneville Dam, significant detrimental impact to existing
If YES, which co	104-June	ntal impact to an existing electric from the Menu of C	
	staff from another agency to discuss this a Agency: Agency:	application? N	NO / (TES) Date: 9-19-09 Date:
ODFW Representativ	e Signature: Nanto Lie	Cucling Dato:	9-29-09
	vorker: Jeana Eastman, Water Rights Div		-

503-986-0859/ Fax: 503-986-0901 / e-mail: Jeana.M.EASTMAN@wrd.state.or.us