PUBLI	C INTE	<u>REST R</u>	REVIEW	FOR GROU	IND WAT	ER APPL	ICATIONS	<u>.</u>				
TO:	Water Rights Section							Date	October	7, 2009		
FROM	:	Groun	d Water	Hydrology	Section							
SUBJE	CT:	Applic	cation G-	17248		Revi Sui	ewer's Name Dersedes rev	view of				
	SUBJECT:   Application G- 17248   Supersedes review of											
OAR 69 welfare, to detern the press	<b>90-310-1</b> <i>safety ar</i> mine whe umption	<b>30 (1)</b> <i>T</i> <i>nd healt</i> ether the criteria.	he Depar h as desc presump <b>This rev</b>	ribed in ORS tion is establi iew is based	<i>resume tha</i> 537.525. E ished. OAF <b>upon avai</b> l	<i>t a propos</i> Department 8 690-310- lable infor	ed groundwa staff review 140 allows t mation and	y ground wate he proposed agency poli	ensure the pres er applications use be modified cies in place a	under OA d or condi t <b>the time</b>	R 690-3 itioned to	10-140 meet
A. GEN	ERAL IN	VFORM	IATION:	Applicant's	Name:	Carlton N	ursery Comp	<u>bany</u>	County:	Yamhill		
A1.	Applica			<u>31</u> cfs f					ission Bottom			
								1				
A2. A3.	Propose Well and	d use: <u> </u>	nu er data ( <b>at</b>	rsery tach and nu	mber logs	Seas for existin	onality: <u> </u>	rk proposed	wells as such	<u>ar-round</u> under log	gid):	
Well	Logi	id	Applican		d Aquifer*	Propose		Location		n, metes a		
1	YAMH		Well #	-	uvium	Rate(cfs 0.31		/R-S QQ-Q) W-28 SE-SW		l, 1200' E i , 265' E fr		
23												
4												
5	CDD											
* Alluvit	ım, CRB,	Bedrock										
Well	Well Elev ft msl	First Water ft bls	ft bls	SWL Date	Well Depth (ft)	Seal Interval (ft)	Casing Intervals (ft)	Liner Intervals (ft)	Perforations Or Screens (ft)	Well Yield (gpm)	Draw Down (ft)	Test Type
1	165	71	71	09/12/2008	117	0-40	+2-118			140		Α
Llas data	£	:		4 11								
A4.			or propose	d wells.								
A5. 🛛	A5.  Provisions of the <u>Willamette</u> Basin rules relative to the development, classification and/or management of ground water hydraulically connected to surface water □ are, or □ are not, activated by this application. (Not all basin rules contain such provisions.) Comments: <u>The well is greater than ¼ mile from the nearest surface water source, so the pertinent basin rules do not apply.</u>											
A6. 🗌	Name of	f admini	istrative a						r limited by an		rative res	triction.

# B. GROUND WATER AVAILABILITY CONSIDERATIONS, OAR 690-310-130, 400-010, 410-0070

- B1. Based upon available data, I have determined that ground water\* for the proposed use:
  - a. **is** over appropriated, **is not** over appropriated, *or* **is cannot be determined to be** over appropriated during any period of the proposed use. \* This finding is limited to the ground water portion of the over-appropriation determination as prescribed in OAR 690-310-130;
  - b. **will not** *or* **will** likely be available in the amounts requested without injury to prior water rights. \* This finding is limited to the ground water portion of the injury determination as prescribed in OAR 690-310-130;
  - c. **will not** *or* **will** likely to be available within the capacity of the ground water resource; or
  - d. will, if properly conditioned, avoid injury to existing ground water rights or to the ground water resource: i. The permit should contain condition #(s) 7B, 7C
    - ii. The permit should be conditioned as indicated in item 2 below.
    - iii. The permit should contain special condition(s) as indicated in item 3 below;

B2. a. Condition to allow ground water production from no deeper than \_\_\_\_\_\_ ft. below land surface;

- b. Condition to allow ground water production from no shallower than \_\_\_\_\_\_ ft. below land surface;
- c. Condition to allow ground water production only from the \_\_\_\_\_\_ ground water reservoir between approximately\_\_\_\_\_\_ ft. and \_\_\_\_\_\_ ft. below land surface;
- d. **Well reconstruction** is necessary to accomplish one or more of the above conditions. The problems that are likely to occur with this use and without reconstructing are cited below. Without reconstruction, I recommend withholding issuance of the permit until evidence of well reconstruction is filed with the Department and approved by the Ground Water Section.

**Describe injury** –as related to water availability– that is likely to occur without well reconstruction (interference w/ senior water rights, not within the capacity of the resource, etc):

## B3. Ground water availability remarks: \_\_\_\_\_

The applicant's well is located in an area that contains mostly fine grained alluvial sediments from land surface to a depth of 80 feet. About 20 feet of productive sands and gravels underlie the fine grained sediments. Approximately 500 feet of mostly fine grained alluvial sediments containing thin sand and gravel beds underlies the productive sands and gravels. The Willamette River floodplain is located approximately 1800 feet west of the applicant's well. The uppermost fine grained sediment package found in the area of the applicant's well has been removed in the floodplain by river meandering. Wells in the floodplain are generally shallow and produce from unconfined sand and gravel deposits.

Water levels in nearby wells show no obvious signs of declines (see attached hydrograph).

# C. GROUND WATER/SURFACE WATER CONSIDERATIONS, OAR 690-09-040

#### C1. 690-09-040 (1): Evaluation of aquifer confinement:

Well	Aquifer or Proposed Aquifer	Confined	Unconfined
1	alluvial	$\square$	

**Basis for aquifer confinement evaluation:** <u>Water bearing zones in the well are confined by 70 to 80 feet of fine grained</u> sediments. Additionally, water levels in nearby wells rise above water-bearing zones. These factors indicate the well produces from a confined aquifer.

C2. **690-09-040** (2) (3): Evaluation of distance to, and hydraulic connection with, surface water sources. All wells located a horizontal distance less than <sup>1</sup>/<sub>4</sub> mile from a surface water source that produce water from an unconfined aquifer shall be assumed to be hydraulically connected to the surface water source. Include in this table any streams located beyond one mile that are evaluated for PSI.

Well	SW #	Surface Water Name	GW Elev ft msl	SW Elev ft msl	Distance (ft)	Hydraulically Connected? YES NO ASSUMED	Potential for Subst. Interfe Assumed? YES	er.
1	1	Unnamed Slough	100	100	1700	$\boxtimes$ $\Box$ $\Box$		$\boxtimes$
1	2	Aquatic Gardens Lake	100	100	2150	$\boxtimes$ $\Box$ $\Box$		$\boxtimes$
1	3	Curry Lake	100	100	4900	$\boxtimes$ $\Box$ $\Box$		$\boxtimes$

**Basis for aquifer hydraulic connection evaluation:** <u>Groundwater levels are coincident with the elevation of surface water</u> sources. This indicates a likely hydraulic connection between groundwater and surface water.

#### Water Availability Basin the well(s) are located within: <u>182: WILLAMETTE R > COLUMBIA R – AB MOLALLA R</u>

C3a. **690-09-040** (4): Evaluation of stream impacts for <u>each well</u> that has been determined or assumed to be **hydraulically** connected and less than 1 mile from a surface water source. Limit evaluation to instream rights and minimum stream flows that are pertinent to that surface water source, and not lower SW sources to which the stream under evaluation is tributary. Compare the requested rate against the 1% of 80% *natural* flow for the pertinent Water Availability Basin (WAB). If Q is not distributed by well, use full rate for each well. Any checked ⊠ box indicates the well is assumed to have the potential to cause PSI.

Well	SW #	Well < ¼ mile?	Qw > 5 cfs?	Instream Water Right ID	Instream Water Right Q (cfs)	Qw > 1% ISWR?	80% Natural Flow (cfs)	Qw > 1% of 80% Natural Flow?	Interference @ 30 days (%)	Potential for Subst. Interfer. Assumed?
1	1						3830		<25%	
1	2						3830		<25%	
1	3						3830		<25%	

C3b. **690-09-040** (4): Evaluation of stream impacts by total appropriation for all wells determined or assumed to be hydraulically connected and less than 1 mile from a surface water source. Complete only if Q is distributed among wells. Otherwise same evaluation and limitations apply as in C3a above.

sume evaluation	and minitations ap	Jiy us in CSt	<i>a above</i> .					
SW #	Qw > 5 cfs?	Instream Water Right ID	Instream Water Right Q (cfs)	Qw > 1% ISWR?	80% Natural Flow (cfs)	Qw > 1% of 80% Natural Flow?	Interference @ 30 days (%)	Potential for Subst. Interfer. Assumed?

**Comments:** Pumping impacts will likely spread quickly in the confined system. However, once the cone of depression reaches the unconfined floodplain, the rate of its spread will drastically diminish. Therefore, impacts to surface water sources in the floodplain are likely to be very small.

# C4a. **690-09-040 (5):** Estimated impacts on **hydraulically connected surface water sources greater than one mile** as a percentage of the proposed pumping rate. Limit evaluation to the effects that will occur up to one year after pumping begins. This table encompasses the considerations required by 09-040 (5)(a), (b), (c) and (d), which are not included on this form. Use additional sheets if calculated flows from more than one WAB are required.

Non-Distributed Well SW#	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
well Sw#	Jan %	reb	1viar %	Apr %	May %	Juli %	Jul %	Aug %	Sep %	0ct %	NOV %	Dec %
	70	70	70	70	70	70	70	70	70	70	70	70
Well Q as CFS												
Interference CFS		l.										
Distributed Wells	5											
Well SW#	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
	%	%	%	%	%	%	%	%	%	%	%	%
Well Q as CFS												
Interference CFS												
	%	%	%	%	%	%	%	%	%	%	%	%
Well Q as CFS												
Interference CFS												
	%	%	%	%	%	%	%	%	%	%	%	%
Well Q as CFS												
Interference CFS												
	%	%	%	%	%	%	%	%	%	%	%	%
Well Q as CFS												
Interference CFS												
	%	%	%	%	%	%	%	%	%	%	%	%
Well Q as CFS												
Interference CFS												
	%	%	%	%	%	%	%	%	%	%	%	%
Well Q as CFS												
Interference CFS												
(A) = Total Interf.	1											
(B) = 80 % Nat. Q												
(C) = 1 % Nat. Q												
(D) = (A) > (C)		$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	~	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$
$(E) = (A / B) \times 100$	%	%	%	%	%	%	%	%	%	%	%	%

(A) = total interference as CFS; (B) = WAB calculated natural flow at 80% exceed. as CFS; (C) = 1% of calculated natural flow at 80% exceed. as CFS; (D) = highlight the checkmark for each month where (A) is greater than (C); (E) = total interference divided by 80% flow as percentage.

5

	Basis for impact evaluation:
4b.	690-09-040 (5) (b) The potential to impair or detrimentally affect the public interest is to be determined by the Wate Rights Section.
5. 🗌	<b>If properly conditioned</b> , the surface water source(s) can be adequately protected from interference, and/or ground water us under this permit can be regulated if it is found to substantially interfere with surface water:

# C6. SW / GW Remarks and Conditions:

**References Used:** 


Gannett, Marshall W., and Caldwell, Rodney R., 1998, Geologic Framework of the Willamette Lowland Aquifer System, Oregon and Washington: U. S. Geological Survey Professional Paper 1424-A, 32p, 8 plates.

Conlon and others, 2005, Ground-water hydrology of the Willamette Basin, Oregon: U.S Geological Survey Scientific Investigations Report 2005-5168.

# D. WELL CONSTRUCTION, OAR 690-200

D1.	Well #:	Logid:	
D2.	a. 🗌 b. 🗌	VELL does not meet current well construction standards based upon: review of the well log; field inspection by	; ;
D3.	THE W     a.     b.     c.     d.     e.	VELL construction deficiency: constitutes a health threat under Division 200 rules; commingles water from more than one ground water reservoir; permits the loss of artesian head; permits the de-watering of one or more ground water reservoirs; other: (specify)	
D4.	THE W	VELL construction deficiency is described as follows:	
D5.	THE W	<b>VELL</b> a. <b>was</b> , <i>or</i> <b>was not</b> constructed according to the standards in effect at the time of original construction or most recent modification.	
		b. I don't know if it met standards at the time of construction.	
D6.		to the Enforcement Section. I recommend withholding issuance of the permit until evidence of well reconst with the Department and approved by the Enforcement Section and the Ground Water Section.	ruction
THI	S SECTIC	ON TO BE COMPLETED BY ENFORCEMENT PERSONNEL	
D7.	☐ Well co	onstruction deficiency has been corrected by the following actions:	
			00
		(Enforcement Section Signature)	
D8.	<b>Route</b>	to Water Rights Section (attach well reconstruction logs to this page).	

# Water Levels in Nearby Wells



# Water Availability Tables

# WILLAMETTE R > COLUMBIA R - AB MOLALLA R WILLAMETTE BASIN

# Water Availability as of 10/7/2009

Watershed ID #: 182

Date: 10/7/2009

# Water Availability Calculation

Monthly Streamflows in Cubic Feet per Second Storage at 50% Exceedance in Acre-Feet

Mont h	Natural Stream Flow	Consumptive Uses and Storages	Expected Stream Flow	Reserved Stream Flow	Instream Flow Requirement	Net Water Available
JAN	21,400.00	2,250.00	19,100.00	0.00	1,500.00	17,600.00
FEB	23,200.00	7,440.00	15,800.00	0.00	1,500.00	14,300.00
MAR	22,400.00	7,220.00	15,200.00	0.00	1,500.00	13,700.00
APR	19,900.00	6,870.00	13,000.00	0.00	1,500.00	11,500.00
MAY	16,600.00	4,200.00	12,400.00	0.00	1,500.00	10,900.00
JUN	8,740.00	2,050.00	6,690.00	0.00	1,500.00	5,190.00
JUL	4,980.00	1,870.00	3,110.00	0.00	1,500.00	1,610.00
AUG	3,830.00	1,720.00	2,110.00	0.00	1,500.00	614.00
SEP	3,890.00	1,470.00	2,420.00	0.00	1,500.00	918.00
OCT	4,850.00	717.00	4,130.00	0.00	1,500.00	2,630.00
NOV	10,200.00	851.00	9,350.00	0.00	1,500.00	7,850.00
DEC	19,300.00	924.00	18,400.00	0.00	1,500.00	16,900.00

# **Detailed Report of Instream Flow Requirements**

Instream Flow Requirements in Cubic Feet per Second

 Application #
 Status
 Jan
 Feb
 Mar
 Apr
 May
 Jun
 Jul
 Aug
 Sep
 Oct
 Nov
 Dec

 MF182A
 APPLICATION
 1,500.00
 1,500.00
 1,500.00
 1,500.00
 1,500.00
 1,500.00
 1,500.00
 1,500.00
 1,500.00
 1,500.00
 1,500.00
 1,500.00
 1,500.00
 1,500.00
 1,500.00
 1,500.00
 1,500.00
 1,500.00
 1,500.00
 1,500.00
 1,500.00
 1,500.00
 1,500.00
 1,500.00
 1,500.00
 1,500.00
 1,500.00
 1,500.00
 1,500.00
 1,500.00
 1,500.00
 1,500.00
 1,500.00
 1,500.00
 1,500.00
 1,500.00
 1,500.00
 1,500.00
 1,500.00
 1,500.00
 1,500.00
 1,500.00
 1,500.00
 1,500.00
 1,500.00
 1,500.00
 1,500.00
 1,500.00
 1,500.00
 1,500.00
 1,500.00
 1,500.00
 1,500.00
 1,500.00
 1,500.00
 1,500.00
 1,500.00
 1,500.00
 1,500.00
 1,500.00
 1,500.00
 1,500.00
 1,500.00
 1,500.



Time: 2:23 PM

Ŧ

## Well Location Map

