



Oregon Water Resources Department 725 Summer Street NE, Suite A Salem, Oregon 97301-1271 (503) 986-0900 www.wrd.state.or.us

Watermaster Review Form: Water Right Transfer

| Transfer Application: T- <u>10275</u> | | | | | Revi | Review Due Date: 1/12/07 | | |
|--|-------------------|------------------|-------------------------|---|------------------|--------------------------|--|--|
| Applicant Name: <u>Baker West Inc.</u> | | | | | | | | |
| Prop | posed Chan | ges: | POU | ☐ POD | ⊠ POA | USE | OTHER | |
| Reviewer(s): Mike McCord | | | | | Date | of Review: | Dec. 14, 2006 | |
| 1. | Yes | ⊠ No n affida | If "Yes", | gesting that the describe the info | ormation and in | ndicate if you | | |
| 2. | has involve | ed the ri | ght and dov | on the source to vnstream water any regulation of | rights? 🔲 Yes | s 🛛 No | for transfer that Generally not occurred: | |
| 3. | from the cu | ırrent u | se of the rig | ownstream wate ht? If you can ws likely occur | check the box, | generally char | acterize the | |
| 4. | | No 🄀 | If "Yes", | ts that would be describe how th | | | ange? ad list the rights | |
| 5. | old and ne | w POD | s or within t | n transfers, cheche proposed instante the losses: | tream reach? [| | osses between the ck the box, | |
| 6. | other water | r rights No | that would in If "Yes", | | ed if use of the | existing right | n regulation of was maximized? s will impact other | |
| 7. | For POU c source? | | | original place of | | o receive water | er from the same | |
| 8. | | of more | | ould use of the e can be used ben | | | ue," result in the Yes No | |



9. Are there other issues not identified through the above questions? X Yes If "Yes", explain: A portion of the 6.3 acres not affected by this transfer are clearly a paved parking lot. These acres should be cancelled or transfered to other lands if the parking lot has not been there for more than five years. 10. What alternatives may be available for addressing any issues identified above: See #9 11. Have headgate notices been issued for the source that serves the right?

Yes 12. What water control and measurement conditions should be included in the transfer: Present and Should be May be required Measurement should be required prior to in the future. **Devices** maintained. diverting water. Present and Should be May be required Headgates should be required prior to in the future.

diverting water.

maintained.

Transfer Application: T-10275