PUBLIC INTEREST REVIEW FOR GROUND WATER APPLICATIONS

TO:		Water	Rights S	ection		DateOctober 22, 2009						
FROM	[:	Groun	d Water/	Hydrology	Section _							
SUBJE	ECT:	Applio	cation G-	17252			iewer's Name persedes re	eview of		Date of Re	view(s)	
OAR 6 welfare to deter the pres	90-310-1 , safety a mine who sumption	30 (1) 7 nd healt ether the criteria.	he Depart h as descr presumpt	tibed in ORS tion is estable ew is based	oresume th S 537.525. lished. OA I upon ava	tat a proposi Departmen IR 690-310- iilable info	sed groundw t staff reviev -140 allows rmation and	w ground wat the proposed d agency pol	ensure the prester applications use be modified icies in place a	servation of under OA or conduct the time	of the put AR 690-3 itioned to e of evalu	10-140 o meet uation.
A1.	Applica	ınt(s) se	ek(s) <u>1.0</u>	cfs fro	m <u>1</u>	well	(s) in the	Deschutes	River			_Basin,
		White R	liver			subb	asin Qu	ıad Map: <u> </u>	Vamic			
A2. A3.									o October 31 d wells as such	under lo	gid):	
Wel 1	Logid A		Applican s Well #	A	oposed quifer*	Propos Rate(c:	fs) (T	Location /R-S QQ-Q)	2250' 1	N, 1200' E	r logid): tes and bounds, e.g. 0' E fr NW cor S 36 0' E fr SW cor S 28 ell Draw Down March Down (ft) Test Type	
2	WASCS	51459	1	Vo	olcanic	1.0	04S/2	12E-28 SE S	W 1170' N	√, 1930' E	fr SW co	r S 28
3												
4												
5 * Alluvi	um, CRB,	Bedrock										
Well	Well Elev ft msl	First Water ft bls	SWL ft bls	SWL Date	Well Depth (ft)	Seal Interval (ft) 0 - 18	Casing Intervals (ft) 0 – 18	Liner Intervals (ft)	Perforations Or Screens (ft)	Well Yield (gpm)	Down (ft)	Type
	1723	027	300	2/20/03	003	0 - 10	0 - 10			300		AII
Use data	a from app	lication f	or proposed	d wells.								
A4.	Commo	ents: <u>Ol</u>	ivine basa	alt								
Reques	sted discl	narge ra	ite is 448	gpm = 1.0 c	efs.							
A5. 🖂	Provisions of the <u>Deschutes River</u> Basin rules relative to the development, classification and/or management of ground water hydraulically connected to surface water are, or are not, activated by this application. (Not all basin rules contain such provisions.) Comments: Lower Main Stem Deschutes River – River mile 46 where White River enters the Deschutes River.											
A6. 🗌	Name o	of admin	istrative a	rea:			, ta		er limited by an	administ	rative res	striction.

Application	G-17252	continued
Application	U-1/232	Continued

Date	October 22, 2009

B. GROUND WATER AVAILABILITY CONSIDERATIONS, OAR 690-310-130, 400-010, 410-0070

Bas	sed upon available data, I have determined that ground water* for the proposed use:
a.	is over appropriated, is not over appropriated, or is cannot be determined to be over appropriated during any period of the proposed use. * This finding is limited to the ground water portion of the over-appropriation determination as prescribed in OAR 690-310-130;
b.	■ will not or ■ will likely be available in the amounts requested without injury to prior water rights. * This finding is limited to the ground water portion of the injury determination as prescribed in OAR 690-310-130;
c.	\square will not or \square will likely to be available within the capacity of the ground water resource; or
d.	will, if properly conditioned, avoid injury to existing ground water rights or to the ground water resource: i. The permit should contain condition #(s) 7B - Interference, 7N - Annual WL, 7P - Well tag + large monitoring and reporting with a flow meter
	 ii. The permit should be conditioned as indicated in item 2 below. iii. The permit should contain special condition(s) as indicated in item 3 below;
a.	Condition to allow ground water production from no deeper than ft. below land surface;
b.	Condition to allow ground water production from no shallower than ft. below land surface;
c.	Condition to allow ground water production only from the ground water reservoir between approximately ft. and ft. below land surface;
d.	 Well reconstruction is necessary to accomplish one or more of the above conditions. The problems that are likely to occur with this use and without reconstructing are cited below. Without reconstruction, I recommend withholding issuance of the permit until evidence of well reconstruction is filed with the Department and approved by the Ground Water Section. Describe injury —as related to water availability—that is likely to occur without well reconstruction (interference w/senior water rights, not within the capacity of the resource, etc):
	ound water availability remarks: <u>The well develops water from volcanic rocks. The closest observation well is</u> nost five miles to the north east.

C. GROUND WATER/SURFACE WATER CONSIDERATIONS, OAR 690-09-040

C1. **690-09-040** (1): Evaluation of aquifer confinement:

Wel 1	Aquifer or Proposed Aquifer	Confined	Unconfined
1	Volcanic rock	\boxtimes	

Basis for aquifer confinement evaluation: Ground water level rose above the depth where ground water was encountered (well log),

C2. **690-09-040 (2) (3):** Evaluation of distance to, and hydraulic connection with, surface water sources. All wells located a horizontal distance less than ¼ mile from a surface water source that produce water from an unconfined aquifer shall be assumed to be hydraulically connected to the surface water source. Include in this table any streams located beyond one mile that are evaluated for PSI.

Well	SW #	Surface Water Name	GW Elev ft msl	SW Elev ft msl	Distance (ft)	Hydraulically Connected? YES NO ASSUMED	Potential for Subst. Interfer. Assumed? YES NO

Basis for aquifer hydraulic connection evaluation: <u>Ground water levels and the confined aquifer are well below Rock Creek at one mile and below the White River at two miles. The aquifer is not hydraulically connected within a one mile radius.</u>

Water Availability Basin the well(s) are located within: WHITE R > DESCHUTES R - AT MOUTH

C3a. **690-09-040** (4): Evaluation of stream impacts for <u>each well</u> that has been determined or assumed to be **hydraulically** connected and less than 1 mile from a surface water source. Limit evaluation to instream rights and minimum stream flows that are pertinent to that surface water source, and not lower SW sources to which the stream under evaluation is tributary. Compare the requested rate against the 1% of 80% *natural* flow for the pertinent Water Availability Basin (WAB). If Q is not distributed by well, use full rate for each well. Any checked \boxtimes box indicates the well is assumed to have the potential to cause PSI.

Well	SW #	Well < 1/4 mile?	Qw > 5 cfs?	Instream Water Right ID	Instream Water Right Q (cfs)	Qw > 1% ISWR?	80% Natural Flow (cfs)	Qw > 1% of 80% Natural Flow?	Interference @ 30 days (%)	Potential for Subst. Interfer. Assumed?

Application O-	17252	continu	ued		Da	ate	Octob	per 22. 2009
**	_					_		
	1	 		 	1			

_	
Date	October 22, 2009

C3b. **690-09-040 (4):** Evaluation of stream impacts by total appropriation for all wells determined or assumed to be **hydraulically connected and less than 1 mile** from a surface water source. **Complete only if Q is distributed among wells**. Otherwise same evaluation and limitations apply as in C3a above.

SW #		Qw > 5 cfs?	Instream Water Right ID	Instream Water Right Q (cfs)	Qw > 1% ISWR?	80% Natural Flow (cfs)	Qw > 1% of 80% Natural Flow?	Interference @ 30 days (%)	Potential for Subst. Interfer. Assumed?
Comments: _	NA								

C4a. **690-09-040 (5):** Estimated impacts on **hydraulically connected surface water sources greater than one mile** as a percentage of the proposed pumping rate. Limit evaluation to the effects that will occur up to one year after pumping begins. This table encompasses the considerations required by 09-040 (5)(a), (b), (c) and (d), which are not included on this form. Use additional sheets if calculated flows from more than one WAB are required.

	Distributed	Wells											
Well	SW#	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q	as CFS												
Interfer	ence CFS												
Distri	buted Wel	ls											
Well	SW#	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q	as CFS												
Interfer	rence CFS												
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q	as CFS												
	ence CFS												
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q	as CFS												
Interfer	ence CFS												
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q	as CFS												
Interfer	ence CFS												
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q	as CFS												
	ence CFS												
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q	as CFS												
,	ence CFS												
(A) = To	otal Interf.												
(B) = 80	% Nat. Q												
(C) = 1	% Nat. Q												
(D) = (A	A) > (C)	/	√	√	√	√							
$(\mathbf{E}) = (\mathbf{A}$	(A / B) x 100	%	%	%	%	%	%	%	%	%	%	%	%

(A) = total interference as CFS: (B) = WAB calculated natural flow at 80% exceed, as CFS: (C) = 1% of calculated natural flow at 80% exceed. (CFS) (D) = highlight the checkmark for each month where (A) is greater than (C); (E) = total interference divided by 80% flow as percentage. Basis for impact evaluation: C4b. 690-09-040 (5) (b) The potential to impair or detrimentally affect the public interest is to be determined by the WaRights Section. C5. If property conditioned, the surface water source(s) can be adequately protected from interference, and/or ground water under this permit can be regulated if it is found to substantially interfere with surface water:	Application G-1	7252 <u> </u>	ntinued	Date	October 22. 2009
Rights Section. C5. If properly conditioned, the surface water source(s) can be adequately protected from interference, and/or ground water under this permit can be regulated if it is found to substantially interfere with surface water:	CFS; $(D) = highl$	ight the checkmark for	each month where (A) is greate	r than (C); (E) = total interference divided by δ	cural flow at 80% exceed. as 30% flow as percentage.
Rights Section. C5.					
Rights Section. C5. If properly conditioned, the surface water source(s) can be adequately protected from interference, and/or ground water under this permit can be regulated if it is found to substantially interfere with surface water:					
Rights Section. C5.					
C5. If properly conditioned, the surface water source(s) can be adequately protected from interference, and/or ground water under this permit can be regulated if it is found to substantially interfere with surface water: i. The permit should contain condition #(s) ii. The permit should contain special condition(s) as indicated in "Remarks" below; C6. SW / GW Remarks and Conditions C6. SW / GW Remarks and Conditions C7. C8. C8.			tential to impair or detrime	entally affect the public interest is to be	determined by the Water
under this permit can be regulated if it is found to substantially interfere with surface water: i.			e surface water source(s) can	be adequately protected from interference	e, and/or ground water use
	under tl i.	nis permit can be reg	ulated if it is found to substan	ntially interfere with surface water:	-
References Used: Walker, G. W. & MacLeod, N. S., Geologic Map of Oregon, 1991.	C6. SW / GW F	Remarks and Condi	tions		
References Used: Walker, G. W. & MacLeod, N. S., Geologic Map of Oregon, 1991.					
References Used: Walker, G. W. & MacLeod, N. S., Geologic Map of Oregon, 1991.					
References Used: Walker, G. W. & MacLeod, N. S., Geologic Map of Oregon, 1991.					
References Used: Walker, G. W. & MacLeod, N. S., Geologic Map of Oregon, 1991.					
References Used: Walker, G. W. & MacLeod, N. S., Geologic Map of Oregon, 1991.					
	References	Used: Walker, G.	W. & MacLeod, N. S., Geo	ologic Map of Oregon, 1991.	

Well#	: <u> </u>	Logid: <u>WASC 51459</u>
THE V	VELL does not	meet current well construction standards based upon:
a. 🛚	review of the v	well log;
b	field inspection	n by
d.	other: (specify	RE
THE	WELL construct	tion deficiency:
a.		ealth threat under Division 200 rules;
b		vater from more than one ground water reservoir;
		ss of artesian head; -watering of one or more ground water reservoirs;
		Does not meet standards for artesian wells shown below
THE V	WELL construct	tion deficiency is described as follows:690-210-0155
Addit	tional Standa	rds for Artesian Water Supply Wells
(1) W	ater supply we	ells penetrating into an artesian aquifer shall have an upper oversize drillhole four
mene	s greater in dia	ameter than the nominal diameter of the permanent well casing. Watertight
unper	forated casing	shall extend and be sealed at least five feet into the confining formation
unper	forated casing	
unper	forated casing diately overly	shall extend and be sealed at least five feet into the confining formation
unper imme	forated casing diately overly	shall extend and be sealed at least five feet into the confining formation ing the artesian water-bearing zone.
unper	forated casing diately overly ell has 18 feet of	g shall extend and be sealed at least five feet into the confining formation ing the artesian water-bearing zone. f casing and seal.
unper	forated casing diately overly ell has 18 feet of	shall extend and be sealed at least five feet into the confining formation ing the artesian water-bearing zone.
unper imme The we	forated casing diately overly: ell has 18 feet of	g shall extend and be sealed at least five feet into the confining formation ing the artesian water-bearing zone. f casing and seal. was, or ⋈ was not constructed according to the standards in effect at the time of
unper imme The we	forated casing diately overly: ell has 18 feet of WELL a. b.	shall extend and be sealed at least five feet into the confining formation ing the artesian water-bearing zone. f casing and seal. was, or ⋈ was not constructed according to the standards in effect at the time of original construction or most recent modification. I don't know if it met standards at the time of construction.
The we	forated casing diately overly: ell has 18 feet of WELL a. b.	shall extend and be sealed at least five feet into the confining formation ing the artesian water-bearing zone. f casing and seal. was, or ⋈ was not constructed according to the standards in effect at the time of original construction or most recent modification. I don't know if it met standards at the time of construction. ment Section. I recommend withholding issuance of the permit until evidence of well reconstruction.
unper imme. The we	forated casing diately overly: ell has 18 feet of WELL a. b.	shall extend and be sealed at least five feet into the confining formation ing the artesian water-bearing zone. f casing and seal. was, or ⋈ was not constructed according to the standards in effect at the time of original construction or most recent modification. I don't know if it met standards at the time of construction.
The wo	forated casing diately overly: ell has 18 feet of VELL a. b. to the Enforcer with the Departs	shall extend and be sealed at least five feet into the confining formation ing the artesian water-bearing zone. f casing and seal. was, or ⋈ was not constructed according to the standards in effect at the time of original construction or most recent modification. I don't know if it met standards at the time of construction. ment Section. I recommend withholding issuance of the permit until evidence of well reconstruction.
The wo	forated casing diately overly: ell has 18 feet of WELL a. b. to the Enforcer with the Departs	shall extend and be sealed at least five feet into the confining formation ing the artesian water-bearing zone. f casing and seal. was, or ⋈ was not constructed according to the standards in effect at the time of original construction or most recent modification. I don't know if it met standards at the time of construction. ment Section. I recommend withholding issuance of the permit until evidence of well reconstruction ment and approved by the Enforcement Section and the Ground Water Section.
The wo	forated casing diately overly: ell has 18 feet of WELL a. b. to the Enforcer with the Departs	shall extend and be sealed at least five feet into the confining formation ing the artesian water-bearing zone. f casing and seal. was, or ⋈ was not constructed according to the standards in effect at the time of original construction or most recent modification. I don't know if it met standards at the time of construction. ment Section. I recommend withholding issuance of the permit until evidence of well reconstruction and approved by the Enforcement Section and the Ground Water Section.
The wo	forated casing diately overly: ell has 18 feet of WELL a. b. to the Enforcer with the Departs	shall extend and be sealed at least five feet into the confining formation ing the artesian water-bearing zone. f casing and seal. was, or ⋈ was not constructed according to the standards in effect at the time of original construction or most recent modification. I don't know if it met standards at the time of construction. ment Section. I recommend withholding issuance of the permit until evidence of well reconstruction and approved by the Enforcement Section and the Ground Water Section.
The wo	forated casing diately overly: ell has 18 feet of WELL a. b. to the Enforcer with the Departs	shall extend and be sealed at least five feet into the confining formation ing the artesian water-bearing zone. f casing and seal. was, or ⋈ was not constructed according to the standards in effect at the time of original construction or most recent modification. I don't know if it met standards at the time of construction. ment Section. I recommend withholding issuance of the permit until evidence of well reconstruction and approved by the Enforcement Section and the Ground Water Section.
The wo	forated casing diately overly: ell has 18 feet of WELL a. b. to the Enforcer with the Departs	shall extend and be sealed at least five feet into the confining formation ing the artesian water-bearing zone. f casing and seal. was, or ⋈ was not constructed according to the standards in effect at the time of original construction or most recent modification. I don't know if it met standards at the time of construction. ment Section. I recommend withholding issuance of the permit until evidence of well reconstruction and approved by the Enforcement Section and the Ground Water Section.
The wo	forated casing diately overly: ell has 18 feet of WELL a. b. to the Enforcer with the Departs	shall extend and be sealed at least five feet into the confining formation ing the artesian water-bearing zone. f casing and seal. was, or ⋈ was not constructed according to the standards in effect at the time of original construction or most recent modification. I don't know if it met standards at the time of construction. ment Section. I recommend withholding issuance of the permit until evidence of well reconstruction and approved by the Enforcement Section and the Ground Water Section.

Application G-17252_____continued

October 22. 2009

Application G-17252_	continued
----------------------	-----------

Date <u>October 22. 2009</u>

