

PUBLIC INTEREST REVIEW FOR GROUND WATER APPLICATIONS

TO: Water Rights Section Date 11/19/2009

FROM: Ground Water/Hydrology Section J. Hackett
Reviewer's Name

SUBJECT: Application G- 17255 Supersedes review of _____
Date of Review(s)

PUBLIC INTEREST PRESUMPTION; GROUNDWATER

OAR 690-310-130 (1) *The Department shall presume that a proposed groundwater use will ensure the preservation of the public welfare, safety and health as described in ORS 537.525. Department staff review ground water applications under OAR 690-310-140 to determine whether the presumption is established. OAR 690-310-140 allows the proposed use be modified or conditioned to meet the presumption criteria. This review is based upon available information and agency policies in place at the time of evaluation.*

A. GENERAL INFORMATION: Applicant's Name: Connie Hines County: Deschutes

A1. Applicant(s) seek(s) 0.048 cfs from 1 well(s) in the Deschutes Basin,
Whychus Creek subbasin Quad Map: Sisters

A2. Proposed use: Irrigation Seasonality: April 1 – October 31

A3. Well and aquifer data (attach and number logs for existing wells; mark proposed wells as such under logid):

Well 1	Logid	Applicant's Well #	Proposed Aquifer*	Proposed Rate(cfs)	Location (T/R-S QQ-Q)	Location, metes and bounds, e.g. 2250' N, 1200' E fr NW cor S 36
1	DESC 9124	1	Deschutes Fm	0.048	14S/10E-22 SE-NW	300' N, 700' W fr C1/4 cor S 22
2						
3						
4						
5						

* Alluvium, CRB, Bedrock

Well	Well Elev ft msl	First Water ft bls	SWL ft bls	SWL Date	Well Depth (ft)	Seal Interval (ft)	Casing Intervals (ft)	Liner Intervals (ft)	Perforations Or Screens (ft)	Well Yield (gpm)	Draw Down (ft)	Test Type
1	3195	222	260	03/03/1994	308	0-19	+1-19	8-308	283-303	30	6	P

Use data from application for proposed wells.

A4. **Comments:** THE WELL IS CONSTRUCTED INTO WATER BEARING ZONES WITHIN THE DESCHUTES FM. REGIONAL GROUND WATER FLOW IS NORTHEAST TOWARDS THE REGIONAL DOWN-GRADIENT DISCHARGE AREA (DESCHUTES RIVER) ABOUT 12 MILES DISTANCE. HOWEVER GIVEN THE GROUND WATER LEVEL IN DESC 9124 AND NORTH-NORTHWEST TRENDING GEOLOGIC STRUCTURES, THE CLOSEST GROUND WATER / SURFACE WATER INTERACTION IS LIKELY AT SPRINGS TRIBUTARY TO WHYCHUS CREEK.

A5. ☒ **Provisions of the Deschutes** Basin rules relative to the development, classification and/or management of ground water hydraulically connected to surface water ☒ **are**, or ☐ **are not**, activated by this application.
(Not all basin rules contain such provisions.)
Comments: Within USGS Study Area Boundary.

A6. ☐ **Well(s) #** _____, _____, _____, _____, _____, tap(s) an aquifer limited by an administrative restriction.
Name of administrative area: _____
Comments: _____

B. GROUND WATER AVAILABILITY CONSIDERATIONS, OAR 690-310-130, 400-010, 410-0070

B1. **Based upon available data**, I have determined that ground water* for the proposed use:

- a. ☐ is over appropriated, ☒ **is not** over appropriated, or ☐ **cannot be determined to be** over appropriated during any period of the proposed use. * This finding is limited to the ground water portion of the over-appropriation determination as prescribed in OAR 690-310-130;
- b. ☐ **will not** or ☐ **will** likely be available in the amounts requested without injury to prior water rights. * This finding is limited to the ground water portion of the injury determination as prescribed in OAR 690-310-130;
- c. ☐ **will not** or ☐ **will** likely to be available within the capacity of the ground water resource; or
- d. ☒ **will, if properly conditioned**, avoid injury to existing ground water rights or to the ground water resource:
 - i. ☒ The permit should contain condition #(s) 7B;
 - ii. ☐ The permit should be conditioned as indicated in item 2 below.
 - iii. ☐ The permit should contain special condition(s) as indicated in item 3 below;

- B2.
- a. ☐ **Condition** to allow ground water production from no deeper than _____ ft. below land surface;
 - b. ☐ **Condition** to allow ground water production from no shallower than _____ ft. below land surface;
 - c. ☐ **Condition** to allow ground water production only from the _____ ground water reservoir between approximately _____ ft. and _____ ft. below land surface;
 - d. ☐ **Well reconstruction** is necessary to accomplish one or more of the above conditions. The problems that are likely to occur with this use and without reconstructing are cited below. Without reconstruction, I recommend withholding issuance of the permit until evidence of well reconstruction is filed with the Department and approved by the Ground Water Section.

Describe injury –as related to water availability– that is likely to occur without well reconstruction (interference w/ senior water rights, not within the capacity of the resource, etc): _____

- B3. **Ground water availability remarks:** THE NEAREST STATE OBSERVATION WELL IS OBS WELL 1301 (DESC 2929), ABOUT 3.5 MILES TO THE SOUTH-SOUTHEAST. IT HAS BEEN MONITORED PERIODICALLY SINCE 1978. STATE OBSERVATION WELL 1301 APPEARS TO BE IN DYNAMIC EQUILIBRIUM. THE LONG-TERM TREND SHOWS A DECADAL-SCALE WATER LEVEL FLUCTUATION THAT IS COINCIDENT WITH CLIMATE CYCLES. THE DECADAL FLUCTUATION HAS A MAXIMUM AMPLITUDE OF APPROXIMATELY 15- FEET. SINCE 2000, THE WATER LEVEL HAS DROPPED ABOUT 14 FEET, AND HAS LEVELED OFF SINCE 2005. THE DECLINE IS LIKELY MOSTLY DUE TO DECREASED RECHARGE. HOWEVER, SINCE 2006 WATER LEVEL TRENDS IN SOW 1301 HAVE DEVIATED FROM CLIMATE CYCLE TRENDS. ALTHOUGH ANNUAL PRECIPITATION HAS INCREASED OVER THE LAST SEVERAL YEARS, WATER LEVELS IN SOW 1301 HAVE NOT RISEN. THE DIVERGENCE FROM CLIMATE DRIVEN WATER LEVEL TRENDS IN SOW 1301 IS LIKELY DUE TO INCREASED LOCAL GROUNDWATER PUMPING.

C. GROUND WATER/SURFACE WATER CONSIDERATIONS, OAR 690-09-040**C1. 690-09-040 (1):** Evaluation of aquifer confinement:

Well	Aquifer or Proposed Aquifer	Confined	Unconfined
		☐	☐
		☐	☐
		☐	☐
		☐	☐
		☐	☐

Basis for aquifer confinement evaluation: _____

C2. 690-09-040 (2) (3): Evaluation of distance to, and hydraulic connection with, surface water sources. All wells located a horizontal distance less than ¼ mile from a surface water source that produce water from an unconfined aquifer shall be assumed to be hydraulically connected to the surface water source. Include in this table any streams located beyond one mile that are evaluated for PSI.

Well	SW #	Surface Water Name	GW Elev ft msl	SW Elev ft msl	Distance (ft)	Hydraulically Connected?			Potential for Subst. Interfer. Assumed?	
						YES	NO	ASSUMED	YES	NO
						☐	☐	☐	☐	☐
						☐	☐	☐	☐	☐
						☐	☐	☐	☐	☐
						☐	☐	☐	☐	☐
						☐	☐	☐	☐	☐
						☐	☐	☐	☐	☐
						☐	☐	☐	☐	☐
						☐	☐	☐	☐	☐
						☐	☐	☐	☐	☐
						☐	☐	☐	☐	☐
						☐	☐	☐	☐	☐

Basis for aquifer hydraulic connection evaluation: _____

Water Availability Basin the well(s) are located within: _____

C3a. 690-09-040 (4): Evaluation of stream impacts for each well that has been determined or assumed to be **hydraulically connected and less than 1 mile** from a surface water source. Limit evaluation to instream rights and minimum stream flows that are pertinent to that surface water source, and not lower SW sources to which the stream under evaluation is tributary. Compare the requested rate against the 1% of 80% *natural* flow for the pertinent Water Availability Basin (WAB). If Q is not distributed by well, use full rate for each well. Any checked ☒ box indicates the well is assumed to have the potential to cause PSI.

Well	SW #	Well < ¼ mile?	Qw > 5 cfs?	Instream Water Right ID	Instream Water Right Q (cfs)	Qw > 1% ISWR?	80% Natural Flow (cfs)	Qw > 1% of 80% Natural Flow?	Interference @ 30 days (%)	Potential for Subst. Interfer. Assumed?
		☐	☐			☐		☐		☐
		☐	☐			☐		☐		☐
		☐	☐			☐		☐		☐
		☐	☐			☐		☐		☐
		☐	☐			☐		☐		☐

		☐	☐			☐		☐		☐
		☐	☐			☐		☐		☐
		☐	☐			☐		☐		☐
		☐	☐			☐		☐		☐

C3b. **690-09-040 (4):** Evaluation of stream impacts by total appropriation for all wells determined or assumed to be **hydraulically connected and less than 1 mile** from a surface water source. **Complete only if Q is distributed among wells.** Otherwise same evaluation and limitations apply as in C3a above.

	SW #		Q _w > 5 cfs?	Instream Water Right ID	Instream Water Right Q (cfs)	Q _w > 1% ISWR?	80% Natural Flow (cfs)	Q _w > 1% of 80% Natural Flow?	Interference @ 30 days (%)	Potential for Subst. Interfer. Assumed?
			☐			☐		☐		☐
			☐			☐		☐		☐
			☐			☐		☐		☐
			☐			☐		☐		☐

Comments: _____

C4a. **690-09-040 (5):** Estimated impacts on **hydraulically connected surface water sources greater than one mile** as a percentage of the proposed pumping rate. Limit evaluation to the effects that will occur up to one year after pumping begins. This table encompasses the considerations required by 09-040 (5)(a), (b), (c) and (d), which are not included on this form. Use additional sheets if calculated flows from more than one WAB are required.

Non-Distributed Wells													
Well	SW#	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q as CFS													
Interference CFS													
Distributed Wells													
Well	SW#	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q as CFS													
Interference CFS													
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q as CFS													
Interference CFS													
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q as CFS													
Interference CFS													
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q as CFS													
Interference CFS													
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q as CFS													
Interference CFS													
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q as CFS													
Interference CFS													
(A) = Total Interf.													
(B) = 80 % Nat. Q													
(C) = 1 % Nat. Q													
(D) = (A) > (C)		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
(E) = (A / B) x 100		%	%	%	%	%	%	%	%	%	%	%	%

Basis for impact evaluation:

C5. ☐ **If properly conditioned**, the surface water source(s) can be adequately protected from interference, and/or ground water use under this permit can be regulated if it is found to substantially interfere with surface water:

i. ☐ The permit should contain condition #(s) _____;

ii. ☐ The permit should contain special condition(s) as indicated in "Remarks" below;

THE WELL IS CONSTRUCTED INTO WATER BEARING ZONES WITHIN THE DESCHUTES FM. REGIONAL GROUND WATER FLOW IS NORTHEAST TOWARDS THE REGIONAL DOWN-GRADIENT DISCHARGE AREA (DESCHUTES RIVER) ABOUT 12 MILES DISTANCE. HOWEVER GIVEN THE GROUND WATER LEVEL IN DESC 9124 AND NORTH-NORTHWEST TRENDING GEOLOGIC STRUCTURES, THE CLOSEST GROUND WATER / SURFACE WATER INTERACTION IS LIKELY AT SPRINGS TRIBUTARY TO WHYCHUS CREEK.

Version: 08/15/2003

D. WELL CONSTRUCTION, OAR 690-200

D1. Well #: _____ Logid: _____

D2. **THE WELL does not meet current well construction standards based upon:**

- a. ☐ review of the well log;
- b. ☐ field inspection by _____;
- c. ☐ report of CWRE _____;
- d. ☐ other: (specify) _____

D3. **THE WELL construction deficiency:**

- a. ☐ constitutes a health threat under Division 200 rules;
- b. ☐ commingles water from more than one ground water reservoir;
- c. ☐ permits the loss of artesian head;
- d. ☐ permits the de-watering of one or more ground water reservoirs;
- e. ☐ other: (specify) _____

D4. **THE WELL construction deficiency is described as follows:** _____

D5. **THE WELL** a. ☐ **was, or** ☐ **was not** constructed according to the standards in effect at the time of original construction or most recent modification.b. ☐ I don't know if it met standards at the time of construction.D6. ☐ **Route to the Enforcement Section.** I recommend withholding issuance of the permit until evidence of well reconstruction is filed with the Department and approved by the Enforcement Section and the Ground Water Section.**THIS SECTION TO BE COMPLETED BY ENFORCEMENT PERSONNEL**D7. ☐ Well construction deficiency has been corrected by the following actions: _____

_____, 200____.

(Enforcement Section Signature)

D8. ☐ **Route to Water Rights Section (attach well reconstruction logs to this page).**

G-17255: Sisters Quadrangle

