PUBLIC INTEREST REVIEW FOR GROUND WATER APPLICATIONS

| TO: | | Water Rights Section | | | | | Date April 21, 2010 | | | | | | |
|----------------------------|--|-----------------------------------|--|---------------------------------------|--|---|--|---|--|--|-------------------------|------------------|--|
| FROM | [: | Groun | dwater/F | lydrology S | Section | | Norton | | | | | | |
| SUBJE | ECT: | Applio | cation G- | 17334 | | Reviewer's Name Supersedes review of Date of Review(s) | | | | | | | |
| OAR 6 welfare to deter | 90-310-1 , <i>safety ar</i> mine who | 30 (1) T nd healt ether the | The Depart h as descr e presumpt | <i>tibed in ORS</i> tion is establ | oresume th 5 537.525. Iished. OA | at a propos Departmen R 690-310- | sed groundw t staff reviev -140 allows | w groundwate the proposed | ensure the present applications use be modified icies in place a | under OA d or cond | Ř 690-31 itioned to | 10-140 o meet | |
| A. <u>GE</u> | NERAL | INFO | RMATIO | <u>ON</u> : A | pplicant's | Name: | Craig & J | odi Martin | | County:_ | Umatil | la | |
| A1. | Applica | nt(s) see | ek(s) <u>0.0</u> | 67 cfs fro | m <u>1</u> | | | | [ermiston | | | _Basin, | |
| A2. A3. | Proposed use: <u>Irrigation (1.69 acres)</u> Well and aguifer data (attach and number logs | | | | Seas | subbasin Quad Map: Hermiston Seasonality: March 1 to October 31 for existing wells; mark proposed wells as such under logid): | | | | | | | |
| Wel l | el Logid | | Applicant's S Well # | | Proposed Aquifer* | | Proposed Rate(cfs) (T/ | | 2250' 1 | Location, metes and bounds, e.g. 2250' N, 1200' E fr NW cor S 36 | | r S 36 | |
| 1 2 | UMAT | 5824 | 1 Alluvium | | luvium | 0.067 | 0.067 05N/28E-35 SE NE | | NE 130' N | 130' N, 690' W fr E 1/4 cor S 35 | | | |
| 3 | | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | | |
| | um, CRB, | Bedrock | | | | | | | | | | | |
| Well | Well Elev ft msl | First Water ft bls | SWL ft bls | SWL Date | Well Depth (ft) | Seal Interval (ft) 0 - 20 | Casing Intervals (ft) 0 - 139 | Liner Intervals (ft) | Perforations Or Screens (ft) | Well Yield (gpm) | Draw Down (ft) | Test Type | |
| 1 | 550 | 133 | 94 | 319193 | 142 | 0 – 20 | 0 - 139 | | | 30 | | AII | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| Use data | from app | l lication f | or proposed | d wells. | | <u> </u> | | | | | | | |
| A4. | Commo | ents: | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| Reques | sted disch | narge ra | te is 30 g | pm = 0.067 | cfs. | | | | | | | | |
| A5. 🖾 | manage (Not all | ment of basin ru | ıles contai | iter hydrauli n such prov | cally conn isions.) | ected to su | rface water | ules relative t ☐ are , <i>or</i> ∑ | to the developm are not, activ | ent, class ated by th | ification nis applic | and/or ation. | |
| A6. 🗌 | Well(s) Name o Comme | # f admin nts: | istrative a | rea: <u>NA</u> | , | , | , ta | p(s) an aquif | er limited by an | administ | rative res | striction. | |

Version: 08/15/2003

| Application G-17334 | continued |
|---------------------|-----------|
| Application O-1/33+ | Continucu |

| Date | April 21, 2010 |
|------|----------------|
| Date | April 21, 2010 |

B. GROUND WATER AVAILABILITY CONSIDERATIONS, OAR 690-310-130, 400-010, 410-0070

| a. | | | | | | | | | |
|-------|---|--|--|--|--|--|--|--|--|
| | is over appropriated, is not over appropriated, or annot be determined to be over appropriated during any period of the proposed use. * This finding is limited to the ground water portion of the over-appropriation determination as prescribed in OAR 690-310-130; will not or will likely be available in the amounts requested without injury to prior water rights. * This finding is limited to the groundwater portion of the injury determination as prescribed in OAR 690-310-130; | | | | | | | | |
| b. | | | | | | | | | |
| c. | \square will not or \boxtimes will likely to be available within the capacity of the groundwater resource; or | | | | | | | | |
| d. | will, if properly conditioned, avoid injury to existing groundwater rights or to the groundwater resource: i. The permit should contain condition #(s) ii. The permit should be conditioned as indicated in item 2 below. iii. The permit should contain special condition(s) as indicated in item 3 below; | | | | | | | | |
| a. | Condition to allow groundwater production from no deeper than ft. below land surface; | | | | | | | | |
| b. | Condition to allow groundwater production from no shallower than ft. below land surface; | | | | | | | | |
| c. | Condition to allow groundwater production only from the water reservoir between approximately ft. and ft. below land surface; | | | | | | | | |
| | to occur with this use and without reconstructing are cited below. Without reconstruction, I recommend withholding issuance of the permit until evidence of well reconstruction is filed with the Department and approved by the Groundwater Section. | | | | | | | | |
| | Describe injury —as related to water availability—that is likely to occur without well reconstruction (interference w/ senior water rights, not within the capacity of the resource, etc): | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| C | senior water rights, not within the capacity of the resource, etc): | | | | | | | | |
| Gre | | | | | | | | | |
| Gro | senior water rights, not within the capacity of the resource, etc): | | | | | | | | |
| Gre | senior water rights, not within the capacity of the resource, etc): | | | | | | | | |
| Gre | senior water rights, not within the capacity of the resource, etc): | | | | | | | | |
| Gro | senior water rights, not within the capacity of the resource, etc): | | | | | | | | |
| Green | senior water rights, not within the capacity of the resource, etc): | | | | | | | | |
| Gre- | senior water rights, not within the capacity of the resource, etc): | | | | | | | | |
| Gre- | senior water rights, not within the capacity of the resource, etc): | | | | | | | | |
| Green | senior water rights, not within the capacity of the resource, etc): | | | | | | | | |
| Gre- | senior water rights, not within the capacity of the resource, etc): | | | | | | | | |
| Gre- | senior water rights, not within the capacity of the resource, etc): | | | | | | | | |
| Gre- | senior water rights, not within the capacity of the resource, etc): | | | | | | | | |
| Gre- | senior water rights, not within the capacity of the resource, etc): | | | | | | | | |
| Gre | senior water rights, not within the capacity of the resource, etc): | | | | | | | | |

C. GROUNDWATER/SURFACE WATER CONSIDERATIONS, OAR 690-09-040

C1. **690-09-040** (1): Evaluation of aquifer confinement:

| Wel 1 | Aquifer or Proposed Aquifer | Confined | Unconfined |
|----------|-----------------------------|----------|-------------|
| 1 | Sand and gravel | | \boxtimes |
| | | | |
| | | | |
| | | | |
| | | | |

| Basis for aquifer confinement evaluation: | The groundwater level was reported where it was encountered during |
|---|--|
| drilling. | |
| | |
| | |
| | |

C2. **690-09-040** (2) (3): Evaluation of distance to, and hydraulic connection with, surface water sources. All wells located a horizontal distance less than ½ mile from a surface water source that produce water from an unconfined aquifer shall be assumed to be hydraulically connected to the surface water source. Include in this table any streams located beyond one mile that are evaluated for PSI.

| Well | SW # | Surface Water Name | GW Elev ft msl | SW Elev ft msl | Distance (ft) | Hydraulically Connected? YES NO ASSUMED | Potential for Subst. Interfer. Assumed? YES NO |
|------|---------|--------------------|----------------------|----------------------|---------------|---|---|
| 1 | 1 | Z Canal | 436 | 540 | 890 | | |
| | 2 | M Canal | | 485 | 2530 | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

| Basis for aquifer hydraulic connection evaluation: Grou | ndwater level is below nearby canals |
|--|--------------------------------------|
| | |
| Water Availability Basin the well(s) are located within: | NA |

C3a. **690-09-040** (4): Evaluation of stream impacts for <u>each well</u> that has been determined or assumed to be **hydraulically** connected and less than 1 mile from a surface water source. Limit evaluation to instream rights and minimum stream flows that are pertinent to that surface water source, and not lower SW sources to which the stream under evaluation is tributary. Compare the requested rate against the 1% of 80% *natural* flow for the pertinent Water Availability Basin (WAB). If Q is not distributed by well, use full rate for each well. Any checked \boxtimes box indicates the well is assumed to have the potential to cause PSI.

| Well | SW # | Well < 1/4 mile? | Qw > 5 cfs? | Instream Water Right ID | Instream Water Right Q (cfs) | Qw > 1% ISWR? | 80% Natural Flow (cfs) | Qw > 1% of 80% Natural Flow? | Interference @ 30 days (%) | Potential for Subst. Interfer. Assumed? |
|------|---------|------------------|-------------|----------------------------------|---------------------------------------|---------------------|---------------------------------|---------------------------------------|----------------------------------|--|
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |

| Application G-17334 | continued | Date | April 21, 2010 |
|---------------------|-------------|------|----------------|
| | | | * |
| | | | |

| Date April 21, 2010 |
|---------------------|
|---------------------|

C3b. **690-09-040 (4):** Evaluation of stream impacts by total appropriation for all wells determined or assumed to be **hydraulically connected and less than 1 mile** from a surface water source. **Complete only if Q is distributed among wells.** Otherwise same evaluation and limitations apply as in C3a above.

| SW # | | Qw > 5 cfs? | Instream Water Right ID | Instream Water Right Q (cfs) | Qw > 1% ISWR? | 80% Natural Flow (cfs) | Qw > 1% of 80% Natural Flow? | Interference @ 30 days (%) | Potential for Subst. Interfer. Assumed? |
|-------------|----|-------------|----------------------------------|---------------------------------------|---------------|---------------------------------|---------------------------------------|----------------------------------|---|
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| Comments: _ | NA | | | | | | | | |

C4a. **690-09-040 (5):** Estimated impacts on **hydraulically connected surface water sources greater than one mile** as a percentage of the proposed pumping rate. Limit evaluation to the effects that will occur up to one year after pumping begins. This table encompasses the considerations required by 09-040 (5)(a), (b), (c) and (d), which are not included on this form. Use additional sheets if calculated flows from more than one WAB are required.

| Non-D | istributed | Wells | | | | | | | | | | | |
|------------------------------|--------------|----------|-----|-----|----------|----------|----------|----------|----------|----------|-----|----------|----------|
| Well | SW# | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
| | | % | % | % | % | % | % | % | % | % | % | % | % |
| Well Q | as CFS | | | | | | | | | | | | |
| Interfer | ence CFS | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| Distrib | outed Well | ls | | | | | | | | | | | |
| Well | SW# | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
| | | % | % | % | % | % | % | % | % | % | % | % | % |
| Well Q | | | | | | | | | | | | | |
| Interfer | ence CFS | | | | | | | | | | | | |
| | | % | % | % | % | % | % | % | % | % | % | % | % |
| Well Q | as CFS | | | | | | | | | | | | |
| Interfer | ence CFS | | | | | | | | | | | | |
| | | % | % | % | % | % | % | % | % | % | % | % | % |
| Well Q | as CFS | | | | | | | | | | | | |
| Interfer | ence CFS | | | | | | | | | | | | |
| | | % | % | % | % | % | % | % | % | % | % | % | % |
| Well Q | as CFS | | | | | | | | | | | | |
| Interfer | ence CFS | | | | | | | | | | | | |
| | | % | % | % | % | % | % | % | % | % | % | % | % |
| Well Q | as CFS | | | | | | | | | | | | |
| Interfer | ence CFS | | | | | | | | | | | | |
| | | % | % | % | % | % | % | % | % | % | % | % | % |
| Well Q | as CFS | | | | | | | | | | | | |
| Interfer | ence CFS | | | | | | | | | | | | |
| $(\mathbf{A}) = \mathbf{T}0$ | otal Interf. | | | | | | | | | | | | |
| (B) = 80 | % Nat. Q | | | | | | | | | | | | |
| (C) = 1 | % Nat. Q | | | | | | | | | | | | |
| $(\mathbf{D}) = (A$ | A) > (C) | √ | √ | ✓ | √ | √ | √ | √ | √ | √ | √ | √ | √ |
| $(\mathbf{E}) = (\mathbf{A}$ | /B) x 100 | % | % | % | % | % | % | % | % | % | % | % | % |

Version: 08/15/2003

| Application G-17334 | continued | Date | April 21, 2010 |
|--|---|---|--|
| (A) = total interference as CFS; CFS; (D) = highlight the check Basis for impact eval | mark for each month where (A) is great | 80% exceed. as CFS; (C) = 1% of calculated er than (C); (E) = total interference divided by | natural flow at 80% exceed. as y 80% flow as percentage. |
| | | | |
| | | | |
| | | | |
| C4b. 690-09-040 (5) (b) Rights Section. | The potential to impair or detrim | entally affect the public interest is to b | e determined by the Wate |
| under this permit ca | n be regulated if it is found to substa | n be adequately protected from interferentially interfere with surface water: (s) as indicated in "Remarks" below; | - |
| C6. SW / GW Remarks and | d Conditions | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| Defenences Used. | | | _ |
| References Used: | | | |
| | | | |
| | | | |
| - | | | _ |
| | | | |
| | | | |
| | | | |
| | | | _ |
| | | | |
| | | | |
| | | | |

Version: 08/15/2003

| Applio | cation G-17334 | continued | Date | April 21, 2010 |
|--------|----------------------|--|--|----------------|
| | | | | |
| D. W | ELL CONSTRUCT | ION, OAR 690-200 | | |
| D1. | Well #: | | | |
| | | | | |
| D2. | | not meet current well construction s | standards based upon: | |
| | | tion by | | |
| | c. report of C | WRE | | |
| | | ify) | | |
| D3. | THE WELL constr | uction deficiency | | |
| 23. | | a health threat under Division 200 rul | les; | |
| | | s water from more than one groundwa | ater reservoir; | |
| | | loss of artesian head; | | |
| | | de-watering of one or more groundwify) | | |
| | | | | |
| D4. | THE WELL constr | ruction deficiency is described as fo | llows: | |
| | · | | | |
| | | | | |
| | | | | |
| D5. | THE WELL | a. was, or was not construct original construction or most | ted according to the standards in effect a recent modification. | at the time of |
| | 1 | b. I don't know if it met standar | rds at the time of construction. | |
| D6. [| | | nolding issuance of the permit until evid ement Section and the Groundwater Sec | |
| THIS | S SECTION TO BE | COMPLETED BY ENFORCEM | MENT PERSONNEL | |
| D7. [| Well construction de | eficiency has been corrected by the fo | ollowing actions: | _ |
| | - | | | |
| | · | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | (Enforceme | nt Section Signature) | | , 200 |
| D8. | Route to Water Ri | ghts Section (attach well reconstru | ction logs to this nage) | |
| ט. [| Noute to Water Ki | Pur pection (attach men recollenting | cuon rogo to uno page). | |
| | | | | |

