## PUBLIC INTEREST REVIEW FOR GROUND WATER APPLICATIONS

TO:		Water	r Rights	Section			Date 4/13/2010						
FROM	[:	Grou	nd Water	:/Hydrolog	gy Section _								
SUBJE	ECT:	Appli	cation G	- 17341			er's Name rsedes revi	ew of		Date of Re	view(s)		
OAR 6 welfare to deter the pres	90-310-1, safety as mine who sumption	30 (1) 7 and healt ether the criteria.	The Depar th as desc e presum	rtment shad cribed in O ption is esta view is bas	<i>RS 537.525</i> . I ablished. OAF	tt a proposed Department st R 690-310-14 lable informa	aff review g 0 allows the ation and a	ground wat e proposed gency poli	ensure the preser applications use be modified icies in place a	ervation of under OA	of the put AR 690-3 itioned to e of evalu	10-140 meet nation.	
A1.					rom <u>1</u>							Basin,	
711.		Deschu			10111			Map: Ti				_ <b>Du</b> sin,	
A2. A3.	Propose	ed use:	C	ommercia	l and Irrigati	on Season	ality:	Comm: 9/1	1-6/30; Irr: 4/1 l wells as such		gid):		
Wel l	Log	id	Applica s Well s		Proposed Aquifer*	Proposed Rate(cfs)		ocation -S QQ-Q)		n, metes a N, 1200' E			
1	propo	sed	1	De	schutes Fm	0.05	17S/1	2E-6ACC	625' 1	N, 620' E f	r C1/4 co	r S6	
3													
4													
5 * Alluvi	um, CRB,	Bedrock	ζ										
Well	Well Elev ft msl	First Water ft bls	SW L	SWL Date	Well Depth (ft)	Seal Interval (ft)	Casing Intervals (ft)	Liner Interva ls (ft)	Perforations Or Screens (ft)	Well Yield (gpm)	Draw Down (ft)	Test Type	
1	3220				Prop. 550	Prop. >20		(It)					
A4. DESCI DISCH	Commo HUTES I IARGE A LY BE BI	ents: <u>W</u> FM. GR AREA (	OUND V	PROPOSI WATER F UTES RIV	LOW IS TO (ER) ABOUT	WARDS TH T 15.0 MILE	E NORTH S DISTAN	WITH TI CE. WAT	BEARING ZO HE NEAREST ER LEVEL IN DURCE (ALSO	LIKELY THE W	<u>Y</u> ELL WI		
A5. 🖾													
A6. 🗌	()	of admin	istrative :	. , area:	.,,		, tap(s	s) an aquife	er limited by an	administ	rative res	triction.	

## B. GROUND WATER AVAILABILITY CONSIDERATIONS, OAR 690-310-130, 400-010, 410-0070

period of the proposed use. * This finding is limited to the ground water portion of the over-appropriation determination as prescribed in OAR 690-310-130;  b.   will not or   will likely be available in the amounts requested without injury to prior water rights. * This finding is limited to the ground water portion of the injury determination as prescribed in OAR 690-310-130;  c.   will not or   will likely to be available within the capacity of the ground water resource; or  d.   will, if properly conditioned, avoid injury to existing ground water rights or to the ground water resource:	Bas	ed upon available data, I have determined that ground water* for the proposed use:
is limited to the ground water portion of the injury determination as prescribed in OAR 690-310-130;  c.   will not or   will likely to be available within the capacity of the ground water resource; or  d.   will, if properly conditioned, avoid injury to existing ground water rights or to the ground water resource:   i.   The permit should contain condition #(s)   TB     ii.   The permit should be conditioned as indicated in item 2 below.     iii.   The permit should contain special condition(s) as indicated in item 3 below;   a.   Condition to allow ground water production from no deeper than   ft. below land surface;     b.   Condition to allow ground water production from no shallower than   100   ft. below land surface;     c.   Condition to allow ground water production only from the   ground   ground   water reservoir between approximately   ft. and   ft. below land surface;     d.   Well reconstruction is necessary to accomplish one or more of the above conditions. The problems that are likely to occur with this use and without reconstructing are cited below. Without reconstruction, I recommend withholding issuance of the permit until evidence of well reconstruction is filed with the Department and approved by the Ground Water Section.  Describe injury —as related to water availability—that is likely to occur without well reconstruction (interference w/ senior water rights, not within the capacity of the resource, etc):    B3. Ground water availability remarks: The nearest state observation well is state observation well 1317 (DESC 3581), about 9.6 miles to the north-northeast. It has been monitored periodically since 1993. State observation well 1317 shows a relatively sharp decline between 1994 and 1996, a shallower decline slope between 1997 and 1999, and a steepening slope from 2000 to present. This trend is coincident with climate cycles. The water level has dropped about 14.1 feet	a.	
d.   will, if properly conditioned, avoid injury to existing ground water rights or to the ground water resource:   i.   The permit should contain condition #(s)	b.	■ will not <i>or</i> ■ will likely be available in the amounts requested without injury to prior water rights. * This finding is limited to the ground water portion of the injury determination as prescribed in OAR 690-310-130;
i.	c.	$\square$ will not or $\square$ will likely to be available within the capacity of the ground water resource; or
b. Condition to allow ground water production from no shallower than	d.	<ul> <li>i.  The permit should contain condition #(s) 7B</li> <li>ii.  The permit should be conditioned as indicated in item 2 below.</li> </ul>
c.	a.	Condition to allow ground water production from no deeper than ft. below land surface;
d.	b.	Condition to allow ground water production from no shallower than ft. below land surface;
to occur with this use and without reconstructing are cited below. Without reconstruction, I recommend withholding issuance of the permit until evidence of well reconstruction is filed with the Department and approved by the Ground Water Section.  Describe injury —as related to water availability—that is likely to occur without well reconstruction (interference w/ senior water rights, not within the capacity of the resource, etc):  B3. Ground water availability remarks: The nearest state observation well is state obs well 1317 (DESC 3581), about 9.6 miles to the north-northeast. It has been monitored periodically since 1993. State observation well 1317 shows a relatively sharp decline between 1994 and 1996, a shallower decline slope between 1997 and 1999, and a steepening slope from 2000 to present. This trend is coincident with climate cycles. The water level has dropped about 14.1 feet	c.	Condition to allow ground water production only from the ground water reservoir between approximately ft. and ft. below land surface;
B3. Ground water availability remarks: The nearest state observation well is state obs well 1317 (DESC 3581), abou 9.6 miles to the north-northeast. It has been monitored periodically since 1993. State observation well 1317 shows a relatively sharp decline between 1994 and 1996, a shallower decline slope between 1997 and 1999, and a steepening slope from 2000 to present. This trend is coincident with climate cycles. The water level has dropped about 14.1 feet	d.	to occur with this use and without reconstructing are cited below. Without reconstruction, I recommend withholding issuance of the permit until evidence of well reconstruction is filed with the Department and approved
9.6 miles to the north-northeast. It has been monitored periodically since 1993. State observation well 1317 shows a relatively sharp decline between 1994 and 1996, a shallower decline slope between 1997 and 1999, and a steepening slope from 2000 to present. This trend is coincident with climate cycles. The water level has dropped about 14.1 feet		<b>Describe injury</b> —as related to water availability— that is likely to occur without well reconstruction (interference w/ senior water rights, not within the capacity of the resource, etc):
9.6 miles to the north-northeast. It has been monitored periodically since 1993. State observation well 1317 shows a relatively sharp decline between 1994 and 1996, a shallower decline slope between 1997 and 1999, and a steepening slope from 2000 to present. This trend is coincident with climate cycles. The water level has dropped about 14.1 feet		
9.6 miles to the north-northeast. It has been monitored periodically since 1993. State observation well 1317 shows a relatively sharp decline between 1994 and 1996, a shallower decline slope between 1997 and 1999, and a steepening slope from 2000 to present. This trend is coincident with climate cycles. The water level has dropped about 14.1 feet		
during the period of record, mostly as a result of decreased recharge.	9.6 rela slop	miles to the north-northeast. It has been monitored periodically since 1993. State observation well 1317 shows a stively sharp decline between 1994 and 1996, a shallower decline slope between 1997 and 1999, and a steepening be from 2000 to present. This trend is coincident with climate cycles. The water level has dropped about 14.1 feet
	<u>dur</u>	ing the period of record, mostly as a result of decreased recharge.

## C. GROUND WATER/SURFACE WATER CONSIDERATIONS, OAR 690-09-040

C1. **690-09-040** (1): Evaluation of aquifer confinement:

Wel 1	Aquifer or Proposed Aquifer	Confined	Unconfined
Basis fo	r aquifer confinement evaluation:		

C2. **690-09-040 (2) (3):** Evaluation of distance to, and hydraulic connection with, surface water sources. All wells located a horizontal distance less than ½ mile from a surface water source that produce water from an unconfined aquifer shall be assumed to be hydraulically connected to the surface water source. Include in this table any streams located beyond one mile that are evaluated for PSI.

Well	SW #	Surface Water Name	GW Elev ft msl	SW Elev ft msl	Distance (ft)	Hydraulically Connected? YES NO ASSUMED	Potential for Subst. Interfer. Assumed? YES NO

Basis for aquifer hydraulic connection evaluation:						
Water Availability Basin the well(s) are located within	n:					

C3a. **690-09-040** (4): Evaluation of stream impacts for <u>each well</u> that has been determined or assumed to be **hydraulically** connected and less than 1 mile from a surface water source. Limit evaluation to instream rights and minimum stream flows that are pertinent to that surface water source, and not lower SW sources to which the stream under evaluation is tributary. Compare the requested rate against the 1% of 80% *natural* flow for the pertinent Water Availability Basin (WAB). If Q is not distributed by well, use full rate for each well. Any checked  $\boxtimes$  box indicates the well is assumed to have the potential to cause PSI.

Well	SW #	Well < 1/4 mile?	Qw > 5 cfs?	Instream Water Right ID	Instream Water Right Q (cfs)	Qw > 1% ISWR?	80% Natural Flow (cfs)	Qw > 1% of 80% Natural Flow?	Interference @ 30 days (%)	Potential for Subst. Interfer. Assumed?

C3b. **690-09-040 (4):** Evaluation of stream impacts by total appropriation for all wells determined or assumed to be **hydraulically connected and less than 1 mile** from a surface water source. **Complete only if Q is distributed among wells.** Otherwise same evaluation and limitations apply as in C3a above.

SW #	Qw > 5 cfs?	Instream Water Right ID	Instream Water Right Q (cfs)	Qw > 1% ISWR?	80% Natural Flow (cfs)	Qw > 1% of 80% Natural Flow?	Interference @ 30 days (%)	Potential for Subst. Interfer. Assumed?
Comments: _								

C4a. **690-09-040 (5):** Estimated impacts on **hydraulically connected surface water sources greater than one mile** as a percentage of the proposed pumping rate. Limit evaluation to the effects that will occur up to one year after pumping begins. This table encompasses the considerations required by 09-040 (5)(a), (b), (c) and (d), which are not included on this form. Use additional sheets if calculated flows from more than one WAB are required.

	istributed	Wells											
Well	SW#	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q	as CFS												
Interfer	ence CFS												
				•									
Distri	buted Well	ls											
Well	SW#	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q	as CFS												
Interfer	ence CFS												
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q	as CFS												
	ence CFS												
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q	as CFS												
Interfer	ence CFS												
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q	as CFS												
Interfer	ence CFS												
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q	as CFS												
	rence CFS												
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q	as CFS												
Interfer	rence CFS												
(A) = To	otal Interf.												
(B) = 80	% Nat. Q												
(C) = 1	% Nat. Q												
( <b>D</b> ) = (A	A) > (C)	<b>√</b>	√	<b>√</b>	<b>√</b>								
$(\mathbf{E}) = (\mathbf{A}$	( / B) x 100	%	%	%	%	%	%	%	%	%	%	%	%

b. 690-09-040 (5) (b Rights Section	The potential to impair or detrimentally affect the public interest is to be determined by the Water
under this permit	itioned, the surface water source(s) can be adequately protected from interference, and/or ground water us can be regulated if it is found to substantially interfere with surface water:
i. ☐ The p ii. ☐ The p	permit should contain special condition(s) as indicated in "Remarks" below;
ii. 🗌 The p	
ii. 🗌 The p	permit should contain condition #(s)
ii. 🗌 The p	permit should contain condition #(s)
ii. 🗌 The p	permit should contain condition #(s)
ii. 🗌 The p	permit should contain condition #(s)
ii. 🗌 The p	permit should contain condition #(s)
ii. 🗌 The p	permit should contain condition #(s)

## D. WELL CONSTRUCTION, OAR 690-200

D1.	Well #:	Logid:
D2.	a.	VELL does not meet current well construction standards based upon:  review of the well log; field inspection by
D3.	THE W a.	VELL construction deficiency:  constitutes a health threat under Division 200 rules;  commingles water from more than one ground water reservoir;  permits the loss of artesian head;  permits the de-watering of one or more ground water reservoirs;  other: (specify)
D4.	THE W	VELL construction deficiency is described as follows:
D5.	THE W	<ul> <li>Was, or □ was not constructed according to the standards in effect at the time of original construction or most recent modification.</li> <li>b. □ I don't know if it met standards at the time of construction.</li> </ul>
D6.		to the Enforcement Section. I recommend withholding issuance of the permit until evidence of well reconstruction with the Department and approved by the Enforcement Section and the Ground Water Section.
TH	IS SECTIO	ON TO BE COMPLETED BY ENFORCEMENT PERSONNEL
D7.	☐ Well co	enstruction deficiency has been corrected by the following actions:
		, 200 .
		(Enforcement Section Signature)
D8.	☐ Route	to Water Rights Section (attach well reconstruction logs to this page).