PUBLIC INTEREST REVIEW FOR GROUND WATER APPLICATIONS

<u>1 UDI</u>													
TO:		Water Rights Section Date					e <u>1</u>	1/29/20	10				
FROM	[:	Groun	d Water	/Hydrology S	Section	K. Li	te						
						Revi	ewer's Name						
SUBJE	ECT:	Applie	cation G	- 17422		Su	persedes re	view of					
											Date of Re	view(s)	
PUBL OAR 6 welfare to deter the pres	IC INT 90-310-1 <i>c, safety a</i> mine who sumption NERAI	EREST 30 (1) 7 nd healt ether the criteria.	PRESU The Depar th as desc presump This rev RMATI	JMPTION; (rtment shall pr rtibed in ORS 2 ption is establis riew is based u TON: Ap	GROUN sesume that 537.525. I shed. OAI 1pon avai plicant's l	DWATE at a propos Departmen R 690-310- lable infor Name:	<u>R</u> ed groundwa t staff review 140 allows t rmation and LaPine W	ater use will v ground wat the proposed l agency pol ater Distric	<i>ensure</i> ter appli use be icies in	the pres ications modified place a	ervation under OA d or cond t the time County:	of the pu AR 690-3 itioned to e of evalution Deschu	blic 10-140 o meet uation. tes
<u></u>				<u>ion</u> np	prioune 54		Lui me ()	<u>utti Distin</u>		`		Desena	
A1.	Applica	unt(s) see	ek(s) <u>1.</u>	4 cfs from	2	well	(s) in the	Deschutes					Basin,
	1	Little D	eschutes			subb	asin Ou	ad Man [.] Fi	inlev B	utte			
			esentates			54666	usini Qu			utte			
A2.	Propose	ed use:	Q	uasi-Municipa	al	Seas	sonality: Ye	ar Around					
A3.	Well an	d aquife	er data (a	ttach and nun	nber logs	for existir	ng wells; ma	irk proposed	d wells	as such	under lo	gid):	
			Applica	nt'									
Wel	Yel Logid S Proposed Well # Applicant Proposed Aquifer*		Propos	Proposed Location			Location, metes and bounds, e.g.						
1			4 Aqu	uifer*	Rate(cf	Rate(cfs) (T/I		2250' 2250' 2250' 2250' 2250' 2		J, 1200' E	fr NW co	r S 36	
1	Desc 5	4986	1	Newber	rv Lavas	1.40	1 40 22S/11E-18DRC		7	1240' S, 804' I		fr Center	S 18
2	Desc 5	5049	2	Newber	rv Lavas	1.40	228	225/11E-18DBC) 1143' S, 1085']		E fr Center S18	
3	20000		-		<u>- j - 20 (00</u>			10222			,		
4													
5													
* Alluvi	um, CRB,	Bedrock											
	1	-	-	1	1 1			_					1
	Well	First	SW	SWL	Well	Seal	Casing	Liner	Perfo	rations	Well	Draw	Test
Well	Elev	Water	L	Date	Depth	Interval	Intervals	Intervals	Or S	creens	Yield	Down	Type
	ft msl	ft bls	ft bls		(ft)	(ft)	(ft)	(ft)	()	ft)	(gpm)	(ft)	-76-
1	4305	131	116	08/30/2002	251	0-129	+4-151	143-221	154-2	04; 51	1300	24	Р
2	4305	133	118	10/03/2002	255	0-158	<i>⊥</i> 4_158	150-159	159_2	51 54	1300	13	Р
2	4303	155	110	10/03/2002	233	0-130	++-130	130-137	137-2	54	1300	15	1
	1												
			1										
Use data	a from ann	lication f	or propose	ed wells.	11				1		1	1	1
uuu	- PP		- r-spon										
A4.	Comm	ents: <u>W</u>	ELLS A	RE CONSTR	UCTED	INTO WA	TER BEAH	RING ZONE	ES WIT	HIN N	EWBER	RY LAV	A
	<u>FLOW</u>	S THA'	<u>Г ARE I</u>	NTERCALA	TED WIT	<u>'HIN REL</u>	ATIVELY	FINE-GRA	INED I	BASIN-	FILL AI	LUVIU	<u>M.</u>

GROUND-WATER FLOW IS TOWARDS THE NORTH-NORTHWEST AND ULTIMATELY DESCHARGES TO THE LITTLE DESCHUTES AND UPPER DESCHUTES RIVERS, AND TRIBUTARY SPRINGS.

A5. \square **Provisions of the <u>Deschutes</u>** Basin rules relative to the development, classification and/or management of ground water hydraulically connected to surface water \square **are not**, activated by this application. (Not all basin rules contain such provisions.) Comments: Within USGS Study Area Boundary.

A6. Well(s) #_____, ____, ____, ____, tap(s) an aquifer limited by an administrative restriction. Name of administrative area: _______ Comments: ______

B. GROUND WATER AVAILABILITY CONSIDERATIONS, OAR 690-310-130, 400-010, 410-0070

- B1. **Based upon available data**, I have determined that <u>ground water</u>* for the proposed use:
 - a. **is** over appropriated, **is not** over appropriated, *or* **cannot be determined to be** over appropriated during any period of the proposed use. * This finding is limited to the ground water portion of the over-appropriation determination as prescribed in OAR 690-310-130;
 - b. **will not** *or* **will** likely be available in the amounts requested without injury to prior water rights. * This finding is limited to the ground water portion of the injury determination as prescribed in OAR 690-310-130;
 - c. **will not** *or* **will** likely to be available within the capacity of the ground water resource; or
 - d. **will, if properly conditioned**, avoid injury to existing ground water rights or to the ground water resource:
 - i. The permit should contain condition #(s) **7B, 7N**
 - ii. \Box The permit should be conditioned as indicated in item 2 below.
 - iii.
 The permit should contain special condition(s) as indicated in item 3 below;
- B2. a. Condition to allow ground water production from no deeper than ______ ft. below land surface;
 - b. Condition to allow ground water production from no shallower than ______ ft. below land surface;
 - c. Condition to allow ground water production only from the ______ ground water reservoir between approximately______ ft. and ______ ft. below land surface;
 - d. **Well reconstruction** is necessary to accomplish one or more of the above conditions. The problems that are likely to occur with this use and without reconstructing are cited below. Without reconstruction, I recommend withholding issuance of the permit until evidence of well reconstruction is filed with the Department and approved by the Ground Water Section.

Describe injury –as related to water availability– that is likely to occur without well reconstruction (interference w/ senior water rights, not within the capacity of the resource, etc):

B3. Ground water availability remarks: <u>THE NEAREST STATE OBSERVATION WELL IS OBS WELL 1084</u> (DESC 8108), ABOUT 2.9 MILES TO THE WEST-NORTHWEST. IT HAS BEEN MONITORED PERIODICALLY SINCE 1985. STATE OBSERVATION WELL 1084 APPEARS TO BE IN DYNAMIC EQUILIBRIUM. THE LONG-TERM TREND SHOWS A DECADAL-SCALE WATER LEVEL FLUCTUATION THAT IS COINCIDENT WITH CLIMATE CYCLES. THE DECADAL FLUCTUATION HAS A MAXIMUM AMPLITUDE OF APPROXIMATELY 10-12 FEET. SINCE 2000, THE WATER LEVEL HAD DROPPED ABOUT 8 FEET, BUT RECENTLY RECOVERED 1-2 FEET. LIKELY, MOST AS A RESULT OF CLIMATE FLUCTUATION.

THERE ARE NO WATER LEVEL MEASUREMENTS AVAILABLE AT THE PROPOSED POA'S SUBSEQUENT TO THE ISSUSANCE OF THE ORIGINAL PERMIT (G-13444) FOR 2.23 CFS. THE POTENTIAL DRAWDOWN FROM THE REATIVELY LARGE TOTAL PUMPING RATE PROPOSED AT THE POA'S (3.65 CFS) IS UNKNOWN.

ANNUAL WATER LEVEL MEASUREMENTS AND WATER LEVEL DECLINE CONDITIONS ARE RECOMMENDED.

C. GROUND WATER/SURFACE WATER CONSIDERATIONS, OAR 690-09-040

C1. **690-09-040** (1): Evaluation of aquifer confinement:

Well	Aquifer or Proposed Aquifer	Confined	Unconfined

Basis for aquifer confinement evaluation:

C2. **690-09-040** (2) (3): Evaluation of distance to, and hydraulic connection with, surface water sources. All wells located a horizontal distance less than ¹/₄ mile from a surface water source that produce water from an unconfined aquifer shall be assumed to be hydraulically connected to the surface water source. Include in this table any streams located beyond one mile that are evaluated for PSI.

Well	SW #	Surface Water Name	GW Elev ft msl	SW Elev ft msl	Distance (ft)	Hydraulically Connected? YES NO ASSUMED	Potential for Subst. Interfer. Assumed? YES NO

Basis for aquifer hydraulic connection evaluation:

Water Availability Basin the well(s) are located within:

C3a. **690-09-040** (4): Evaluation of stream impacts for <u>each well</u> that has been determined or assumed to be **hydraulically connected and less than 1 mile** from a surface water source. Limit evaluation to instream rights and minimum stream flows that are pertinent to that surface water source, and not lower SW sources to which the stream under evaluation is tributary. Compare the requested rate against the 1% of 80% *natural* flow for the pertinent Water Availability Basin (WAB). If Q is not distributed by well, use full rate for each well. Any checked 🖾 box indicates the well is assumed to have the potential to cause PSI.

Well	SW #	Well < ¹ / ₄ mile?	Qw > 5 cfs?	Instream Water Right ID	Instream Water Right Q (cfs)	Qw > 1% ISWR?	80% Natural Flow (cfs)	Qw > 1% of 80% Natural Flow?	Interference @ 30 days (%)	Potential for Subst. Interfer. Assumed?

C3b. **690-09-040 (4):** Evaluation of stream impacts by total appropriation for all wells determined or assumed to be hydraulically connected and less than 1 mile from a surface water source. Complete only if Q is distributed among wells. Otherwise same evaluation and limitations apply as in C3a above.

SW #		Qw > 5 cfs?	Instream Water Right ID	Instream Water Right Q (cfs)	Qw > 1% ISWR?	80% Natural Flow (cfs)	Qw > 1% of 80% Natural Flow?	Interference @ 30 days (%)	Potential for Subst. Interfer. Assumed?
Commente									

C4a. **690-09-040 (5):** Estimated impacts on **hydraulically connected surface water sources greater than one mile** as a percentage of the proposed pumping rate. Limit evaluation to the effects that will occur up to one year after pumping begins. This table encompasses the considerations required by 09-040 (5)(a), (b), (c) and (d), which are not included on this form. Use additional sheets if calculated flows from more than one WAB are required.

Non-D	istributed	Wells	Fab	Mor	Apr	Mov	Jun	J .,1	Aug	San	Oat	Nou	Dee
wen	SW#	Jan 9/	red 9/		Apr 0/	Iviay	JUII 0/	JUI 0/	Aug	Sep %		INOV 0/	
W 11 0	CEC	70	70	70	70	70	70	70	70	70	70	70	70
Well Q	as CFS												
Interfer	ence CFS												
Distrib	outed Wel	ls											
Well	SW#	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q	as CFS												
Interfer	ence CFS												
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q	as CFS												
Interfer	ence CFS												
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q	as CFS												
Interfer	ence CFS												
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q	as CFS												
Interfer	ence CFS												
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q	as CFS												
Interfer	ence CFS												
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q	as CFS												
Interfer	ence CFS												
							İ			İ	1	1	1
$(\mathbf{A}) = \mathbf{T}\mathbf{a}$	otal Interf.												
(B) = 80	% Nat. Q												
(C) = 1	% Nat. Q												
ļ													
$(\mathbf{D}) = (\mathbf{A})$	A) > (C)	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
$(\mathbf{E}) = (\mathbf{A})$	/ B) x 100	%	%	%	%	%	%	%	%	%	%	%	%

(A) = total interference as CFS; (B) = WAB calculated natural flow at 80% exceed. as CFS; (C) = 1% of calculated natural flow at 80% exceed. as CFS; (D) = highlight the checkmark for each month where (A) is greater than (C); (E) = total interference divided by 80% flow as percentage.

	image: system in the system is special condition in the system in the system is special condition in the system in the system is special condition in the system in the system is special condition in the system in the system is special condition in the system is special condition in the system is special condition in the system is special condition.
b. 69	igeo-09-040 (5) (b) The potential to impair or detrimentally affect the public interest is to be determined by the Wa Rights Section. If properly conditioned, the surface water source(s) can be adequately protected from interference, and/or ground water under this permit can be regulated if it is found to substantially interfere with surface water: The permit should contain condition #(s) ii. The permit should contain special condition(s) as indicated in "Remarks" below; / GW Remarks and Conditions
. 69 69 	isometry isometry isom
b. 69	i90-09-040 (5) (b) The potential to impair or detrimentally affect the public interest is to be determined by the Wa Rights Section. If properly conditioned, the surface water source(s) can be adequately protected from interference, and/or ground water under this permit can be regulated if it is found to substantially interfere with surface water: i. □ The permit should contain condition #(s)
. 69 . 69 	590-09-040 (5) (b) The potential to impair or detrimentally affect the public interest is to be determined by the Wa Rights Section. If properly conditioned, the surface water source(s) can be adequately protected from interference, and/or ground water under this permit can be regulated if it is found to substantially interfere with surface water: i. □ The permit should contain condition #(s)
. 69 	 i90-09-040 (5) (b) The potential to impair or detrimentally affect the public interest is to be determined by the Wa Rights Section. If properly conditioned, the surface water source(s) can be adequately protected from interference, and/or ground water under this permit can be regulated if it is found to substantially interfere with surface water: i. □ The permit should contain condition #(s)
. 6! 	 590-09-040 (5) (b) The potential to impair or detrimentally affect the public interest is to be determined by the Wa Rights Section. If properly conditioned, the surface water source(s) can be adequately protected from interference, and/or ground water under this permit can be regulated if it is found to substantially interfere with surface water: i. ☐ The permit should contain condition #(s)
 b. 69 . □ ; 	 590-09-040 (5) (b) The potential to impair or detrimentally affect the public interest is to be determined by the Wa Rights Section. If properly conditioned, the surface water source(s) can be adequately protected from interference, and/or ground water under this permit can be regulated if it is found to substantially interfere with surface water: i. i. The permit should contain condition #(s) ii. ii. The permit should contain special condition(s) as indicated in "Remarks" below; / GW Remarks and Conditions
b. 69 □ 1 SW 1	 690-09-040 (5) (b) The potential to impair or detrimentally affect the public interest is to be determined by the Wa Rights Section. If properly conditioned, the surface water source(s) can be adequately protected from interference, and/or ground water i under this permit can be regulated if it is found to substantially interfere with surface water: i The permit should contain condition #(s)
b. 6!	 igentiation in the property conditioned, the surface water source(s) can be adequately protected from interference, and/or ground water inder this permit can be regulated if it is found to substantially interfere with surface water: i
SW .	If properly conditioned, the surface water source(s) can be adequately protected from interference, and/or ground water under this permit can be regulated if it is found to substantially interfere with surface water: i The permit should contain condition #(s)
SW	 ii. The permit should contain special condition(s) as indicated in "Remarks" below; / GW Remarks and Conditions
SW	/ GW Remarks and Conditions
SW	/ GW Remarks and Conditions
Refe <u>MA</u> DFS	erences Used: <u>USGS WRI REPORT 00-4162; USGS WRI REPORT 02-4015; USGS SI REPORT 2007-5237; USG</u> P I-2455; FINLEY BUTTE QUADRANGLE MAP; APPL. FILE G-17422; TRANSFER T-9241; WELL REPORT SC 8108, DESC 8109, DESC 54968, AND DESC 55049, DIVISION 690-505
<u> </u>	

D. WELL CONSTRUCTION, OAR 690-200

D1.	Well #:	Logid:
D2.	THE WELL doe a. review o b. field insp c. report of d. other: (s)	s not meet current well construction standards based upon: f the well log; pection by; CWRE; pecify)
D3.	THE WELL con a. constitut b. comming c. permits d. permits e. other: (s)	struction deficiency: es a health threat under Division 200 rules; gles water from more than one ground water reservoir; he loss of artesian head; he de-watering of one or more ground water reservoirs; pecify)
D4.	THE WELL con	struction deficiency is described as follows:
D5.	THE WELL	 a. was, or was not constructed according to the standards in effect at the time of original construction or most recent modification. b. don't know if it met standards at the time of construction
D6. [Route to the En is filed with the D	forcement Section. I recommend withholding issuance of the permit until evidence of well reconstruction Department and approved by the Enforcement Section and the Ground Water Section.

THIS SECTION TO BE COMPLETED BY ENFORCEMENT PERSONNEL

D7. Well construction deficiency has been corrected by the following actions:

(Enforcement Section Signature)

D8.
Route to Water Rights Section (attach well reconstruction logs to this page).

_

-

, 200____.







G-17422: Finley Butte Quadrangle