PUBLIC INTEDEST DEVIEW FOR CROUNDWATER APPLICATIONS

rub		LENL	SI KEVI		GROUI	NDWA	IEN A			<u>115</u>				
TO:		Wate	er Rights S	ection		Date May 5, 2011								
FROM	1:	Grou	undwater Se	ection	Marc No	orton								
Reviewer's Name														
SUBJ	ECT:	Appl	lication G-	17457	<u> </u>	Suj	persedes	rev	iew of					
												Date of Re	view(s)	
OAR (welfare to dete	5 90-310-1 e, safety an rmine whe	30 (1) <i>nd hea</i> ether th	<i>The Depart</i> <i>elth as descr</i> he presumpt	ment shall p ibed in ORS ion is establ	GROUNI presume that 5 537.525. D lished. OAR upon avail	<i>a propos</i> epartment 690-310-	<i>ed groun</i> t staff rev 140 allov	iew vs th	groundwate e proposed	er applica use be m	tions u odifie	under OA d or cond	R 690-32 itioned to	10-140 o meet
A. <u>GE</u>	NERAL	INF	ORMATIC	<u>)N</u> : A	pplicant's N	lame:	Patrick	& Sa	arah West		(County:	Umatill	a
A1.	Applica	nt(s) s	eek(s) 0.1.	<u>3</u> cfs fro	m <u>1</u>	well(s) in the		<u>Umatilla R</u>	liver				_Basin,
	1	McKay	y Creek			subb	asin	Qua	d Map: <u>M</u>	lc Kay R	eserva	oir		
A2. A3.			Irri fer data (att		.5 acres Imber logs f				<u>March 1 –</u> k proposed			under lo	gid):	
337 11	T • •	1	Applicant	's D	1.4 . 6 . *	Prop	osed		Location	1	Loca	tion, mete	s and bou	nds, e.g.
Well	Logic		Well #	Propos	sed Aquifer*		Rate(cfs)		(T/R-S QQ		2250	'N, 1200'	E fr NW	cor S 36
1	UMAT55	5847	1		CRB	0.13		0	01N/32E-14 N	E NE	61	2' S, 360' l	E fr NE co	r S 14
23														
4														
5														
* Alluv	ium, CRB,	Bedroc	ck											
					1					-				
	Well	First	\$ \$ \$	SWL	Well	Seal Casing Liner				Perforations Well Draw Test				Test
Well	Elev	Wate	ft bls	Date	Depth	Interval	Interval	IS	Intervals	Or Screens		Yield	Down	Туре
	ft msl	ft bls		4/20/07	(ft)	(ft)	(ft)		(ft)	(ft)		(gpm)	(ft)	
1	1370	198	65	4/28/06	230	0 - 131	+1 - 13	1			-	100+		Air
								_						
Use dat	a from app	lication	for proposed	l wells.										
A4.	Comm	nta. I	Wall constr	uction on t	he well is go	ad and	d and co	مامط	into hocol	t oonfini	ag lav	on ovonly	ing the s	anifor
A4.					below the l					t comm	ig lay	er overty	ing the a	iquiter.
	<u>The cor</u>	istruc	tion also sea	ais the wen	below the l		<u>C Nay N</u>	eser	voll.					
	Reques	ted die	scharge rat	e is 59 onm	= 0.13 cfs									
	Reques	icu uli	senarge rat	C 15 57 gpm	- 0.15 (13.									
A5. 🖂	Provisi	ions of	f the Umati	lla River			Basi	n rule	es relative t	o the dev	elonm	ent, class	ification	and/or
K '					cally conne	cted to sur								

(Not all basin rules contain such provisions.)

Comments: Based on the deep casing and seal, the well is not hydraulically connected to Mc Kay Reservoir.

A6. Well(s) #_____, ____, ____, ____, ____, tap(s) an aquifer limited by an administrative restriction. Name of administrative area: ______

Comments: NA

B. GROUNDWATER AVAILABILITY CONSIDERATIONS, OAR 690-310-130, 400-010, 410-0070

- B1. **Based upon available data**, I have determined that <u>ground water</u>* for the proposed use:
 - a. **is** over appropriated, **is not** over appropriated, *or* **is cannot be determined to be** over appropriated during any period of the proposed use. * This finding is limited to the groundwater portion of the over-appropriation determination as prescribed in OAR 690-310-130;
 - b. **will not** *or* **will** likely be available in the amounts requested without injury to prior water rights. * This finding is limited to the groundwater portion of the injury determination as prescribed in OAR 690-310-130;
 - c. **will not** *or* **will** likely to be available within the capacity of the groundwater resource; or
 - d. **will, if properly conditioned**, avoid injury to existing groundwater rights or to the groundwater resource:
 - i. The permit should contain condition #(s) <u>7B Interference, 7N Annual WL (February/March), 7P –</u> Well Tag, 7T – Measuring Tube, Large measuring and reporting with flow meter on each well
 - ii. The permit should be conditioned as indicated in item 2 below.
 - iii. The permit should contain special condition(s) as indicated in item 3 below;
- B2. a. Condition to allow groundwater production from no deeper than ______ ft. below land surface;
 - b. Condition to allow groundwater production from no shallower than ______ ft. below land surface;
 - c. Condition to allow groundwater production only from the groundwater reservoir between approximately ______ ft. and ______ ft. below land surface;
 - d. Condition to allow production only from a single aquifer in the Columbia River Basalt groundwater reservoir;
 - e. **Well reconstruction** is necessary to accomplish one or more of the above conditions. The problems that are likely to occur with this use and without reconstructing are cited below. Without reconstruction, I recommend withholding issuance of the permit until evidence of well reconstruction is filed with the Department and approved by the Groundwater Section.

Describe injury –as related to water availability– that is likely to occur without well reconstruction (interference w/ senior water rights, not within the capacity of the resource, etc):

B3. Groundwater availability remarks: <u>There are several other wells in the area, but are of little value because of the limited number of measurements.</u>

3

Page

C. GROUND WATER/SURFACE WATER CONSIDERATIONS, OAR 690-09-040

C1. 690-09-040 (1): Evaluation of aquifer confinement:

Wel 1	Aquifer or Proposed Aquifer	Confined	Unconfined
1	CRB	\boxtimes	

Basis for aquifer confinement evaluation: <u>Groundwater level rose above where it was encountered in the well.</u>

C2. **690-09-040** (2) (3): Evaluation of distance to, and hydraulic connection with, surface water sources. All wells located a horizontal distance less than ¹/₄ mile from a surface water source that produce water from an unconfined aquifer shall be assumed to be hydraulically connected to the surface water source. Include in this table any streams located beyond one mile that are evaluated for PSI.

Well	SW #	Surface Water Name	GW Elev ft msl	SW Elev ft msl	Distance (ft)	Hydraulically Connected? YES NO ASSUMED	Potential for Subst. Interfer. Assumed? YES NO
1	1	Mc Kay Reservoir	1305	1320	450		
1							

Basis for aquifer hydraulic connection evaluation: Well depth, construction, geologic conditions

Water Availability Basin the well(s) are located within:

C3a. **690-09-040** (4): Evaluation of stream impacts for <u>each well</u> that has been determined or assumed to be **hydraulically connected and less than 1 mile** from a surface water source. Limit evaluation to instream rights and minimum stream flows that are pertinent to that surface water source, and not lower SW sources to which the stream under evaluation is tributary. Compare the requested rate against the 1% of 80% *natural* flow for the pertinent Water Availability Basin (WAB). If Q is not distributed by well, use full rate for each well. Any checked 🖾 box indicates the well is assumed to have the potential to cause PSI.

Well	SW #	Well < ^{1/4} mile?	Qw > 5 cfs?	Instream Water Right ID	Instream Water Right Q (cfs)	Qw > 1% ISWR?	80% Natural Flow (cfs)	Qw > 1% of 80% Natural Flow?	Interference @ 30 days (%)	Potential for Subst. Interfer. Assumed?

C3b. **690-09-040 (4):** Evaluation of stream impacts by total appropriation for all wells determined or assumed to be hydraulically connected and less than 1 mile from a surface water source. Complete only if Q is distributed among wells. Otherwise same evaluation and limitations apply as in C3a above.

SW #	Qw 5 cf	> '	nstream Water Right ID	Instream Water Right Q (cfs)	Qw > 1% ISWR?	80% Natural Flow (cfs)	Qw > 1% of 80% Natural Flow?	Interference @ 30 days (%)	Potential for Subst. Interfer. Assumed?
Comments: NA									

C4a. **690-09-040 (5):** Estimated impacts on **hydraulically connected surface water sources greater than one mile** as a percentage of the proposed pumping rate. Limit evaluation to the effects that will occur up to one year after pumping begins. This table encompasses the considerations required by 09-040 (5)(a), (b), (c) and (d), which are not included on this form. Use additional sheets if calculated flows from more than one WAB are required.

Non-D	istributed	Wells											
Well	SW#	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
		%	%	%	%	%	%	%	%	%	%	%	%
Well (Q as CFS												
Interfer	ence CFS												
		_											
	outed Well		F 1	м		N	т	T 1		C	0	NT	D
Well	SW#	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
		%	%	%	%	%	%	%	%	%	%	%	%
	2 as CFS												
Interfer	ence CFS												
		%	%	%	%	%	%	%	%	%	%	%	%
	Q as CFS												
Interfer	ence CFS												
		%	%	%	%	%	%	%	%	%	%	%	%
	Q as CFS												
Interfer	ence CFS												
		%	%	%	%	%	%	%	%	%	%	%	%
Well (Q as CFS												
Interfer	ence CFS												
		%	%	%	%	%	%	%	%	%	%	%	%
Well () as CFS												
Interfer	ence CFS												
		%	%	%	%	%	%	%	%	%	%	%	%
Well () as CFS												
	ence CFS												
				1									
$(\mathbf{A}) = \mathbf{T}\mathbf{c}$	otal Interf.												
(B) = 80	% Nat. Q												
(C) = 1	% Nat. Q												
	-												
(D) =	$(\mathbf{A}) > (\mathbf{C})$	\checkmark	\sim	\checkmark	\checkmark	\checkmark	\checkmark						
$(\mathbf{E}) = (\mathbf{A})$	/ B) x 100	%	%	%	%	%	%	%	%	%	%	%	%


(A) = total interference as CFS; (B) = WAB calculated natural flow at 80% exceed. as CFS; (C) = 1% of calculated natural flow at 80% exceed. as CFS; (D) = highlight the checkmark for each month where (A) is greater than (C); (E) = total interference divided by 80% flow as percentage.

C4b. 690-09-040 (5) (b) The potential to impair or detrimentally affect the public interest is to be determined by the Water **Rights Section.** C5. If properly conditioned, the surface water source(s) can be adequately protected from interference, and/or groundwater use under this permit can be regulated if it is found to substantially interfere with surface water: i. \Box The permit should contain condition #(s)_; ii. The permit should contain special condition(s) as indicated in "Remarks" below; C6. SW / GW Remarks and Conditions References Used:

Page 6

D. WELL CONSTRUCTION, OAR 690-200

D1.	Well #:	Logid:
D2.	a. 🗌 b. 🗌	ELL does not meet current well construction standards based upon: review of the well log; field inspection by; report of CWRE; other: (specify);
D3.	THE W a. b. c. d. e.	ELL construction deficiency: constitutes a health threat under Division 200 rules; commingles water from more than one groundwater reservoir; permits the loss of artesian head; permits the de-watering of one or more groundwater reservoirs; other: (specify)
D4.	THE W	ELL construction deficiency is described as follows:
D5.	THE W	ELL a. was , <i>or</i> was not constructed according to the standards in effect at the time of original construction or most recent modification.
		b. I don't know if it met standards at the time of construction.
D6.	Route is filed	o the Enforcement Section. I recommend withholding issuance of the permit until evidence of well reconstruction with the Department and approved by the Enforcement Section and the Groundwater Section.
TH	S SECTIO	N TO BE COMPLETED BY ENFORCEMENT PERSONNEL
D7.	U Well co	nstruction deficiency has been corrected by the following actions:
		, 200
		(Enforcement Section Signature)
D8.	Route	o Water Rights Section (attach well reconstruction logs to this page).



Page