



State of Oregon
Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1271
(503) 986-0900

Application for Limited Water Use License

A summary of review criteria and procedures that are generally applicable to these applications is available at www.wrd.state.or.us/OWRD/PUBS/forms.shtml.

License No. 963

Applicant(s): Western Federal Lands Highway Division - Federal Highway Administration

Contact Person: Cody Jones

Mailing Address: 610 East Fifth Street, Vancouver, WA 98661-3801

Telephone No: (360) 619-7700

I (We) make application for a Limited License to use or store the following described surface waters or groundwater-not otherwise exempt, or to use stored water of the State of Oregon for a use of a short-term or fixed duration:

1. SOURCE(S) OF WATER for the proposed use: Donner und Blitzen River a tributary of _____.

2. TOTAL AMOUNT OF WATER to be diverted: 1.0 cubic feet per second, or 450 gallons per minute. If water is to be used from more than one source, give the quantity from each: NA.

3. INTENDED USE(S) OF WATER: (check all that apply)

- Road construction or maintenance;
- General construction;
- Forestland and rangeland management; or
- Other: NA

4. DESCRIPTION OF PROPOSED PROJECT: Include a description of the intended place of use as shown on the accompanying site map, the method of water diversion, the type of equipment to be used (including pump horsepower, if applicable), length and dimensions of supply ditches and pipelines:

3.75 miles of Krumbo Reservoir Rd. will be rehabilitated to improve safety/driving conditions. Water for dust control/roadway reconditioning will be pumped from the Donner und Blitzen River. One 5.0 HP hydraulic pump or similar will be used to fill a standard 3,000-gallon water truck or similar at the Witzel Bridge, where Krumbo Rd crosses the river. Use is estimated at 7 tanks (21,000 gals) per construction day, applied in continuous round-trips along the project. Total use is estimated at ~ 750,000 gallons for the entire project. No supply ditches or pipelines are planned, and no new access to the draw point is needed.

RECEIVED

APR 12 2006 WTR

WATER RESOURCES DEPT
SALEM, OREGON

5. PROJECT SCHEDULE: (List day, month, and year)

Date water use will begin September 5, 2006

Date project will be completed November 30, 2006

Date water use will be completed November 30, 2006

PLEASE READ CAREFULLY

NOTE: A completed water availability statement from the local watermaster, fees and a site map meeting the requirements of OAR 690-340-030 must accompany this request. The fee for this request is \$150 for the first point of diversion plus \$15 for each additional point of diversion. *Failure to provide any of the required information will result in the return of your application.* The license, if granted, will not be issued or replaced by a new license for a period of more than five consecutive years. The license, if granted, will be subordinate to all other authorized uses that rely upon the same source, or water affected by the source, and may be revoked at any time it is determined the use causes injury to any other water right or minimum perennial streamflow.

If water source is a well, well logs or adequate information for the Department to determine aquifer, well depth, well seal and open interval, etc. are required. The licensee shall indicate the intended aquifer. If for multiple wells, each map location shall be clearly tied to a well log.

If a limited license is approved, the licensee shall give notice to the Department (Watermaster) at least 15 days in advance of using the water under the Limited License and shall maintain a record of use. The record of use shall include, but need not be limited to, an estimate of the amount of water used, the period of use and the categories of beneficial use to which the water is applied. During the period of the Limited License, the record of use shall be available for review by the Department upon request.

REMARKS: _____

SIGNATURE of Applicant: *Paul L. Thomas* DATE: 4/11/06
Title: JENNIFER MGR.

Mapping Requirements (OAR 690-340-0030):

- (1) A request for a limited license shall be submitted on a form provided by the Water Resources Department, and shall be accompanied by the following:
 - (c) A site map of reproducible quality, drawn to a standard, even scale of not less than 2 inches = 1 mile, showing:
 - (A) The locations of all proposed points of diversion referenced by coordinates or by bearing and distance to the nearest established or projected public land survey corner;
 - (B) The general course of the source for the proposed use, if applicable;
 - (C) Other topographical features such as roads, streams, railroads, etc., which may be helpful in locating the diversion points in the field.

RECEIVED

APR 12 2006

This page to be completed by the local Watermaster.

WATER AVAILABILITY STATEMENT

Name of Applicant: _____ Limited License Number: 963

1. To your knowledge, has the stream or basin that is the source for this application ever been regulated for prior rights?

Yes No

If yes, please explain:

2. Based on your observations, would there be water available in the quantity and at the times needed to supply the use proposed by this application?

Yes No

3. Do you observe this stream system during regular fieldwork?

Yes No

If yes, what are your observations for the stream?

4. If the source is a well and if WRD were to determine that there is the potential for substantial interference with nearby surface water sources, would there still be ground water and surface water available during the time requested and in the amount requested without injury to existing water rights?

Yes No N/A

What would you recommend for conditions on a limited license that may be issued approving this application?

5. Any other recommendations you would like to make?

Signature _____ WM District #: _____ Date: _____

This page to be completed by the local Watermaster.

WATER AVAILABILITY STATEMENT

Name of Applicant: Western Federal Lands Highway Division - FHWA Limited License Number: 963

1. To your knowledge, has the stream or basin that is the source for this application ever been regulated for prior rights?

Yes No

If yes, please explain:

2. Based on your observations, would there be water available in the quantity and at the times needed to supply the use proposed by this application?

Yes No

3. Do you observe this stream system during regular fieldwork?

Yes No

If yes, what are your observations for the stream?

The Malheur National Wildlife Refuge has the majority of the Donner-Blitzen water rights. They also have out of season rights. However need to keep minimum flows in channel.

4. If the source is a well and if WRD were to determine that there is the potential for substantial interference with nearby surface water sources, would there still be ground water and surface water available during the time requested and in the amount requested without injury to existing water rights?

Yes No N/A

What would you recommend for conditions on a limited license that may be issued approving this application?

N/A

5. Any other recommendations you would like to make? *no*

RECEIVED
APR 21 2006
WATER RESOURCES DEPT
SALEM, OREGON

Signature: *Jane Mills* WM District #: 10 Date: April 20, 2006