## PUBLIC INTEREST REVIEW FOR GROUND WATER APPLICATIONS

TO:		Water	Rights S	Section				Date	<u>June 6, 2</u>	2011		
FROM:		Ground Water/Hydrology Section				J. Hac	kett					
SUBJE	CT:	Appli	cation G	- 17453			ewer's Name persedes rev	view of				
SUBJECT: Application G- 17453 Supersedes review of												
OAR 69 welfare, to determ	<b>00-310-1</b> <i>safety ar</i> mine whe	30 (1) 7 ad healt ther the	The Depar th as desc e presump	<i>ribed in ORS</i> tion is establi	resume tha 537.525. D shed. OAR	<i>t a propose</i> Department 2 690-310-	ed groundwa staff review 140 allows t	ground wat he proposed	ensure the present applications use be modified icies in place a	under OA d or condi	R 690-31 tioned to	0-140 meet
A. GEN	ERAL IN	NFORM	IATION:	Applicant's	Name:	Janet Dick	cinson Russe	ell	County:	Lane		
A1.	Applica			325 cfs f					nction City			
A2.	Propose			igation				_	-			
A3.									l wells as such	under log	gid):	
Well	Logi		Applican Well #	Propose	d Aquifer*	Propose Rate(cfs	s) (T	Location /R-S QQ-Q)	2250' 1	on, metes a	fr NW cor	S 36
1 2	LANE	8066	1	All	uvium	0.325	16S/4	4W-22 NE-SV	38' N, 1	180' E fr S'	W cor DLo	2 48**
3												
5												
* Alluviu	m, CRB,	Bedrock		•		<u> </u>	<b>.</b>		<b>,</b>			
Well	Well Elev ft msl	First Water ft bls	I tt ble	SWL Date	Well Depth (ft)	Seal Interval (ft)	Casing Intervals (ft)	Liner Intervals (ft)	Perforations Or Screens (ft)	Well Yield (gpm)	Draw Down (ft)	Test Type
1	349	19	12	06/23/1989	39	0-19	+1-39		19-38	350		A
A4.	Comme cording to	ents: o maps	submitted	location in W I by the applic	cant is pres	ented in Ta	able A3. Thi	s review use	orrect. The actust the location p	rovided b	y the app	
A5. 🖾	manager (Not all Comme	ment of basin r nts:	ground wules conta The appli	vater hydrauli iin such provi	cally conne sions.) not within	ected to su	the nearest s	are, or surface wate	o the developm are not, active r source, so the	vated by the	nis applic	ation.
A6. 🗌	Name of	f admin	istrative a	ırea:					er limited by an			riction.

Version: 08/15/2003

Application:	G- 17453	continued
Аррисацоп.	U- 1/433	Continued

Date:	June 6. 2	2011

2

## B. GROUND WATER AVAILABILITY CONSIDERATIONS, OAR 690-310-130, 400-010, 410-0070

	sed upon available data, I have determined that ground water* for the proposed use:	
a.	is over appropriated, is not over appropriated, or is cannot be determined to period of the proposed use. * This finding is limited to the ground water portion of determination as prescribed in OAR 690-310-130;	
b.	$\square$ will not $or$ $\square$ will likely be available in the amounts requested without injury to pris limited to the ground water portion of the injury determination as prescribed in O.	
c.	$\square$ will not or $\square$ will likely to be available within the capacity of the ground water re	source; or
d.	will, if properly conditioned, avoid injury to existing ground water rights or to the i. The permit should contain condition #(s) 7B, 7C	ground water resource:
	<ul> <li>ii.  The permit should be conditioned as indicated in item 2 below.</li> <li>iii.  The permit should contain special condition(s) as indicated in item 3 below.</li> </ul>	<i>7</i> ;
a.	Condition to allow ground water production from no deeper than	ft. below land surface;
b.	Condition to allow ground water production from no shallower than	ft. below land surface;
c.	Condition to allow ground water production only from the	ground
	Condition to allow ground water production only from the water reservoir between approximately ft. and ft. below la	nd surface;
	senior water rights, not within the capacity of the resource, etc):	
Gra	ound water availability remarks:	
i ne	e applicant's well produces water from alluvial sands and gravels that occur locally from l	
	) feet. The water table occurs approximately 10 feet below land surface.	and surface to a depth of at leas
	) feet. The water table occurs approximately 10 feet below land surface.	and surface to a depth of at leas
	) feet. The water table occurs approximately 10 feet below land surface.	and surface to a depth of at leas
	9 feet. The water table occurs approximately 10 feet below land surface.	and surface to a depth of at leas
	) feet. The water table occurs approximately 10 feet below land surface.	and surface to a depth of at leas
	9 feet. The water table occurs approximately 10 feet below land surface.	and surface to a depth of at least
	) feet. The water table occurs approximately 10 feet below land surface.	and surface to a depth of at least
	9 feet. The water table occurs approximately 10 feet below land surface.	and surface to a depth of at least
	9 feet. The water table occurs approximately 10 feet below land surface.	and surface to a depth of at least
	9 feet. The water table occurs approximately 10 feet below land surface.	and surface to a depth of at least
	9 feet. The water table occurs approximately 10 feet below land surface.	and surface to a depth of at least
	9 feet. The water table occurs approximately 10 feet below land surface.	and surface to a depth of at leas

App	lication:	G- 17453	continue	d

#### C. GROUND WATER/SURFACE WATER CONSIDERATIONS, OAR 690-09-040

C1. **690-09-040** (1): Evaluation of aquifer confinement:

Well	Aquifer or Proposed Aquifer	Confined	Unconfined
1	Alluvium		$\boxtimes$

<b>Basis for aquifer confinement evaluation:</b> overlain by low-permeability sediments.	The applicant's well develops from shallow sands and gravels that are not

C2. **690-09-040** (2) (3): Evaluation of distance to, and hydraulic connection with, surface water sources. All wells located a horizontal distance less than ¼ mile from a surface water source that produce water from an unconfined aquifer shall be assumed to be hydraulically connected to the surface water source. Include in this table any streams located beyond one mile that are evaluated for PSI.

Well	SW #	Surface Water Name	GW Elev ft msl	SW Elev ft msl	Distance (ft)	Hydraulically Connected? YES NO ASSUMED	Potentia Subst. Int Assume	erfer. ed?
			10 11101	10 11101			YES	NO
1	1	Unnamed lake on Flat Creek	340	340-350	2950			$\boxtimes$
1	2	Willamette River	340	340	7500			$\boxtimes$

Basis for aquifer hydraulic connection evaluation: Flat Creek is identified locally as an intermittent stream on the USGS
topographic map; however, there is an active surface water right on a perennial lake located on the creek. Pumping from the
well will interfere with the lake. Groundwater levels are coincident with local reaches of the Willamette River.

Water Availability Basin the well(s) are located within: 30200321: WILLAMETTE R > COLUMBIA R – AB PERIWINKLE CR AT GAGE 14174

C3a. **690-09-040** (4): Evaluation of stream impacts for <u>each well</u> that has been determined or assumed to be **hydraulically** connected and less than 1 mile from a surface water source. Limit evaluation to instream rights and minimum stream flows that are pertinent to that surface water source, and not lower SW sources to which the stream under evaluation is tributary. Compare the requested rate against the 1% of 80% *natural* flow for the pertinent Water Availability Basin (WAB). If Q is not distributed by well, use full rate for each well. Any checked  $\boxtimes$  box indicates the well is assumed to have the potential to cause PSI.

Well	SW #	Well < 1/4 mile?	Qw > 5 cfs?	Instream Water Right ID	Instream Water Right Q (cfs)	Qw > 1% ISWR?	80% Natural Flow (cfs)	Qw > 1% of 80% Natural Flow?	Interference @ 30 days (%)	Potential for Subst. Interfer. Assumed?
1	1			n/a			2540		<25%	

Date: June 6, 2011

SW #	Qw > 5 cfs?	Instream Water Right ID	Instream Water Right Q (cfs)	Qw > 1% ISWR?	80% Natural Flow (cfs)	Qw > 1% of 80% Natural Flow?	Interference @ 30 days (%)	Potential for Subst. Interfer. Assumed?

Comments:			
-			

C4a. **690-09-040 (5):** Estimated impacts on **hydraulically connected surface water sources greater than one mile** as a percentage of the proposed pumping rate. Limit evaluation to the effects that will occur up to one year after pumping begins. This table encompasses the considerations required by 09-040 (5)(a), (b), (c) and (d), which are not included on this form. Use additional sheets if calculated flows from more than one WAB are required.

Non-Di	istributed V	Vells											
Well	SW#	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q	as CFS												
Interfer	ence CFS												
	uted Wells												
Well	SW#	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
-		%	%	%	%	%	%	%	%	%	%	%	%
	as CFS												
Interfer	ence CFS												
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q	as CFS												
Interfer	rence CFS												
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q	as CFS												
Interfer	ence CFS												
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q	as CFS												
Interfer	ence CFS												
		%	%	%	%	%	%	%	%	%	%	%	%
Well O	as CFS												
	ence CFS												
		%	%	%	%	%	%	%	%	%	%	%	%
Well O	as CFS												
	ence CFS												
$(\mathbf{A}) = \mathbf{T}\mathbf{c}$	otal Interf.												
(B) = 80	% Nat. Q												
(C) = 1	% Nat. Q												
												,	
$(\mathbf{D}) = (A$		<b>√</b>	<b>√</b>	<b>✓</b>	√	<b>√</b>	✓	✓	<b>√</b>	✓	√	<b>√</b>	√
$(\mathbf{E}) = (\mathbf{A}$	(A / B) x 100	%	%	%	%	%	%	%	%	%	%	%	%

(A) = total interference as CFS; (B) = WAB calculated natural flow at 80% exceed. as CFS; (C) = 1% of calculated natural flow at 80% exceed. as CFS; (D) = highlight the checkmark for each month where (A) is greater than (C); (E) = total interference divided by 80% flow as percentage.

Basis for impact evaluation: Pumping impacts to the Willamette River were not evaluated because the requested rate is less than 1% of the 80% exceedence flow for any given month.

application: G	- 17453 continued	Date: June 6, 2011 5
-		
-		
	040 (5) (b) The potential to impair or nts Section.	detrimentally affect the public interest is to be determined by the Water
under t	his permit can be regulated if it is found t	ce(s) can be adequately protected from interference, and/or ground water use o substantially interfere with surface water:
	The permit should contain condition	#(s)ondition(s) as indicated in "Remarks" below;
ii.	I he permit should contain special co	ondition(s) as indicated in "Remarks" below;
	D 1 10 10	
5. SW / GW 1	Remarks and Conditions:	
-		
-		
-		
-		
References	s Used:	
Gannatt an	d Coldwall 1009 Coologia Framawork et	the Willamette Lowland Aquifer System, Oregon and Washington, USGS
		the whathette Lowland Aquiter System, Oregon and Washington, USGS
Professiona	ıl Paper 1424-A	
	, Gannett and Vaccaro, 1998, Hydrogeolo n, USGS Professional Paper 1424-B	gic Framework of the Willamette Lowland Aquifer System, Oregon and
Walton, Wa	illiam, 1962, Selected Analytical Methods	for Well and Aquifer Evaluation, Bulletin 49, Illinois State Water
Resources.		
Freeze and	Cherry, 1979, Groundwater, Prentice-Hal	1. Inc.
1100LC und	Comp, 1777, Crommunati, Frontice Hui	41
Conlon and	Others 2005 Ground Water Hydrology	of the Willamette Basin, Oregon, Scientific Report 2005-5168, USGS.
Comon and	Omers, 2003, Ground-water rightfology	of the windhede dashi, Oregon, Scientific Report 2003-3108, USGS.

D3.	report of CWRE other: (specify)  HE WELL construction deficiency:  constitutes a health threat under Division 200 rules;
;	constitutes a health threat under Division 200 rules;
1	commingles water from more than one ground water reservoir; permits the loss of artesian head; permits the de-watering of one or more ground water reservoirs; other: (specify)
D4. '	HE WELL construction deficiency is described as follows:
-	<u> </u>
-	
<del>-</del>	
D5. '	<b>HE WELL</b> a. □ <b>was</b> , or □ <b>was not</b> constructed according to the standards in effect at the time of original construction or most recent modification.
	b. I don't know if it met standards at the time of construction.
	<b>oute to the Enforcement Section.</b> I recommend withholding issuance of the permit until evidence of well reconstruction filed with the Department and approved by the Enforcement Section and the Ground Water Section.
THIS S	CTION TO BE COMPLETED BY ENFORCEMENT PERSONNEL
D7. 🔲	ell construction deficiency has been corrected by the following actions:
-	
-	
-	
-	
	, 200
·	(Enforcement Section Signature)
D8.	oute to Water Rights Section (attach well reconstruction logs to this page).
רסי. □	out to mater regules section (attach wen reconstruction logs to this page).

Application: G- 17453 continued

Date: June 6, 2011

6

## Water Availability Tables

# WILLAMETTE R > COLUMBIA R - AB PERIWINKLE CR AT GAGE 14174 WILLAMETTE BASIN

Water Availability as of 6/6/2011

Watershed ID #: 30200321

Exceedance Level:

80%

Date: 6/6/2011 Time: 3:58 PM

Pate: 0/0/2011									
Water Availability Calculation									
Monthly Streamflows in Cubic Feet per Second									
Storage at 50% Exceedance in Acre-Feet									
Month	Natural Stream Flow	Consumptive Uses and Storages	Expected Stream Flow	Reserved Stream Flow	Instream Flow Requirement	Net Water Available			
JAN	10,100.00	1,330.00	8,770.00	0.00	1,750.00	7,020.00			
FEB	11,600.00	4,240.00	7,360.00	0.00	1,750.00	5,610.00			
MAR	11,000.00	4,520.00	6,480.00	0.00	1,750.00	4,730.00			
APR	9,760.00	4,220.00	5,540.00	0.00	1,750.00	3,790.00			
MAY	8,430.00	2,490.00	5,940.00	0.00	1,750.00	4,190.00			
JUN	5,360.00	790.00	4,570.00	0.00	1,750.00	2,820.00			
JUL	3,270.00	592.00	2,680.00	0.00	1,750.00	928.00			
AUG	2,560.00	540.00	2,020.00	0.00	1,750.00	270.00			
SEP	2,540.00	460.00	2,080.00	0.00	1,750.00	330.00			
OCT	2,860.00	230.00	2,630.00	0.00	1,750.00	880.00			
NOV	4,170.00	314.00	3,860.00	0.00	1,750.00	2,110.00			
DEC	8,150.00	336.00	7,810.00	0.00	1,750.00	6,060.00			

#### **Well Location Map**

