Water Right Conditions Tracking Slip
Groundwater/Hydrology Section
FILE # # F- 17480 ROUTED TO: TOWNSHIP/
CONDITIONS ATTACHED?: 1 yes [] no
REMARKS OR FURTHER INSTRUCTIONS:
Reviewer: Norton

PUBLIC INTEREST REVIEW FOR GROUNDWATER APPLICATIONS														
TO:		Wat	er Rights S	ection					Date	Se	temb	er 30, 2	011	
FROM: Groundwater Section Marc Norton														
	FOT					Revi	ewer's Nan							
SUBJ	ECT:	Арр	lication G-	17480		Suj	persedes	revi	iew of			Date of Re	view(s)	
OAR (welfar) to dete	SUBJECT: Application G- <u>17480</u> Supersedes review of													
A. <u>GI</u>	ENERAL	, INF	ORMATI	<u>ON</u> : A	pplicant's N	lame:	William	<u>& R</u>	osa Rupp		(County:	Umatilla	1
A1.	Applica	nt(s) s	eek(s) 2.0	cfs from	n 2	well((s) in the	Ţ	Umatilla R	iver				Basin,
								-						
A2. A3.	Propose Well an	ed use id aqui	fer data (at	n (70.2 Prim tach and nu	<u>ary + 72.5</u> mber logs f	or existin	g wells;	isonal mark	k proposed	wells as	such u	inder log	gid):	LAT
Well	Logic	ł	Applicant Well #	's Propos	ed Aquifer*	Prop			Location (T/R-S QQ-		Location, metes and bounds, e.g. 2250' N, 1200' E fr NW cor S 36			nds, e.g.
1	UMAT 5		OLD		edrock	2.	0	025	02S/32E - 13 NW NW			50' S, 4620' W fr SE cor S 12		
2	PROPOS	SED	NEW	B	edrock	2.	.0	025	<u>S/32E – 13 N</u>	WNW	370	' S, 4300'	W fr SE co	r S 12
4														
5 * Alluv	ium, CRB,	Bedro	l ck							1				
			-	1	¥¥7.10	0.1				D (2	
Well	Well Elev	Firs Wate	SWL	SWL	Well Depth	Seal Interval	Casing Interva		Liner Intervals	Perfora Or Scr		Well Yield	Draw Down	Test
01.0	ft msl	ft bl		Date	(ft)	(ft)	(ft)		(ft)	(ft)		(gpm)	(ft)	Туре
OLD NEW	2320	440	1	09/12/2001	800	0 - 66	+2-6		= 5544			100	marantat	Air
Lise da	la from ann	lication	1 for propose	d wells			}							
A4.	locatio	n of W	ell #2 will (ll well is con develop wat	er from the	e same aqu	uifer. It	is ve	ry unlikely	that thi				
	Reques	ted di	scharge rat	te is 897.6 g	m = 2.0 cfs	S.								
A5. 🗵	A5. Provisions of the <u>Umatilla River</u> management of groundwater hydraulically connected to surface water are , or are not, activated by this application. (Not all basin rules contain such provisions.) Comments:													
A6. 🗌	Name o	of adm	inistrative a	rea: <u>NONE</u>										triction.

B. GROUNDWATER AVAILABILITY CONSIDERATIONS, OAR 690-310-130, 400-010, 410-0070

- B1. Based upon available data, I have determined that ground water* for the proposed use:
 - a. is over appropriated, is not over appropriated, or is cannot be determined to be over appropriated during any period of the proposed use. * This finding is limited to the groundwater portion of the over-appropriation determination as prescribed in OAR 690-310-130;
 - b. will not or is limited to the groundwater portion of the injury determination as prescribed in OAR 690-310-130;
 - c. 🛛 will not or 🗌 will likely to be available within the capacity of the groundwater resource; or
 - i. In the permit should contain condition #(s) 7B Interference, 7N Annual WL (February/March), 7P -
 - Well Tag, 7T Measuring Tube, Large measuring and reporting with flow meter on each well
 - ii. The permit should be conditioned as indicated in item 2 below.
 - iii. The permit should contain special condition(s) as indicated in item 3 below;

B2. a. Condition to allow groundwater production from no deeper than _______ ft. below land surface;

- b. Condition to allow groundwater production from no shallower than _______ ft. below land surface;
- c. Condition to allow groundwater production only from the groundwater reservoir between approximately______ft. and ______ft. below land surface;
- d. Condition to allow production only from a single aquifer in the Columbia River Basalt groundwater reservoir;
- e. Well reconstruction is necessary to accomplish one or more of the above conditions. The problems that are likely to occur with this use and without reconstructing are cited below. Without reconstruction, I recommend withholding issuance of the permit until evidence of well reconstruction is filed with the Department and approved by the Groundwater Section.

Describe injury –as related to water availability-- that is likely to occur without well reconstruction (interference w/ senior water rights, not within the capacity of the resource, etc):

B3. Groundwater availability remarks: <u>The applicant is proposing to use the existing domestic well and a new irrigation</u> well constructed to a similar depth in metamorphic rocks. Metamorphic rocks in general have low yields and are no different in this location. The reported yield for the domestic well when completed was 100 gpm by air test. The second well is proposed to be larger diameter will not produce 800 + gallons per minute. The applicant will be lucky to have a yield of 200 gpm that can be sustained for the irrigation season. The new well will need to about 80 to 100 feet deeper because of elevation differences between the two locations.

Greater well yields are possible if the well were constructed in the Columbia River Basalts as shown on the attached map. The well would need to be located at some distance away from the contact to increase the probability of developing water from the basalts.

C. GROUND WATER/SURFACE WATER CONSIDERATIONS, OAR 690-09-040

C1. 690-09-040 (1): Evaluation of aquifer confinement:

Well	Aquifer or Proposed Aquifer	Confined	Unconfined
OLD	Bedrock		
NEW	Bedrock	\square	

Basis for aquifer confinement evaluation: Groundwater levels rose above where encountered in the well.

C2. **690-09-040 (2) (3):** Evaluation of distance to, and hydraulic connection with, surface water sources. All wells located a horizontal distance less than ¹/₄ mile from a surface water source that produce water from an unconfined aquifer shall be assumed to be hydraulically connected to the surface water source. Include in this table any streams located beyond one mile that are evaluated for PSI.

Well	SW #	Surface Water Name	GW Elev ft msl	SW Elev ft msl	Distance (ft)	Hydraulically Connected? YES NO ASSUMED	Potential for Subst. Interfer. Assumed? YES NO
OLD	1	Un-Named intermittent stream	2320	2310	100		
	2	Birch Creek		2250	900		
NEW	1	Un-Named intermittent stream	2320	2320	250		
	2	Birch Creek		2250	1250		

Basis for aquifer hydraulic connection evaluation: <u>Groundwater was encountered at a depth of 440 feet, well below</u> Birch Creek.

Water Availability Basin the well(s) are located within: <u>NA</u>

C3a. 690-09-040 (4): Evaluation of stream impacts for <u>each well</u> that has been determined or assumed to be hydraulically connected and less than 1 mile from a surface water source. Limit evaluation to instream rights and minimum stream flows that are pertinent to that surface water source, and not lower SW sources to which the stream under evaluation is tributary. Compare the requested rate against the 1% of 80% *natural* flow for the pertinent Water Availability Basin (WAB). If Q is not distributed by well, use full rate for each well. Any checked 🛛 box indicates the well is assumed to have the potential to cause PSI.

Well	SW #	Well < ¼ mile?	Qw > 5 cfs?	Instream Water Right ID	Instream Water Right Q (cfs)	Qw> 1% ISWR?	80% Natural Flow (cfs)	Qw > 1% of 80% Natural Flow?	Interference @ 30 days (%)	Potential for Subst. Interfer. Assumed?

Application G-17480

C3b. 690-09-040 (4): Evaluation of stream impacts by total appropriation for all wells determined or assumed to be hydraulically connected and less than 1 mile from a surface water source. Complete only if Q is distributed among wells. Otherwise same evaluation and limitations apply as in C3a above.

SW #	Qw > 5 cfs?	Instream Water Right ID	Instream Water Right Q (cfs)	Qw> 1% ISWR?	80% Natural Flow (cfs)	Qw > 1% of 80% Natural Flow?	Interference @ 30 days (%)	Potential for Subst. Interfer. Assumed?			
Comments: <u>NA</u>											

C4a. **690-09-040 (5):** Estimated impacts on hydraulically connected surface water sources greater than one mile as a percentage of the proposed pumping rate. Limit evaluation to the effects that will occur up to one year after pumping begins. This table encompasses the considerations required by 09-040 (5)(a), (b), (c) and (d), which are not included on this form. Use additional sheets if calculated flows from more than one WAB are required.

	istributed									~	~		
Well	SW#	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
		%	%	%	%	%	%	%	%	%	%	%	%
	as CFS												
Interfer	ence CFS												
D'. 4 . "I		a million date			and a start of the second		일반[[분기]][[1]			The second		e stalization of	
Well	uted Well SW#	s Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
wen	5 •• •	5an %	%	1viai %	Mp1 %	%	%	%	%	3cp	%	%	%
Wall (as CFS	70	70	70	70	70	70	70	. 70	70	70	70	7
	ence CFS												
merici		%	%	%	%	%	%	%	%	%	%	%	%
Well () as CFS	70	/0	70	70	70	70	70	/0	70	70	/0	7
	ence CFS												
merier		%	%	%	%	%	%	%	%	%	%	%	%
Well () as CFS	/0	/0	/0	/0	70	70	70	/0	70	70	70	7
	ence CFS												
merrer		%	%	%	%	%	%	%	%	%	%	%	%
Well () as CFS	70	70	70	70	70	70	70	70	70	70	70	
	ence CFS												
meerier		%	%	%	%	%	%	%	%	%	%	%	%
Well () as CFS	/0	70	/0	70	70	70	70	70	70	70	70	
	ence CFS												
		%	%	%	%	%	%	%	%	%	%	%	%
Well () as CFS	70	70	,,,	/*	/0		70					
	ence CFS											_	
							a sussedure		nerelite dis and	d lip 2 of the set			n tark the
$(\mathbf{A}) = \mathbf{T}\mathbf{c}$	otal Interf.												
(B) = 80	% Nat. Q												
(C) = 1	% Nat. Q												
(D) =	(A) > (C)	\checkmark	~	~	\checkmark	\checkmark	\checkmark	~	\checkmark	V .	~	\checkmark	~
(E) = (A	/ B) x 100	%	%	%	%	%	%	%	%	%	%	%	%

(A) = total interference as CFS; (B) = WAB calculated natural flow at 80% exceed. as CFS; (C) = 1% of calculated natural flow at 80% exceed. as CFS; (D) = highlight the checkmark for each month where (A) is greater than (C); (E) = total interference divided by 80% flow as percentage.

Basis for impact evaluation: <u>NA</u>

690-09-040 (5) (b) The potential to impair or detrimentally affect the public interest is to be determined by the ' Rights Section. If properly conditioned, the surface water source(s) can be adequately protected from interference, and/or groundwater under this permit can be regulated if it is found to substantially interfere with surface water: i		
Rights Section. If properly conditioned, the surface water source(s) can be adequately protected from interference, and/or groundwater under this permit can be regulated if it is found to substantially interfere with surface water:		
Rights Section. If properly conditioned, the surface water source(s) can be adequately protected from interference, and/or groundwater under this permit can be regulated if it is found to substantially interfere with surface water:		
Rights Section. If properly conditioned, the surface water source(s) can be adequately protected from interference, and/or groundwater under this permit can be regulated if it is found to substantially interfere with surface water:		
Rights Section. If properly conditioned, the surface water source(s) can be adequately protected from interference, and/or groundwater under this permit can be regulated if it is found to substantially interfere with surface water:		
Rights Section. If properly conditioned, the surface water source(s) can be adequately protected from interference, and/or groundwater under this permit can be regulated if it is found to substantially interfere with surface water:		
Rights Section. If properly conditioned, the surface water source(s) can be adequately protected from interference, and/or groundwater under this permit can be regulated if it is found to substantially interfere with surface water:		
Rights Section. If properly conditioned, the surface water source(s) can be adequately protected from interference, and/or groundwater under this permit about contain condition substantially interfere with surface water:		
Rights Section. If properly conditioned, the surface water source(s) can be adequately protected from interference, and/or groundwater under this permit about contain condition substantially interfere with surface water:		
Rights Section. If properly conditioned, the surface water source(s) can be adequately protected from interference, and/or groundwater under this permit can be regulated if it is found to substantially interfere with surface water:		
i. The permit should contain condition #(s) ii. The permit should contain special condition(s) as indicated in "Remarks" below; W / GW Remarks and Conditions	690-(R	09-040 (5) (b) The potential to impair or detrimentally affect the public interest is to be determined by the vights Section.
W / GW Remarks and Conditions		i. The permit should contain condition #(s)
eferences Used:	V / G\	V Remarks and Conditions
eferences Used:		
sferences Used:		
eferences Used:		
	eferen	ces Used:

D. WELL CONSTRUCTION, OAR 690-200

D1.	Well #:	Logid:	
D2.	a. review of the we b. field inspection t c. report of CWRE	eet current well construction standards based upon: ell log; by	
D3.	b. commingles wath c. permits the loss d. permits the de-w	Ith threat under Division 200 rules; ter from more than one groundwater reservoir;	
D4.		on deficiency is described as follows:	
D5. D6.	b.	 was, or was not constructed according to the standards in effect at the t original construction or most recent modification. I don't know if it met standards at the time of construction. ent Section. I recommend withholding issuance of the permit until evidence o ent and approved by the Enforcement Section and the Groundwater Section. 	
	n		
TH	IS SECTION TO BE CON	MPLETED BY ENFORCEMENT PERSONNEL	
D7.		ency has been corrected by the following actions:	
	(Enforcement Se	ection Signature)	, 200
D8.	×	Section (attach well reconstruction logs to this page).	



