Water Right Conditions Tracking Slip

Groundwater/Hydrology Section

| FII | E | # | # | 6-1 | 17 | 4 | 8 | 8 |
|-----|---|---|---|-----|----|---|---|---|
|-----|---|---|---|-----|----|---|---|---|

ROUTED TO: Water Rights

TOWNSHIP/

RANGE-SECTION: 125/3W - 20, 2)

CONDITIONS ATTACHED?: [4] yes [] no

REMARKS OR FURTHER INSTRUCTIONS:

Reviewer: Karl Wozniak

WATER RESOURCES DEPARTMENT

| MEN | 10 | | | | | | | Nov | em be | 8, | 200_ | 20, |
|--|---|---|---|---|--|---|--|---|---------------------------------------|---|--------------|-----|
| TO: | | Appli | cation (| G- <u>17</u> | 488 | | | | | .5 .4 | | |
| FRO | M: ECT: | | | | Name) nterfere | | luation | | | | | |
| | _YES | The so | ource of | `approp | riation i | s withir | or abov | ve a Sce | nic Wa | terway | | |
| / | _YES | Use th | e Sceni | c Water | rway coi | ndition (| Conditi | on 7J) | | | | |
| × | Per Ol interfet the Detthat the | erence wated into | vith surf erference 835, the vith surf ent is un osed us | ace wat e is dist e Groun ace wat nable to e will n | d Water ter that of tributed d Water ter that of of find the neasura | section section the section tributant there | is unal tes to a se is a prouce the | ble to ca scenic v reponde surface | Waterwalculate vaterwalerance e water | ground y; there of evide flows | wate fore | |
| Calcula calcula informi Exerci Water | te the pe ted, per c ng Water se of th way by | rcentage or riteria in Rights the is permit the follo | 390.835, at the De | nptive use do not fi epartment culated t mounts | e by mont ill in the to t is unable to reduc express | able but c e to make e month | heck the a Prepor ly flows | "unable" aderance s in | option a of Eviden | bove, thus ce finding | g. Sceni | ic |
| Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | |
| | | | | | | 1 | | - | | | | |

PUBLIC INTEREST REVIEW FOR GROUND WATER APPLICATIONS

| TO: | | Wate | r Rights S | ection | | | | Date | Nov | <u>vemb</u> | <u>er 8, 201</u> | .1 | |
|------------------------------|---|---------------------------------|---|-------------------------------|--|-------------------------------------|--|--|-------------------------|-------------------|--------------------------------|-----------------------|------------------|
| FROM | : | Grou | nd Water/ | Hydrology | Section | Karl W | Vozniak | | | _ | | | |
| | | | | | | | ewer's Name | | | | | | |
| SUBJE | ECT: | Appl | ication G- | 17488 | | Su | persedes i | review of | | | Date of Rev | iew(e) | |
| | | | | | | | | | | | Date of Kev | icw(s) | |
| OAR 6 welfare to deter | 90-310-1. , <i>safety ar</i> mine whe | 30 (1) and head ther the | The Depart th as descr e presumpt | ibed in ORS ion is establi | resume that 537,525. D shed. OAR | t a propos epartment 690-310- | ed ground t staff revie 140 allows | water use will a www.ground water the proposed and agency poli | er applica use be mo | tions u dified | inder OAl or condit | R 690-31 tioned to | 0-140 meet |
| A. <u>GE</u> | <u>NERAL</u> | INFO | <u>ORMATIO</u> | <u>ON</u> : Ap | plicant's N | lame: | Ryan T. C | Glaser | | (| County: | Linn_ | |
| Al. | | | | | | | | Willamette | | | | | _ Basin, |
| | (| Calapo | oia | _ | | subb | asin (| Quad Map: <u>Ta</u> | ngent | | | | |
| A2. A3. | | | Irri fer data (att | gation ach and nui | nber logs i | Seas | sonality: _ ig wells; n | March 1 – o nark proposed | October 3 wells as | such i | under log | id): | |
| Well | Logic | 1 | Applicant | 's Propos | ed Aquifer* | | osed | Location | | | tion, mete | | |
| | | | Well # | | - | Rate | | (T/R-S QQ | | | 'N, 1200' | | |
| 2 | Propose Propose | | 1 | | luvium luvium | | 3 | 12S/03W-21 N 12S/03W-21 S | | | 20' S, 400' V 56' S, 300' V | | |
| 3 | Propose | | 3 | | luvium | | 3 | 12S/03W-21 S | | | 30' S, 300' N | | |
| 4 | LINN 59 | | 4 | | luvium | | 3 | 12S/03W-20 N | | 100 | 'S, 450' W | fr SE cor I | DLC 54 |
| 5 | Propose | | 5 | | luvium | | 3 | 12S/03W-20 N | | | ' S, 800' W | | |
| 6 | Propose | | 6 | Al | luvium | | 3 | 12S/03W-20 N | | | S, 250' E | | |
| 7 | Propose | | 7 | Al | luv <u>i</u> um | | 3 | 12S/03W-21 N | E/NE | 132 | 20' S, 200' V | W fr NE co | r, S 21 |
| * Alluvi | um, CRB, | Bedroc | k | | | | | | | | | | |
| | Well | First | CIVII | CIVII | Well | Seal | Casing | Liner | Perfora | tions | Well | Draw | m . |
| Well | Elev | Wate | r SWL ft bls | SWL Date | Depth | Interval | Intervals | Intervals | Or Scr | | Yield | Down | Test |
| | _ft msl | ft bls | it bis | Date | (ft) | (ft) | (ft) | (ft) | _(ft) | | (gpm) | (ft) | Type |
| 1-3, | | | | | TBD | | TBD | | TBI |) | | | |
| 5-7 | 250 | | 11.5 | 10/10/2011 | 1.50 | 0.05 | 0.150 | | 104.1 | 2.5 | 400 | | |
| 4 | 258 | 43 | 11.5 | 10/18/2011 | 159 | 0-25 | 0-159 | | 104-1 | 35 | 400 | | A |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | _ | | | | | |
| Use data A4. | | | for proposed | | up to 7 all | uvial agui | fer wells. | One well, LIN | N 59840. | has be | en drilled | since the | e |
| | | | s submitted | | | | | | | | 21. 41. 2 | | _ |
| | | | | | | | | | | | | | |
| A5. ⊠ | | i <mark>ons of</mark> ment o | the Willan | nette ater hydrauli | cally conne | cted to su | Basin rface water | rules relative t | o the deve are not | elopm , activ | ent, classi | ification a | and/or ation. |
| | (Not all | basin | rules contai | n such provi | sions.) | | | | | | | | |
| | | | | | | ed aquife | r so the per | rtinent rules (O | AR 690- | 502-02 | 240) do no | ot apply. | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | - | | | |
| A6. 🗌 | Name o | f admi | nistrative ar | rea: | | | | tap(s) an aquif | | | | | |
| | | | | | | | | | | | _ | | _ |
| | | | | | | | | | | | | | |

B. GROUND WATER AVAILABILITY CONSIDERATIONS, OAR 690-310-130, 400-010, 410-0070

| Base | ed upon available data, I have determined that ground water* for the proposed use: |
|-----------------------|---|
| a. | is over appropriated, ⊠ is not over appropriated, or □ cannot be determined to be over appropriated during any period of the proposed use. * This finding is limited to the ground water portion of the over-appropriation determination as prescribed in OAR 690-310-130; |
| b. | □ will not <i>or</i> □ will likely be available in the amounts requested without injury to prior water rights. * This finding is limited to the ground water portion of the injury determination as prescribed in OAR 690-310-130; |
| c. | \square will not or \square will likely to be available within the capacity of the ground water resource; or |
| d. | will, if properly conditioned, avoid injury to existing ground water rights or to the ground water resource: i. The permit should contain condition #(s) 7B, 7C, large water-use reporting ii. The permit should be conditioned as indicated in item 2 below. iii. The permit should contain special condition(s) as indicated in item 3 below; |
| a. | ☐ Condition to allow ground water production from no deeper than ft. below land surface; |
| b. | Condition to allow ground water production from no shallower than ft. below land surface; |
| c. | Condition to allow ground water production only from the ground water reservoir between approximately ft. and ft. below land surface; |
| | Describe injury —as related to water availability— that is likely to occur without well reconstruction (interference w/ senior water rights, not within the capacity of the resource, etc): |
| | |
| which latte The | und water availability remarks: The area beneath the proposed wells is underlain by about 15 feet of Willamette Silt ch is underlain by 80-140 feet of productive sands and gravels that are part of the Lebanon alluvial fan system. These or deposits are underlain by about 175 feet of clays and silts which are floored by low-yield Tertiary marine sediments, water table occurs at shallow depths within the Willamette Silt which confines the underlying sand and gravel aquifer. |
| low. grea | A nearby long-term state observation well (LINN 10562) indicates that groundwater levels are stable in the area. The thickness of the aquifer and the limited groundwater development indicate that groundwater supplies are likely to be quate for the proposed use without adverse impacts to the resource or to prior users. |
| Wat syste | er-level and water-use measurement conditions are recommended to assess the impact of the proposed use on the aquifer em. |
| | |
| | |
| | |
| | |
| | |
| | |

3

C. GROUND WATER/SURFACE WATER CONSIDERATIONS, OAR 690-09-040

| C1. | 690-09-040 | (1): | Evaluation | of aquifer | confinement |
|-----|------------|------|------------|------------|-------------|
| | | | | | |

| Well | Aquifer or Proposed Aquifer | Confined | Unconfined |
|------|-----------------------------|-------------|------------|
| 1-7 | Alluvium | \boxtimes | |
| | | | |
| | | | |
| | | | |
| | | | |

| Basis for aquifer confinement evaluation: | Five to ten feet of saturated Willamette Silt overlies the productive sand and |
|---|--|
| gravel beds. | |
| | |
| | |

C2. 690-09-040 (2) (3): Evaluation of distance to, and hydraulic connection with, surface water sources. All wells located a horizontal distance less than 1/4 mile from a surface water source that produce water from an unconfined aquifer shall be assumed to be hydraulically connected to the surface water source. Include in this table any streams located beyond one mile that are evaluated for PSI.

| Well | SW # | Surface Water Name | GW Elev ft msl | SW Elev ft msl | Distance (ft) | Hydraulically Connected? YES NO ASSUMED | Potential for Subst. Interfer. Assumed? YES NO |
|------|---------|--------------------|----------------------|----------------------|---------------|---|---|
| 1-7 | 1 | Calapooia River | | | >5280 | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

| Basis for aquifer hydraulic connection evaluation: Published water-level maps indicate that groundwater flows toward and |
|--|
| discharges into the Calapooia River. U.S. Geological Survey 7.5-minute topographic maps indicate that all streams within one |
| mile of the proposed wells are ephemeral. |
| |
| |

Water Availability Basin the well(s) are located within: Calapooia R > Willamette R - AB Mouth (#76)

C3a. 690-09-040 (4): Evaluation of stream impacts for each well that has been determined or assumed to be hydraulically connected and less than 1 mile from a surface water source. Limit evaluation to instream rights and minimum stream flows that are pertinent to that surface water source, and not lower SW sources to which the stream under evaluation is tributary. Compare the requested rate against the 1% of 80% natural flow for the pertinent Water Availability Basin (WAB). If Q is not distributed by well, use full rate for each well. Any checked \(\subseteq \) box indicates the well is assumed to have the potential to cause PSI.

| Well | SW # | Well < 1/4 mile? | Qw > 5 cfs? | Instream Water Right ID | Instream Water Right Q (cfs) | Qw > 1% ISWR? | 80% Natural Flow (cfs) | Qw > 1% of 80% Natural Flow? | Interference @ 30 days (%) | Potential for Subst. Interfer. Assumed? |
|------|---------|------------------|-------------|----------------------------------|---------------------------------------|---------------------|---------------------------------|---------------------------------------|----------------------------------|--|
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |

C3b. 690-09-040 (4): Evaluation of stream impacts by total appropriation for all wells determined or assumed to be hydraulically connected and less than 1 mile from a surface water source. Complete only if Q is distributed among wells. Otherwise same

| evaluati | ion and | limitations | appiy as | in C3a abov | e | | | | | |
|----------|---------|-------------|-------------|----------------------------------|---------------------------------------|---------------------|---------------------------------|---------------------------------------|----------------------------------|--|
| | SW # | | Qw > 5 cfs? | Instream Water Right ID | Instream Water Right Q (cfs) | Qw > 1% ISWR? | 80% Natural Flow (cfs) | Qw > 1% of 80% Natural Flow? | Interference @ 30 days (%) | Potential for Subst. Interfer. Assumed? |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | - | |
| | | | | | | | | | | |
| Comme | ents: _ | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |

C4a. 690-09-040 (5): Estimated impacts on hydraulically connected surface water sources greater than one mile as a percentage of the proposed pumping rate. Limit evaluation to the effects that will occur up to one year after pumping begins. This table encompasses the considerations required by 09-040 (5)(a), (b), (c) and (d), which are not included on this form. Use additional sheets if calculated flows from more than one WAB are required.

| | istributed | | | | | | | | | | | | |
|-----------|------------------|-------|-----|-----|---------|----------|----------|-------|-----|-----|---------|------------------|----------|
| Well | SW# | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
| | | % | % | % | % | % | % | % | % | % | % | % | % |
| | as CFS | | | | | | | | | | | | |
| Interfere | ence CFS | | | | | | | | | | | | |
| D: 4 !! | | * 1 | _ | , 1 | | g 3w | | 11.19 | | _ | | | |
| | uted Well SW# | | Eak | Man | A | N 4 | T | 11 | A | C | 0-4 | Mass | D |
| Well | 5 W # | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
| W. 11.0 | QDQ. | % | % | % | % | % | % | % | % | % | % | % | <u>%</u> |
| | as CFS | | | | | | | | | | _ | | |
| Interfer | ence CFS | | | | | | | | | | | | |
| | | % | % | % | % | % | % | % | % | %_ | % | % | % |
| |) as CFS | | | | | | | | | | | _ | |
| Interfer | ence CFS | | | | | | | | | _ | | | |
| | | % | % | % | % | % | % | % | % | % | % | % | % |
| | as CFS | | | | | | | | | _ | | | |
| Interfer | ence CFS | | | | | | | | | | | | _ |
| | | % | % | % | % | % | % | % | % | % | % | %_ | % |
| | as CFS | | | | | | | | | | | | |
| Interfer | ence CFS | | | | | | | | | | | | |
| | | % | % | % | % | % | % | % | % | % | % | % | % |
| Well Q | as CFS | | | | | | | | | | | | |
| Interfer | ence CFS | | | | | | | | | | | | |
| | | % | % | % | % | % | % | % | % | % | % | % | % |
| Well Q | as CFS | | | _ " | | | | | | | | | |
| Interfer | ence CFS | | | | | _ | | | | | | | |
| 41) = | | | | ž, | <u></u> | - 19 - 1 | | | | | | | |
| | tal Interf. | | | | | | | | | | | | |
| (B) = 80 | % Nat. Q | | | | | | | | | | | | |
| (C) = 1 | % Nat. Q | , | | | | t | 1 1 | | | | | | _ |
| (D) = | (A) > (C) | 2,500 | 4 | V | 1 | e de | 3 months | 1 | , " | V | J. Park | \ \frac{\psi}{2} | 1 |
| (E) = (A | / B) x 100 | % | % | % | % | % | % | % | % | % | % | % | % |

(A) = total interference as CFS; (B) = WAB calculated natural flow at 80% exceed. as CFS; (C) = 1% of calculated natural flow at 80% exceed. as CFS; (D) = highlight the checkmark for each month where (A) is greater than (C); (E) = total interference divided by 80% flow as percentage.

Conlon, T.D., Wozniak, K.C., Woodcock, D., Herrera, N.B., Fisher, B.J., Morgan, D.S., Lee, K.K., and Hinkle, S.R., 2005, Ground-water hydrology of the Willamette Basin, Oregon: U.S. Geological Survey Scientific Investigations Report 2005-5168.

References Used:

Gannett, M.W. and Caldwell, R., 1998, Geologic framework of the Willamette Lowland aquifer system, Oregon and Washington: U.S. Geological Survey Professional Paper 1424-A, 32 p.

Piper, A.M., 1942, Ground-water resources of the Willamette Valley, Oregon: U.S. Geological Survey Water-Supply Paper 890.

Woodward, D.G., Gannett, M.W., and Vaccaro, J.J., 1998, Hydrogeologic framework of the Willamette Lowland aquifer system, Oregon and Washington: U.S. Geological Survey Professional Paper 1424-B, 82 p.

D. WELL CONSTRUCTION, OAR 690-200

| Well #: | Logid: | |
|---------------------------------|--|--|
| a. review b. field in c. report | w of the well log; inspection byt of CWRE | ; |
| a. consti | itutes a health threat under Division 200 rules; ningles water from more than one ground water reservoir; its the loss of artesian head; its the de-watering of one or more ground water reservoirs; | |
| THE WELL | construction deficiency is described as follows: | |
| | | |
| THE WELL | a. was, or was not constructed according to the standards in effect at the time of original construction or most recent modification. | |
| | Enforcement Section. I recommend withholding issuance of the permit until evidence of well reconstru | ction |
| SECTION TO | D BE COMPLETED BY ENFORCEMENT PERSONNEL | _ |
| Well construct | ion deficiency has been corrected by the following actions: | |
| | | |
| | | |
| | | |
| | | |
| (Enfo | | 0 |
| • | · | |
| | THE WELL C a. | THE WELL does not meet current well construction standards based upon: a. |

Water Availability Tables

CALAPOOIA R > WILLAMETTE R - AB MOUTH WILLAMETTE BASIN

Water Availability as of 11/8/2011

Watershed ID #: 76 Exceedance Level:

Date: 11/8/2011 Time: 8:55 AM


Water Availability Calculation

Monthly Streamflows in Cubic Feet per Second Storage at 50% Exceedance in Acre-Feet

| Month | Natural Stream Flow | Consumptive Uses and Storages | Expected Stream Flow | Reserved Stream Flow | Instream Flow Requirement | Net Water Available |
|-------|---------------------------|-------------------------------------|-------------------------|----------------------------|------------------------------|------------------------|
| JAN | 592.00 | 1.53 | 590.00 | 0.00 | 20.00 | 570.00 |
| FEB | 650.00 | 1.50 | 649.00 | 0.00 | 20.00 | 629.00 |
| MAR | 575.00 | 1.35 | 574.00 | 0.00 | 20.00 | 554.00 |
| APR | 423.00 | 1.22 | 422.00 | 0.00 | 20.00 | 402.00 |
| MAY | 234.00 | 6.10 | 228.00 | 0.00 | 20.00 | 208.00 |
| JUN | 111.00 | 11.60 | 99.40 | 0.00 | 20.00 | 79.40 |
| JUL | 49.00 | 18.70 | 30.30 | 0.00 | 20.00 | 10.30 |
| AUG | 26.00 | 13.90 | 12.10 | 0.00 | 20.00 | -7.93 |
| SEP | 22.70 | 7.31 | 15.40 | 0.00 | 20.00 | -4.61 |
| OCT | 29.60 | 0.78 | 28.80 | 0.00 | 20.00 | 8.83 |
| NOV | 133.00 | 1.01 | 132.00 | 0.00 | 20.00 | 112.00 |
| DEC | 499.00 | 1.50 | 497.00 | 0.00 | 20.00 | 477.00 |
| ANN | 404,000.00 | 4,040.00 | 400,000.00 | 0.00 | 14,500.00 | 385,000.00 |

Version: 08/15/2003

7



9

