ATTACHMENT NO. 2

NOTICE TO WATER WELL CONTRACTOR The original and first copy of this region La WATER WELL REPORT are to be filed with the

WATER RESOURCES DEPARTMENT, AUG 1 1979 TATE OF OREGON
SALEM, OREGON 97310 He date! ATER RESOURCES PERFLY De or print)
of well completion. SALEM, CRECORD with above this line)

LINN 8433	State Well No. 115/4W-2:	2
	State Permit No.	

(1) OWNER:	(10) LOCATION OF WELL:
Name // // // // // // // // // // // // //	County Driller's well number 129
Address 5874 SW HORSESHIE, LN,	NE 14 NW 14 Section 22 T. 113 R. 400 V
(2) TYPE OF WORK (check):	Bearing and distance from section or subdivision corner
New Well Deepening Reconditioning Abandon	
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found 25
Rotary Driven Domestic Industrial Municipal Cable Domestic Industrial Municipal I	Static level 22 ft. below land surface. Date 7//3/
Dug Bored Irrigation Test Well Other	Artesian pressure lbs. per square inch. Date
CASING INSTALLED: Threaded Welded 250	(12) WELL LOG: Diameter of well below casing 8 Depth drilled 67 ft. Depth of completed well 67
"Dlam. fromft. Gage	Formation: Describe color, texture, grain size and structure of mater
"Diam. from ft. to ft. Gage	and show thickness and nature of each stratum and aquifer penetra
PERFORATIONS: Perforated? Yes No.	with at least one entry for each change of formation. Report each chang position of Static Water Level and indicate principal water-bearing str
Type of perforator used / DURCL	MATERIAL From To SW
Size of perforations 3//6 in. by 5 in.	880mm 2819 0 18
70 perforations from 34 ft. to 96 ft.	BRAWN SANJE 4 GRAUTIE 46
perforations fromft toft.	15/4 0 1Ag - 96 67
perforations from	
(7) SCREENS: Well screen installed? Twes No	
Manufacturer's Name	production of the second
Type Model No,	
Diam. Slot size Set from ft. to ft.	
Diam Slot size	
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	RECEIVED
Was a pump test made? [] Yes [] No If yes, by whom?	- IIIVEIVED
Yield: gal./min. with ft. drawdown after hrs.	AHG 9 3 2011
" " "	1000 00 Edit
N " N "	WATER RESOURCES DEPT
Bailer test 80 gal./min. with 2 ft. drawdown after / hrs.	SALEM, OREGON
Artesian flow g.p.m. Sperature of water Depth artesian flow encounteredft.	Work started 7/11/2 19 Completed 7/13/1/2 19
	Work started 7/1/18 19 Completed 7/1/3/18 19 Date well drilling machine moved off of well 19
(9) CONSTRUCTION: RENTOWITE	Date wan drining inachine moved out of wen
Well Beat—Material used	Drilling Machine Operator's Certification: This well was constructed under my direct supervisi
Weil sealed from land surface to 18	Materials used and information reported above are true/to
Diameter of well bore to bottom of seal	best knowledge and helter.
Diameter of well bore below sealin,	[Signed] Date Date (Drilling Machine Operator)
Number of sacks of cement used in well sealsacks How was cement grout placed?	Drilling Machine Operator's License No. 298
SENTON, to spidded	
	Water Well Contractor's Certification:
	This well was drilled under my jurisdiction and this reportrue to the lest of my knowledge and belief
Was a drive shoe used? Xyes [] No Plugs Size: location ft.	Name KNOREC WELLING
Did any strata contain unusable water? [] Yes No	Agreen, firm or corporation) (Type or spint)
Type of water? depth of strata	Address X Ti Sox 256 7/6/1
Method of sealing strata off	[Signed] for Kulder
Was well gravel packed? ☐ Yes No Size of gravel:	(Water Well Contractor)
Gravel placed from	Contractor's License No. 6/5 Date

6-17486