Water Right Conditions

Tracking Slip

Groundwater/Hydrology Section

FILE ## G-17498

ROUTED TO: Water Rights - Kerry
TOWNSHIP/
RANGE-SECTION: 55/5W-10 GA

CONDITIONS ATTACHED? [Tyes [] no
REMARKS OR FURTHER INSTRUCTIONS:

WATER RESOURCES DEPARTMENT April ,200 2 **MEMO** Application G- 17498 TO: FROM: SUBJECT: Scenic Waterway Interference Evaluation YES The source of appropriation is within or above a Scenic Waterway ✓ NO YES Use the Scenic Waterway condition (Condition 7J) /NO Per ORS 390.835, the Ground Water Section is able to calculate ground water interference with surface water that contributes to a Scenic Waterway. The calculated interference is distributed below. Per ORS 390.835, the Ground Water Section is unable to calculate ground water interference with surface water that contributes to a scenic waterway; therefore, the Department is unable to find that there is a preponderance of evidence that the proposed use will measurably reduce the surface water flows necessary to maintain the free-flowing character of a scenic waterway. DISTRIBUTION OF INTERFERENCE Calculate the percentage of consumptive use by month and fill in the table below. If interference cannot be calculated, per criteria in 390.835, do not fill in the table but check the "unable" option above, thus informing Water Rights that the Department is unable to make a Preponderance of Evidence finding.

Exercise of this permit is calculated to reduce monthly flows in	Scenic
Waterway by the following amounts expressed as a proportion of the consumptive	use by
which surface water flow is reduced.	

Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
		1									

PUBLIC INTEREST REVIEW FOR GROUND WATER APPLICATIONS TO: Water Rights Section Date April 25, 2012 FROM: Ground Water/Hydrology Section ____ Michael Zwart Reviewer's Name SUBJECT: Application G- 17498 Supersedes review of Date of Review(s) PUBLIC INTEREST PRESUMPTION; GROUNDWATER OAR 690-310-130 (1) The Department shall presume that a proposed groundwater use will ensure the preservation of the public welfare, safety and health as described in ORS 537.525. Department staff review ground water applications under OAR 690-310-140 to determine whether the presumption is established. OAR 690-310-140 allows the proposed use be modified or conditioned to meet the presumption criteria. This review is based upon available information and agency policies in place at the time of evaluation. Applicant's Name: Arthur L. & Lillian E. Frease County: Yamhill A. GENERAL INFORMATION: A1. Applicant(s) seek(s) <u>0.25</u> cfs from <u>one</u> well(s) in the <u>Willamette</u> Basin, South Yamhill River subbasin Quad Map: Muddy Valley Irrigation, 40 acres Seasonality: March 1 to October 31 A2. Proposed use: Well and aquifer data (attach and number logs for existing wells; mark proposed wells as such under logid): A3. Proposed Proposed Applicant's Location Location, metes and bounds, e.g. Well Logid Well# Aquifer* 2250' N, 1200' E fr NW cor S 36 Rate(cfs) (T/R-S QQ-Q) 30' S, 125' W fr NE cor S 10 **YAMH 7287** 1 Marine Seds. 0.25 5S/5W-10 NE-NE 1 2 3 4 5 * Alluvium, CRB, Bedrock Well First Well Liner Well Draw Seal Casing Perforations SWL SWL Test Well Elev Water Depth Interval Intervals Intervals Or Screens Yield Down ft bls Date Type (ft) (ft) (ft) (ft) ft msl ft bls (ft) (gpm) (ft) 04/12/84 190 105 160 0-360-36None None 4 Air Use data from application for proposed wells. Comments: The water-bearing rocks are described as basalt, but the local geologic mapping and other nearby wells suggest that the well is developing marine sedimantary rocks of the Nestucca Formation. Also, such marine rocks are known to produce saline water, which was encountered at the bottom of the borehole and subsequently grouted off. The air test of the well may be inaccurate, nonetheless, it is highly unlikely that the well will produce the requested quantity of water. It is not clear how the applicants intend to produce an additional 108+ gallons per minute. A5. Provisions of the Willamette Basin rules relative to the development, classification and/or management of ground water hydraulically connected to surface water are, or are not, activated by this application. Basin rules relative to the development, classification and/or (Not all basin rules contain such provisions.) Comments: The well produces from a confined aquifer so the pertinent basin rules do not apply.

Name of administrative area:

Comments:

Version: 08/15/2003

Date: April 25, 2012

Application G-17498

_____continued

		0 1510	
Ann	lication	G-1749	8

continued

Date: April 25, 2012

C. GROUND WATER/SURFACE WATER CONSIDERATIONS, OAR 690-09-040

C1. **690-09-040** (1): Evaluation of aquifer confinement:

Well	Aquifer or Proposed Aquifer	Confined	Unconfined
1	Low-yield bedrock (marine sediments)		

Basis for aquifer confinement evaluation: <u>The static water level is well above the depth where groundwater was first encountered</u>. This is consistent with general knowledge of the low-yield marine bedrock aquifer

C2. **690-09-040 (2) (3):** Evaluation of distance to, and hydraulic connection with, surface water sources. All wells located a horizontal distance less than ¼ mile from a surface water source that produce water from an unconfined aquifer shall be assumed to be hydraulically connected to the surface water source. Include in this table any streams located beyond one mile that are evaluated for PSI.

Well	SW #	Surface Water Name	GW Elev ft msl	SW Elev ft msl	Distance (ft)	Hydraulically Connected? YES NO ASSUMED	Potentia Subst. Int Assume YES	erfer.
1	1	South Yamhill River	182	112	6600			

Basis for aquifer hydraulic connection evaluation: <u>The reported water level on the well log is equivalent to a water-level elevation of 182 feet. This indicates flow towards the South Yamhill River. Water table maps indicate that groundwater flows toward and discharges to the South Yamhill River.</u>

Water Availability Basin the well(s) are located within: S YAMHILL R > YAMHILL R - AB COZINE CR.

C3a. 690-09-040 (4): Evaluation of stream impacts for each well that has been determined or assumed to be hydraulically connected and less than 1 mile from a surface water source. Limit evaluation to instream rights and minimum stream flows that are pertinent to that surface water source, and not lower SW sources to which the stream under evaluation is tributary. Compare the requested rate against the 1% of 80% natural flow for the pertinent Water Availability Basin (WAB). If Q is not distributed by well, use full rate for each well. Any checked box indicates the well is assumed to have the potential to cause PSI.

Well	SW #	Well < 1/4 mile?	Qw > 5 cfs?	Instream Water Right ID	Instream Water Right Q (cfs)	Qw > 1% ISWR?	80% Natural Flow (cfs)	Qw > 1% of 80% Natural Flow?	Interference @ 30 days (%)	Potential for Subst. Interfer. Assumed?

Version: 08/15/2003

C3b. 690-09-040 (4): Evaluation of stream impacts by total appropriation for all wells determined or assumed to be hydraulically connected and less than 1 mile from a surface water source. Complete only if Q is distributed among wells. Otherwise same evaluation and limitations apply as in C3a above.

SW #	Qw > 5 cfs?	Instream Water Right ID	Instream Water Right Q (cfs)	Qw > 1% ISWR?	80% Natural Flow (cfs)	Qw > 1% of 80% Natural Flow?	Interference @ 30 days (%)	Potential for Subst. Interfer. Assumed?
					_			
			_					

Comments:	This section does not apply.		
		 	_

C4a. 690-09-040 (5): Estimated impacts on hydraulically connected surface water sources greater than one mile as a percentage of the proposed pumping rate. Limit evaluation to the effects that will occur up to one year after pumping begins. This table encompasses the considerations required by 09-040 (5)(a), (b), (c) and (d), which are not included on this form. Use additional sheets if calculated flows from more than one WAB are required.

Non-D	istributed	Wells											
Well	SW#	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q	as CFS					-			_				
	ence CFS												
Distrib	uted Well												
Well	SW#	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q													
Interfere	ence CFS												
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q	as CFS		-	_						_			
Interfere	ence CFS												
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q	as CFS					_							
Interfere	ence CFS			_									
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q	as CFS												
	ence CFS												
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q	as CFS	_			_								
	ence CFS												
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q	as CFS											-	
	ence CFS			_						_			
(A) = To	tal Interf.												
(B) = 80	% Nat. Q												
$(C) = 1^{-6}$	% Nat. Q												
(D) = (A	(C)		_	/			V		7	1	4	1	1
(E) = (A	/ B) x 100	%	%	%	%	%	%	%	%	%	%	%	%

(A) = total interference as CFS; (B) = WAB calculated natural flow at 80% exceed. as CFS; (C) = 1% of calculated natural flow at 80% exceed. as CFS; (D) = highlight the checkmark for each month where (A) is greater than (C); (E) = total interference divided by 80% flow as percentage.

	fractured system. However, because of the low permeability and porosity of the marine sedimentary aquifer system, pumping impacts are likely to be localized to a relatively small area around the well. Therefore, impacts to the South Yamhill River are likely to be negligible.
-	
).	690-09-040 (5) (b) The potential to impair or detrimentally affect the public interest is to be determined by the Windows Rights Section.
	If properly conditioned, the surface water source(s) can be adequately protected from interference, and/or ground water under this permit can be regulated if it is found to substantially interfere with surface water: i. The permit should contain condition #(s)
	ii. The permit should contain special condition(s) as indicated in "Remarks" below;
SV	W / GW Remarks and Conditions
_	V / G W Remarks and Conditions
_	
_	
_	
_	
_	
_	ferences Used: Conlon, T.D., Wozniak, K.C., Woodcock, D., Herrera, N.B., Fisher, B.J., Morgan, D.S., Lee, K.K.,
<u>Hi</u>	nkle, S.R., 2005, Ground-water hydrology of the Willamette Basin, Oregon: U.S. Geological Survey Scientific
Hi Inv aq Ga	nkle, S.R., 2005, Ground-water hydrology of the Willamette Basin, Oregon: U.S. Geological Survey Scientific vestigations Report 2005-5168. Gannett, M.W. and Caldwell, R., 1998, Geologic framework of the Willamette Lowluifer system, Oregon and Washington: U.S. Geological Survey Professional Paper 1424-A, 32p. Woodward, D.G., annett, M.W., and Vaccaro, J.J., 1998, Hydrogeologic framework of the Willamette Lowland aquifer system, Oregon
Hi Inv aq Ga	nkle, S.R., 2005, Ground-water hydrology of the Willamette Basin, Oregon: U.S. Geological Survey Scientific vestigations Report 2005-5168. Gannett, M.W. and Caldwell, R., 1998, Geologic framework of the Willamette Lowl uifer system, Oregon and Washington: U.S. Geological Survey Professional Paper 1424-A, 32p. Woodward, D.G.,
Hi Inv aq Ga	nkle, S.R., 2005, Ground-water hydrology of the Willamette Basin, Oregon: U.S. Geological Survey Scientific vestigations Report 2005-5168. Gannett, M.W. and Caldwell, R., 1998, Geologic framework of the Willamette Lowl uifer system, Oregon and Washington: U.S. Geological Survey Professional Paper 1424-A, 32p. Woodward, D.G., annett, M.W., and Vaccaro, J.J., 1998, Hydrogeologic framework of the Willamette Lowland aquifer system, Oregon

Date: April 25, 2012

Application G-17498 continued

App	licat	ion G- <u>17498</u> continued Date: <u>April 25, 2012</u>
D. <u>'</u>	<u>WE</u>]	LL CONSTRUCTION, OAR 690-200
D1.		Well #:1 Logid:
D2.		THE WELL does not meet current well construction standards based upon: a. review of the well log; b. field inspection by
D3.		THE WELL construction deficiency: a.
D4.		THE WELL construction deficiency is described as follows: I have no issues with construction of this well.
D5.		THE WELL a. was, or was not constructed according to the standards in effect at the time of original construction or most recent modification.
		b.
D6.		Route to the Enforcement Section. I recommend withholding issuance of the permit until evidence of well reconstruction is filed with the Department and approved by the Enforcement Section and the Ground Water Section.
TH	IS S	ECTION TO BE COMPLETED BY ENFORCEMENT PERSONNEL
D7.		Well construction deficiency has been corrected by the following actions:
		, 200
D8.		Route to Water Rights Section (attach well reconstruction logs to this page).
_	-	

