Water Right Conditions Tracking Slip

Groundwater/Hydrology Section

FILE # # G- 17553

ROUTED TO: Water Rights

TOWNSHIP/

RANGE-SECTION: ZZS/10E-30

CONDITIONS ATTACHED?: Xyes [] no

REMARKS OR FURTHER INSTRUCTIONS:

W/in USGS GW Study Area

Reviewer: K. Lite

Oregon Water Resources Department

proposed use.

МЕМО		August 23 , 20812
TO	Application G- 17553	
FROM	GW: K. Lite (Roviewer's Name)	
SUBJECT	Scenic Waterway Interference & Evaluation for Deschutes Ground V	General/Local Surface Water Impact ater Study Area
The source of	of appropriation is within or above the	Deschutes Scenic Waterway
Use the Scer	nic Waterway condition (Condition 7J).	
PREPONDE	ERANCE OF EVIDENCE FINDING UN	DER ORS 390.835:
necessary for	r recreation, fish and wildlife. Dimpact Finding	Scenic Waterway in quantities
The p	proposed use of ground water will have a	localized impact to surface water in the
	Little Deschutes	River/ Creek Subbasin
pursu withi Zone	ant to this application is presumed to n the identified subbasin. Mitigation of the	then the water use under any right issued have a localized impact on surface water in impact, originating from within the Local t, will be required before a permit may be
issued surfac	d pursuant to this application is presum ce water. Mitigation of the impact, or	ecked, then the water use under any right ed to have a general (regional) impact on riginating anywhere within the Deschutes red before a permit may be issued for the

PUBLIC INTEREST REVIEW FOR GROUND WATER APPLICATIONS

TO:		Wate	r Rights S	ection				Dat	e <u>08</u>	23/20	12		
FROM	:	Grou	nd Water/	Hydrology	Section _								
SUBJE	ECT:	Appl	ication G-	17553			iewer's Name ipersedes re	eview of			Date of Re	view(c)	
DIIDI	IC INT	rnre	r DDECL	MDTION.	CDOU		'D				Date of Re	view(s)	
OAR 6 welfare, to deter	90-310-1 , <i>safety a</i> mine wh	30 (1) and head ether th	The Depart th as descri e presumpti	<i>ibed in ORS</i> ion is establi	resume th 537.525, shed. OA	at a propos Departmen R 690-310-	sed groundw t staff reviev 140 allows t	ater use will v ground wat he proposed l agency pol	er applica use be m	ntions u odified	ınder OA or condi	R 690-31 tioned to	10-140 meet
A. <u>GE</u>	<u>NERAI</u>	INFO	<u>ORMATIO</u>	<u>ON</u> : Ap	plicant's	Name:	Lipkowitz	<u> </u>		(County:	Deschu	tes
A1.				67 cfs from				Deschutes and Map: L				_	_ Basin,
									•				
A2. A3.							ng wells; ma	Seasonality rk proposed			anuary 1 under log		nber 31
Well	Log		Applicant Well #	Aq	posed uifer*	Propos Rate(c	fs) (T	Location /R-S QQ-Q)		2250' N	n, metes a	fr NW co	r S 36
2	Not :		1	All	uvium 	0.067	7 228	/10E-30DA	C	1260' S	, 500' W f	Fr E1/4 co	r S 30
3													
5												_	
	um, CRB,	Bedroc	k						_				
Well	Well Elev	First Wate	r SWL ft ble	SWL Date	Well Depth	Seal Interval (ft)	Casing Intervals (ft)	Liner Intervals	Perfora Or Scr	eens	Well Yield	Draw Down	Test Type
1	ft msl 4268	ft bls	S		(ft) Prop 75	Prop 0-18	Prop 0-68	(ft) Prop 15-75	Prop 70-75)	(gpm)	(ft)	
			-			_							
Use data	from app	lication	for proposed	wells.									
	ND-WA	TERF						O QUATER LOCAL G					
A5. 🛛	manage	ement o		ter hydrauli	cally conr	nected to su	Basin re	ules relative t	to the dev	elopm , activ	ent, class ated by th	ification	and/or ation.
				n such provi		ındary.							
A6. 🗌	Well(s))#_					,, ta	np(s) an aquit	fer limited	d by an	administ	rative res	striction.
	Name of	of admi	nistrative ar	ea:			· · · · · · · · · · · · · · · · · · ·				_		

Version: 08/15/2003

Date 08/23/2012

B. GROUND WATER AVAILABILITY CONSIDERATIONS, OAR 690-310-130, 400-010, 410-0070

Base	ed upon available data, I have determined that ground water* for the proposed use:	
a.	is over appropriated, ⊠ is not over appropriated, or □ cannot be determined to period of the proposed use. * This finding is limited to the ground water portion determination as prescribed in OAR 690-310-130;	o be over appropriated during any of the over-appropriation
b.	will not or will likely be available in the amounts requested without injury to is limited to the ground water portion of the injury determination as presc	
c.	will not or will likely to be available within the capacity of the ground water	resource; or
d.	will, if properly conditioned, avoid injury to existing ground water rights or to the i. The permit should contain condition #(s)	
a.	Condition to allow ground water production from no deeper than	ft. below land surface;
b.	Condition to allow ground water production from no shallower than	ft. below land surface;
c.	Condition to allow ground water production only from the	ground land surface;
d.	Well reconstruction is necessary to accomplish one or more of the above condition	ons. The problems that are likely
	occur with this use and without reconstructing are cited below. Without reconstruissuance of the permit until evidence of well reconstruction is filed with the Depar Water Section.	rtment and approved by the Gr
	issuance of the permit until evidence of well reconstruction is filed with the Depar	rtment and approved by the Gro Il reconstruction (interference w
WE PEI EQ TH	issuance of the permit until evidence of well reconstruction is filed with the Depar Water Section. Describe injury —as related to water availability—that is likely to occur without we	II reconstruction (interference was a second of the Ground
WE PEI EQ TH	issuance of the permit until evidence of well reconstruction is filed with the Depar Water Section. Describe injury —as related to water availability—that is likely to occur without we senior water rights, not within the capacity of the resource, etc): Dund water availability remarks:	II reconstruction (interference w. ERVATION WELL IS OBS N MONITORED D BE IN DYNAMIC FER LEVEL FLUCTUATION
WE PEI EQ TH	issuance of the permit until evidence of well reconstruction is filed with the Depar Water Section. Describe injury —as related to water availability—that is likely to occur without we senior water rights, not within the capacity of the resource, etc): Dund water availability remarks:	Il reconstruction (interference w. ERVATION WELL IS OBS N MONITORED D BE IN DYNAMIC FER LEVEL FLUCTUATION
WE PEI EQ TH	issuance of the permit until evidence of well reconstruction is filed with the Depar Water Section. Describe injury —as related to water availability—that is likely to occur without we senior water rights, not within the capacity of the resource, etc): Dund water availability remarks:	II reconstruction (interference w. ERVATION WELL IS OBS N MONITORED D BE IN DYNAMIC FER LEVEL FLUCTUATION
WE PEI EQ TH	issuance of the permit until evidence of well reconstruction is filed with the Depar Water Section. Describe injury —as related to water availability—that is likely to occur without we senior water rights, not within the capacity of the resource, etc): Dund water availability remarks:	II reconstruction (interference was a second of the Ground
WE PEI EQ TH	issuance of the permit until evidence of well reconstruction is filed with the Depar Water Section. Describe injury —as related to water availability—that is likely to occur without we senior water rights, not within the capacity of the resource, etc): Dund water availability remarks:	II reconstruction (interference was a second of the Ground
WE PEI EQ TH	issuance of the permit until evidence of well reconstruction is filed with the Depar Water Section. Describe injury —as related to water availability—that is likely to occur without we senior water rights, not within the capacity of the resource, etc): Dund water availability remarks:	II reconstruction (interference w/ ERVATION WELL IS OBS N MONITORED D BE IN DYNAMIC FER LEVEL FLUCTUATION
WE PEI EQ TH	issuance of the permit until evidence of well reconstruction is filed with the Depar Water Section. Describe injury —as related to water availability—that is likely to occur without we senior water rights, not within the capacity of the resource, etc): Dund water availability remarks:	II reconstruction (interference w/ ERVATION WELL IS OBS N MONITORED D BE IN DYNAMIC FER LEVEL FLUCTUATION

Application (G- 17553	cont

Date 08/23/2012	
-----------------	--

C. GROUND WATER/SURFACE WATER CONSIDERATIONS, OAR 690-09-040

C1. **690-09-040** (1): Evaluation of aquifer confinement:

]
]
]
_

C2. **690-09-040 (2) (3):** Evaluation of distance to, and hydraulic connection with, surface water sources. All wells located a horizontal distance less than ¼ mile from a surface water source that produce water from an unconfined aquifer shall be assumed to be hydraulically connected to the surface water source. Include in this table any streams located beyond one mile that are evaluated for PSI.

Well	SW #	Surface Water Name	GW Elev ft msl	SW Elev ft msl	Distance (ft)	Hydraulically Connected? YES NO ASSUMED	Potential for Subst. Interfer. Assumed? YES NO
							· 🔲

Basis for aquifer hydraulic connection evaluation:	 	
		_
Water Availability Basin the well(s) are located within:		

C3a. 690-09-040 (4): Evaluation of stream impacts for each well that has been determined or assumed to be hydraulically connected and less than 1 mile from a surface water source. Limit evaluation to instream rights and minimum stream flows that are pertinent to that surface water source, and not lower SW sources to which the stream under evaluation is tributary. Compare the requested rate against the 1% of 80% natural flow for the pertinent Water Availability Basin (WAB). If Q is not distributed by well, use full rate for each well. Any checked box indicates the well is assumed to have the potential to cause PSI.

Well	SW #	Well < 1/4 mile?	Qw > 5 cfs?	Instream Water Right ID	Instream Water Right Q (cfs)	Qw > 1% ISWR?	80% Natural Flow (cfs)	Qw > 1% of 80% Natural Flow?	Interference @ 30 days (%)	Potential for Subst. Interfer. Assumed?

Version: 08/15/2003

C3b. **690-09-040 (4):** Evaluation of stream impacts by total appropriation for all wells determined or assumed to be hydraulically connected and less than 1 mile from a surface water source. Complete only if Q is distributed among wells. Otherwise same evaluation and limitations apply as in C3a above.

SW #	Qw > 5 cfs?	Instream Water Right ID	Instream Water Right Q (cfs)	Qw > 1% ISWR?	80% Natural Flow (cfs)	Qw > 1% of 80% Natural Flow?	Interference @ 30 days (%)	Potential for Subst. Interfer. Assumed?
Comments: _								

C4a. **690-09-040 (5):** Estimated impacts on hydraulically connected surface water sources greater than one mile as a percentage of the proposed pumping rate. Limit evaluation to the effects that will occur up to one year after pumping begins. This table encompasses the considerations required by 09-040 (5)(a), (b), (c) and (d), which are not included on this form. Use additional sheets if calculated flows from more than one WAB are required.

Well	SW#	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1		%	%	%	%	%	%	%	%	%	%	%	%
Well Q a	s CES			,,,	,,,				,,,	7.0		7.0	,,,
Interfere													
menere	ice Ci 5												
Distribi	uted Wells	<u> </u>											
Well	SW#	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q a	s CFS												
Interfere	nce CFS	_											
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q a	s CFS												
Interfere	nce CFS												
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q a	is CFS												
Interfere	nce CFS												_
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q a	is CFS												
Interfere	nce CFS											_	_
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q a	is CFS												
Interfere	nce CFS												
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q a												_	
Interfere	nce CFS												
(A) = Tot	al Interf						T						
(A) = 100 $(B) = 80^{\circ}$					_								
(C) = 1 %													
(0) 17	5.14tt Q												
$(\mathbf{D}) = (\mathbf{A})$	> (C)												_
$\overline{(E)} = (A /$	B) x 100	%	%	%	%	%	%	%	%	%	%	%	%

(A) = total interference as CFS; (B) = WAB calculated natural flow at 80% exceed. as CFS; (C) = 1% of calculated natural flow at 80% exceed. as CFS; (D) = highlight the checkmark for each month where (A) is greater than (C); (E) = total interference divided by 80% flow as percentage.

Version: 08/15/2003

pplication <u>G- 17553</u> continued	Date <u>08/23/2012</u>
n te to to the total	
Basis for impact evaluation:	
b. 690-09-040 (5) (b) The potential to impair or detri	
Rights Section.	imentally affect the public interest is to be determined by the Wa
If properly conditioned, the surface water source(s) cunder this permit can be regulated if it is found to subs i. The permit should contain condition #(s)	can be adequately protected from interference, and/or ground water us stantially interfere with surface water:
ii. The permit should contain special condition	on(s) as indicated in "Remarks" below;
THE LITTLE DESCHUTES RIVER IS GAINING FROM	OM GROUNDWATER DISCHARGE IN THE REACHES NEA
References Used: USGS WRIR 00-4162; WRIR 02-40 OBSERVATION WELL DATA (OBS WELL 118); AP MASTEN BUTTE QUADRANGLE MAPS.	015; USGS SIR REPORT 2007-5237; OWRD STATE PPL. FILE G-16316; WELL REPORT DESC 57051; LAPINE A
DO LIE VONDIGHTONE MAI OF	

Applic	ation <u>G- 17553</u> continued Date <u>08/23/2012</u>
D	WELL CONSTRUCTION, OAR 690-200
D1.	Well #: Logid: Not yet drilled
D2.	THE WELL does not meet current well construction standards based upon: a. review of the well log; b. field inspection by
D3.	THE WELL construction deficiency: a.
D4.	THE WELL construction deficiency is described as follows:
D5.	THE WELL a. □ was, or □ was not constructed according to the standards in effect at the time of original construction or most recent modification. b. □ I don't know if it met standards at the time of construction.
D6.	Route to the Enforcement Section. I recommend withholding issuance of the permit until evidence of well reconstruction is filed with the Department and approved by the Enforcement Section and the Ground Water Section.
THIS	S SECTION TO BE COMPLETED BY ENFORCEMENT PERSONNEL
D7.	Well construction deficiency has been corrected by the following actions:
	(Enforcement Section Signature)
D8.	Route to Water Rights Section (attach well reconstruction logs to this page).

Date 08/23/2012

G-17553: LaPine and Masten Butte Quadrangles



