

Name Pape & Tolbot Inc
618 NW Front Ave
 Address Portland 9, Oregon
3070 NW Front Ave.
Portland 10, Oregon

Application No. 21930
 Permit No. 17689
 Certificate No. 29510
 Stream Index, Page No. 289A

FEEES PAID

Date	Amount	Recei
8/29/46	5.00	17
5/2/47	24.00	28
7/25/47	0.50	00
"	0.50	00
11-24-61	\$1 Cert. Fee	31

Date filed August 29, 1946
 Priority August 29, 1946
 Action suspended until OK cert

See Application No. R-22494

FEEES REFUNDED

Date	Amount	Chec
------	--------	------

Returned to applicant
 Date of approval July 3, 1947

ASSIGNMENTS

Date	To Whom	Address	Volume
------	---------	---------	--------

CONSTRUCTION

Date for beginning July 3, 1948
 Date for completion October 1, 1949
 Extended to
 Date for application of water October 1, 1950
 Extended to

REMARKS

15 cfs from Salt Creek and reservoir to be constructed un
 App. No. R-22494 Permit, No. R-882 for ^{domestic} irrigation of 3 acres and
 manufacturing, being ~~1.76~~ cfs for manufacturing & 0.04 cfs for irr
 and 0.02 cfs for domestic.

PROSECUTION OF WORK

Form "A" filed August 15, 1947
 Form "B" filed June 22, 1949
 Form "C" filed June 22, 1949

FINAL PROOF

Blank mailed August 16, 1949 SEPTEMBER 28 1961
 Proof received
 Date certificate issued MARCH 9 1962

NOTICE OF BEGINNING OF CONSTRUCTION

I, Pope & Talbot, Inc., the holder of Permit No. 17689 to appropriate the public waters of the state of Oregon, began the actual construction of the works described therein on the 10th day of August, 1947.

Remarks: Clearing work has been started w/ 4 men. Digging of ditch line is in progress through open area. The appropriator should state the manner of beginning construction work, number of men employed, the amount of work completed up to the date of this statement, and any additional information which may tend to show the beginning of work in good faith.

IN WITNESS WHEREOF, I have hereunto set my hand this 14th day of August, 1947. Pope & Talbot, Inc. (Signature of Applicant) Lorain Stewart (Address) Oakridge, Ore

Fill out, detach, and mail to the State Engineer, Salem, Oregon, when construction work is begun. STATE PRINTING FORESTER

NOTICE OF COMPLETION OF CONSTRUCTION

I, POPE & TALBOT, Inc., the holder of Permit No. 17689 to appropriate the public waters of the state of Oregon, completed the construction of the works described therein on the 3rd day of June, 1949.

Remarks: If the works have less capacity than described in the permit, or you have definitely abandoned part of the proposed development, you should so state in order that our records may not be unnecessarily encumbered.

RECEIVED JUN 8 1949 STATE ENGINEER SALEM, OREGON

IN WITNESS WHEREOF, I have hereunto set my hand this 20th day of June, 1949.

POPE & TALBOT, INC. (Signature of Applicant) By: Frank H. Kuehn Forester (Address) Box 58 OAKRIDGE, OREG

Fill out, detach, and mail to the State Engineer, Salem, Oregon, when construction work is completed.

IMPORTANT—This form is a notice to the State Engineer that permittee is ready to make final proof to the extent to which the water has actually been applied to the intended use under the terms of the permit. Permittee is cautioned that Certificate of Water Right will be issued based on the extent of the quantity and use as determined by the final proof inspection and survey which will be made in response to the filing of this Form C.

NOTE: In the case of an irrigation permit, this Form C should not be mailed to the State Engineer until all of the land described in the permit, which it is intended to irrigate under this permit at any time, has actually been irrigated. Fill out, detach, and mail to the State Engineer, Salem, Oregon, when all of the water has been applied.

NOTICE OF COMPLETE APPLICATION OF WATER TO A BENEFICIAL USE

I, POPE & TALBOT, Inc., the holder of Permit No. 17689 to appropriate the public waters of the state of Oregon, completely applied the waters to a beneficial use in accordance with the terms of said permit, on the 3rd day of June, 1949.

Remarks:


RECEIVED JUN 22 1949 STATE ENGINEER SALEM, OREG 1949

IN WITNESS WHEREOF, I have hereunto set my hand this 20th day of June, 1949.

SHANKS & CO.—ALBANY



RECEIVED
 MAY 13 1947
 STATE ENGINEER
 SALEM, OREGON

 AREA TO BE IRRIGATED

REGISTERED PROFESSIONAL ENGINEER
 CORVALLIS, OREGON
 APR 11 1947
 C. HOWLAND
 STATE ENGINEER

T 21 S R 3 E W.M.

Application No.
 Permit No.

R-22494
 21930
 R-882
 17689

Pope & Talbot, Inc., Oakridge, Oregon
 MAP TO ACCOMPANY
 WATER RIGHT APPLICATION
 Scale: 1" = 1000'
 APR 11 28, 1947 SHEET 1 OF 1
 JMA CORNELL, HOWLAND, HAYES & MERRYFIELD
 CORVALLIS, OREGON
 A-78-3

AP 21930

Hand one more

STATE OF OREGON

COUNTY OF LANE

CERTIFICATE OF WATER RIGHT

This Is to Certify, That POPE & TALBOT INC.

of 3070 N. W. Front Ave., Portland 10, State of Oregon, has made proof to the satisfaction of the STATE ENGINEER of Oregon, of a right to the use of the waters of Salt Creek and reservoir constructed under Application 22494, Permit R-882 a tributary of Middle Fork Willamette River for the purpose of manufacturing and maintenance of log pond

under Permit No. 17689 of the State Engineer, and that said right to the use of said waters has been perfected in accordance with the laws of Oregon; that the priority of the right hereby confirmed dates from August 29, 1946

that the amount of water to which such right is entitled and hereby confirmed, for the purposes aforesaid, is limited to an amount actually beneficially used for said purposes, and shall not exceed 1.0 cubic foot per second being 0.5 cubic foot per second for maintenance of pond and 0.5 cubic foot per second for manufacturing

or its equivalent in case of rotation, measured at the point of diversion from the stream. The point of diversion is located in the SE 1/4 NE 1/4, Section 23, T. 21 S., R. 3 E., W. M.

The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, shall be limited to ----- of one cubic foot per second per acre,

and shall conform to such reasonable rotation system as may be ordered by the proper state officer.

A description of the place of use under the right hereby confirmed, and to which such right is appurtenant, is as follows:

Pond - Mfg. SW 1/4 SW 1/4
Pond - Mfg. SE 1/4 SW 1/4
Section 15
Pond NE 1/4 NW 1/4
Pond NW 1/4 NW 1/4
Pond SE 1/4 NW 1/4
Section 22
T. 21 S., R. 3 E., W.M.

The right to the use of the water for the purposes aforesaid is restricted to the lands or place of use herein described.

WITNESS the signature of the State Engineer, affixed

this date. MARCH 9 1962

LEWIS A. STANLEY

State Engineer

STATE OF OREGON
STATE ENGINEER
WATER RESOURCES DEPARTMENT
SALEM

251 FINANCE BUILDING
170 12TH STREET S. E.

REFER TO
FILE NO. 21930

Pope & Talbot, Inc.
3070 N. W. Front Avenue
Portland 10, Oregon

Gentlemen:

On the reverse side of this paper is a copy of a draft of water right certificate to confirm the right under Permit No. 17689. You are requested to examine this draft and if you find it correctly describes the appropriation of water made, execute the following final proof. A fee of \$1.00 is required for recording your certificate of water right in the office of the County Clerk. The fee of \$1.00, together with this signed draft, must be returned to the State Engineer.

Very truly yours,

LEWIS A. STANLEY
State Engineer

FINAL PROOF

I have read the draft of water right certificate shown on the reverse side of this paper and as final proof of appropriation of water I hereby certify that the water has been used as described in said draft.

Nov. 21, 1961
(Date)

POPE & TALBOT, Inc.

Edna Hunter
(Signature)

EXEC. VICE-PRESIDENT

PROVED
W. Snyder

STATE OF OREGON
COUNTY OF LANE
CERTIFICATE OF WATER RIGHT

This Is to Certify, That POPE & TALBOT INC.

of 3070 N. W. Front Ave., Portland 10, State of Oregon, has made proof to the satisfaction of the STATE ENGINEER of Oregon, of a right to the use of the waters of Salt Creek and reservoir constructed under Application 22494, Permit R-682 a tributary of Middle Fork Willamette River for the purpose of manufacturing and maintenance of log pond under Permit No. 17689 of the State Engineer, and that said right to the use of said waters has been perfected in accordance with the laws of Oregon; that the priority of the right hereby confirmed dates from August 29, 1946

that the amount of water to which such right is entitled and hereby confirmed, for the purposes aforesaid, is limited to an amount actually beneficially used for said purposes, and shall not exceed 1.0 cubic foot per second being 0.5 cubic foot per second for maintenance of pond and 0.5 cubic foot per second for manufacturing or its equivalent in case of rotation, measured at the point of diversion from the stream. The point of diversion is located in the SE 1/4 NE 1/4, Section 23, T. 21 S., R. 3 E., W. M.

The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, shall be limited to - - - - - of one cubic foot per second per acre,

and shall conform to such reasonable rotation system as may be ordered by the proper state officer. A description of the place of use under the right hereby confirmed, and to which such right is appurtenant, is as follows:

Pond - Mfg. SW 1/4 SW 1/4
Pond - Mfg. SE 1/4 SW 1/4
Section 15
Pond NE 1/4 NW 1/4
Pond NW 1/4 NW 1/4
Pond SE 1/4 NW 1/4
Section 22
T. 21 S., R. 3 E., W.M.

The right to the use of the water for the purposes aforesaid is restricted to the lands or place of use herein described.

THIS IS A DRAFT OF WATER RIGHT CERTIFICATE
See other side for instructions and final proof to be executed by permittee.



POPE & TALBOT INC. ESTABLISHED 1849
3070 N. W. FRONT AVE. • PORTLAND 10, OREGON • AREA CODE 503 CA 8-9161

November 22, 1961

State of Oregon,
State Engineer,
Water Resources Department,
516 Public Service Building,
Salem 10, Oregon.

RECEIVED
NOV 24 1961
STATE ENGINEER
SALEM, OREGON

Gentlemen:

We are returning a signed copy of each draft covering application #21930 and permit #17689 and application #22494 and permit R-883, both of which have been signed on behalf of our Company. We are also enclosing our check in the amount of \$2,00 to cover the recording fee of each draft.

Please return the original certificates to us when the enclosed drafts have been recorded.

Very truly yours,

S. Treckeme,
Legal and Ins. Dept.

ST:fb
encl.'s

21930
R-22494

516 Public Service Building

November 16, 1961

Pope & Talbot Inc.
3070 N. W. Front Avenue
Portland 10, Oregon

Attention: Mr. Treckeme

Dear Mr. Treckeme:

On rechecking drawing A-78-3 submitted in connection with your Permits numbered R-882 and 17689, it appears that we should have listed the SE $\frac{1}{4}$ NW $\frac{1}{4}$ of Section 22 instead of the SW $\frac{1}{4}$ NW $\frac{1}{4}$ of Section 22, and I have changed the drafts of the proposed certificates accordingly.

I have included an extra copy of the drafts of the proposed certificates as you requested. The original certificates, when issued, will be forwarded to you after recording in the records of the Lane County Clerk and it would be preferable to retain the original certificates in your files rather than copies of the drafts of the certificates.

One copy of each draft should be signed as indicated and be returned together with the certificate recording fees of \$2 and we will then be able to issue the confirming certificates.

Very truly yours,

LEWIS A. STANLEY
State Engineer

By
Trevor Jones, Assistant

TJ:jh
Enc.



POPE & TALBOT INC. ESTABLISHED 1849
3070 N. W. FRONT AVE. • PORTLAND 10, OREGON • AREA CODE 503 CA 8-9161

November 14, 1961

RECEIVED
NOV 15 1961
STATE ENGINEER
SALEM, OREGON

State of Oregon
State Engineer
Water Resources Department
Salem 10, Oregon

Re. Your File no.: R-22494
21930

Gentlemen:

Please refer to your letter of November 2, 1961, in connection with water rights for our Oakridge, Oregon, log pond.


We are sorry in the delay of getting the certificates back to your office, but this matter somehow got overlooked in the files. Upon receipt of your letter we immediately sent the certificates to our Oakridge office for verification of the legal description.

It appears to us the SE $\frac{1}{4}$ NW $\frac{1}{4}$ of Section 22, Township 21 South, Range 3 East, W.M. was overlooked in both certificates. The log pond does rest upon a portion of the SE $\frac{1}{4}$ NW $\frac{1}{4}$ of Section 22, Township 21 South, Range 3 East, W.M., and the original applications for the permit included the above description.

After you have checked this matter, and you find we are correct, please send us two copies of the certificates, as we would like one for our files after it has been completed.

Please address future correspondence on this subject to the attention of the writer.

Very truly yours,


S. Treckeme
Legal & Insurance Dept.

enc-2

R-22494
21930

516 Public Service Building
November 2, 1961

Pope and Talbot, Inc.
3070 N. W. Front Ave.
Portland 10, Oregon

Gentlemen:

On September 28, 1961, we mailed you copies of drafts of the certificates in connection with the incomplete water rights represented by permits numbered R-882 and 17689 together with the instructions that the statement at the bottom of each page under "Final Proof" be signed and the copies be returned to this office accompanied by the certificate recording fees in the amount of \$2.

To date these forms have ~~not~~ been received ~~nor~~ has any correspondence regarding reasons for not returning them been received. This is to notify you that unless we receive the signed final proof forms and the certificate recording fees, or a request for additional time within thirty days from the date of this letter, we will be required to take steps toward the cancellation of these permits.

Very truly yours,

LEWIS A. STANLEY
State Engineer

By
Trevor Jones, Assistant

TJ:jk

September 28, 1961

Pope and Talbot, Inc.
3070 N. W. Front Avenue
Portland 10, Oregon

Dear Mr. Foyston:

Enclosed are the drafts of the proposed certificates in connection with Permits numbered R-882 and 17689. These drafts should be examined, signed as indicated under "Final Proof" and returned to this office together with the certificate recording fee of \$1 for each certificate.

These permits are intended to describe the right to the extent that beneficial use of water was made within the time limits of the permit. You will note that the certificate confirming Permit No. 17689 reduces the quantity of water originally in the permit. I had written to you and refer to your letter dated June 28, 1961 and to my reply dated July 7, 1961. Any future expansions of the plant requiring a greater quantity of water could not be included in this right and application should be made for a new permit when the need arises.

Very truly yours,

LEWIS A. STANLEY
State Engineer

By
Trevor Jones, Assistant

TJ:jh
Enc.

30



POPE & TALBOT INC. ESTABLISHED 1849
3070 N.W. FRONT AVENUE • PORTLAND 10, OREGON • CAPITOL 8-9181

August 2, 1961

State of Oregon
Water Resources Department
251 Finance Building
170 12th Street, Southeast
Salem, Oregon


RECEIVED
AUG 4 1961
STATE ENGINEER
SALEM, OREGON

Attention Mr. Lewis A. Stanley, State Engineer

Gentlemen:

Reference is made to your July 7, 1961 letter, File No. 21930 R-22494, regarding the water permit for Oakridge.

We have no objection to a reduction in the amount of water allowed on the permit, as long as we have the privilege of expanding that amount to the amount which is presently on the permit. Any further restriction of our water supply will interfere with our expansion plans and is viewed in this company with a great deal of alarm.

Yours very truly,

Frank S. Foyston
Chief Engineer

FSF:kmc
cc:
Mr. John W. Snyder

July 7, 1961

Pope and Talbot, Inc.
3070 N.W. Front Avenue
Portland 10, Oregon

Attention Mr. Frank S. Foyston, Chief Engineer

Gentlemen:

The certificate confirming the right under permit No. 17689 can correctly include only the amount of water beneficially used within the time limits of the permit. In this case, it would be that amount used by October 1, 1950. Future planned expansion requiring a greater amount of water would require another permit.

If, as you estimate, 0.25 cubic feet per second of water is sufficient for boiler makeup, the quantity required to wet the log storage areas and other incidental uses could be added to this. I do not believe it is necessary to make an extensive study to determine the quantity of water required.

The quantity necessary for log storage area could be based on the number of sprinklers and the size in gallons per minute, and an estimate could be made of that required for saw cooling and this type of use.

It is not our intention to be unreasonable but no purpose is served by issuing the certificate describing the appropriation of 15.0 cubic feet per second, and it is far in excess of the amount of water actually used.

If 0.25 cubic foot per second is required for boiler makeup and 0.50 cubic foot per second to maintain the pond, I would think approximately 0.25 cubic foot per second would furnish sufficient water for the log storage area and incidental uses. If you do not believe these figures are accurate, would you please so advise.

Very truly yours,

LEWIS A. STANLEY, State Engineer

By
Trevor Jones, Assistant

TJ:eh



POPE & TALBOT INC. ESTABLISHED 1849
3070 N. W. FRONT AVENUE • PORTLAND 10, OREGON • CAPITOL 8-9161

June 28, 1961

Mr. Trevor Jones
Assistant State Engineer
State of Oregon
251 Finance Building
Salem, Oregon

RECEIVED
STATE ENGINEER
SALEM, OREGON

Dear Sir:

Reference is made to your letter of May 25, 1961,
File R-22494 - 21930.

It is very difficult to advise exact figures for our water usage at Oakridge. In addition to water required to offset pond evaporation, large quantities of water are used during the summer months to wet the log storage areas. Pond evaporation would be high, not only because of weather conditions, but also because of the turbine condensers. Boiler make-up is estimated at 6,000 gallons per hour.

The exact nature of our future plant expansion plans at Oakridge is not known at this time, but most certainly it will involve added water usage. An adequate water supply is so essential to our operations that we are extremely concerned over limiting ourselves to specific minimum volumes.

If it is essential that we give exact quantities required, we will make an accurate study and measurement. Please let me know if this is necessary.

Very truly yours,

Frank S. Foyston
Chief Engineer

FSF:w
cc:

Mr. John W. Snyder

May 25, 1961

Pope & Talbot, Inc.
618 N. W. Front Ave.
Portland, Oregon

Gentlemen:

Permit number R-882 describes the construction of Calbridge Mill Log Pond and storage of water from Salt Creek, permit number 17689 describes the appropriation of 15 cubic feet of water per second for domestic, manufacturing and irrigation. We have no question regarding the pond, and will prepare the proof for the storage of 300 acre feet of water.

Our field engineer reports no use of water for domestic purposes or irrigation under permit number 17689 and these will be deleted from the proof. The proof and the certificate could include the appropriation of water to maintain the mill pond, supply the boilers and any incidental uses in connection with the mill. These should not be lumped together with one quantity of water, but the water should be divided by use. I believe that 0.5 c.f.s. is sufficient amount of water to maintain the pond to offset evaporation and seepage. I have some question regarding the balance described in the permit of 14.26 c.f.s. for the boiler and incidental mill use. I would appreciate it if you would furnish us with your engineer's figures on water requirements for these uses. It is not our intention to deprive you of any water required, but there is no purpose served by issuing a certificate for a greater amount of water than is put to beneficial use, and a greater amount than is required for the operation.

Very truly yours,

LEWIS A. STANLEY
State Engineer

By
Trevor Jones, Assistant

TJ:kr

21930
R-22494

May 18, 1951

Pope & Talbot, Inc.
Lumber Division
3070 NW Front Avenue
Portland 10, Oregon

Attention Mr. S. Treckeme
Legal & Insurance Dept.

Gentlemen:

Pursuant to your request of May 17, I am enclosing herewith certified copies of your Permits No. R-882 and No. 17689, which permits were issued approving Applications No. R-22494 and No. 21930, respectively.

The statutory fee, in the amount of \$3.00, for preparing these copies may be submitted at your convenience.

Very truly yours,

CHAS. E. STRICKLEN
State Engineer

Ed K. Humphrey, Assistant

EKH:mrh

Enc. -

21930

June 29, 1949

September 25, 1947

Applications No. 12436 and 21930

Pope and Talbot Inc.
Box 58
Oakridge, Oregon

Gentlemen:

This acknowledges receipt of Forms B and C, being notices of completion of construction and complete application of water under your Permit No. 17689.

Pursuant to your reports and in line with the general practice of this office, a survey will be made at a later date for the purpose of checking the amount of water used as described in the permit, including the acreage actually irrigated. After this survey, proof may be made by you and certificate issued covering the actual use of water as found by the engineer. Any lands described in the permit that have not been irrigated will be automatically eliminated from your water right.

In the meantime, the permit which you hold will be valid evidence of your water right.

Yours very truly,

CHAS. E. STRICKLIN
State Engineer

By
Ed K. Humphrey, Assistant

EKH:vc

POPE & TALBOT, INC.

21930

MEMORANDUM 1947

September 16, 1947

Applications No. 18406 and 21930

Pope and Talbot, Inc.
Lumber Division
P. O. Box 58
Oakridge, Oregon

In an agreement dated May 15, 1947, Mr. J. C. Wright
Attention: Mr. Merton H. Roemhildt,
relinquished his Permit No. 14043, and the use proposed
under this permit was covered by Application No. 21930,

Permit No. 17689 in the name of Pope and Talbot, Inc.,
your letter of September 8 transmitting your Permit No.
pursuant to the same agreement, a copy of which is filed

in Application No. 18406 folder. For information purposes has been added
to the permit pursuant to your letter of August 13, our
rec Mr. Wright's relinquishment should be considered as
permit is returned to you herewith.

an authorization of cancellation and Permit No. 14043
should be cancelled.

Very truly yours,
CHAS. E. STRICKLIN
State Engineer

Ed K. Humphrey
By
Ed K. Humphrey, Assistant

EKH:zjo

Enclosure

POPE & TALBOT, INC.

LUMBER DIVISION

September 11, 1947

OAKRIDGE, OREGON

ST. JOHNS
21930

September 8, 1947

RECEIVED
SEP 11 1947
STATE ENGINEER
SALEM, OREGON

Pope and Talbot, Inc.
Lumber Division Assistant
P. O. Box 58
Oakridge, Oregon

Attention: Mr. Merton H. Roemhildt,
Resident Forester

Dear Mr. Roemhildt: letter of August 14, file No. 21930.

This will acknowledge receipt of and thank you for your letter of September 8 transmitting your Permit No. 17689 to this office for revision.

Use of water for domestic purposes has been added to the permit pursuant to your letter of August 13, our records have been made to correspond, and the revised permit is returned to you herewith.

Very truly yours,
Merton H. Roemhildt
CHAS. E. STRICKLIN
State Engineer

By
Ed K. Humphrey, Assistant

EKH:mjo

Enclosure



ESTABLISHED 1849

POPE & TALBOT, INC.**LUMBER DIVISION**

P. O. BOX 58

OAKRIDGE, OREGONMILLS AT
ST HELENS, OREGON
PORT GAMBLE, WASHINGTON
CREOSOTING PLANT
ST HELENS, OREGONCable Address
"POTALBOT"

September 8, 1947

Mr. Ed. K. Humphrey, Assistant
State Engineer
State of Oregon
Salem, Oregon

RECEIVED
SEP 9 1947
STATE ENGINEER
SALEM, OREGON

Dear Sir:

Replying to your letter of August 14, File No. 21930. I am inclosing our permit for revision to include domestic use as discussed previously.

Very truly yours,

Merton H. Roemhildt
Resident Forester

POPE & TALBOT, INC.

LUMBER DIVISION

August 14, 1947

POPE & TALBOT TERMINAL
618 N. W. FRONT AVENUE

PORTLAND 9, OREGON

1947

21930

Pope and Talbot, Inc.
618 N. W. Front Ave.
Portland 9, Oregon

Attention: Mr. L. L. Stewart, Forester

Dear Mr. Stewart:

Your Application No. 21930 as originally submitted was approved by issuance of Permit No. 17689 and mailed to you August 13.

If you will return the permit to this office at your early convenience, we will make the revision as to including domestic use as discussed in your letter of August 13, and the permit will be returned to you immediately.

Very truly yours,

CHAS. E. STRICKLIN
State Engineer

By
Ed K. Humphrey, Assistant

EKH:mjo

c.c. Pope and Talbot, Inc.
Oakridge, Oregon

RECEIVED
AUG 14 1947
STATE ENGINEER

L. L. Stewart



POPE & TALBOT, INC.
LUMBER DIVISION

POPE & TALBOT TERMINAL
618 N. W. FRONT AVENUE

PORTLAND 9, OREGON

August 13, 1947

MILLS AT
ST. HELENS, OREGON
PORT GAMBLE, WASHINGTON
CROSSING PLANT
ST. HELENS, OREGON

Cable Address
"POTALBOT"

MR. ED. K. HUMPHREY, ASSISTANT
State Engineer
State of Oregon
Salem, Oregon

RECEIVED
AUG 14 1947
STATE ENGINEER
SALEM, OREGON

Dear Sir:

Replying to your letter of July 30,
File 18406, it was the intent of our agreement with
Mr. Wright that the 0.12 cubic feet of water per second
would be used for irrigation of his property which
amounts to approximately three acres and for domestic use
at houses located on this property.

The original 9 acres that the application was
made for covered a portion of the lands which we now own
and do not intend to place under irrigation. Therefore, our
application should be amended to include water for domestic
purposes on Mr. Wright's property.

Very truly yours,

R. R. Stewart

Forester

LLS:W

21930

Pope and Talbot, Inc.
Oakridge, Oregon

July 3, 1947

Gentlemen:

Herewith you will find Application No. 21930, Permit
No. 17689, together with blueprint.

or these applications as they now stand, and they will be placed in
line for approval and issuance of permits unless a protest is received
against such issuance within five days from the date of this letter.

Yours very truly,

CHAS. E. STRICKLIN
State Engineer

By
Ed K. Humphrey, Assistant

EKH:dh
Enc.

21930 & 22494

June 17, 1947

Fish Commission of Oregon
510 Governor Building
S. W. 2nd Ave. at Stark
Portland 4, Oregon

Attention: Mr. M. T. Hoy, Assistant Master Fish Warden

Dear Mr. Hoy:

I am enclosing, herewith, copies of applications No. 21930 and No. R-22494 in the name of Pope and Talbot, Incorporated.

It is my understanding that you do not object to the approval of these applications as they now stand, and they will be placed in line for approval and issuance of permits unless a protest is received against such issuance within five days from the date of this letter.

Yours very truly,

CHAS. E. STRICKLIN
State Engineer

By
Ed K. Humphrey, Assistant

EKH:dh
Enc.

COPY

June 17, 1947

22494
22930

Cornell, Howland, Hayes & Merryfield
Consulting Engineers
212 Rennie Building
Corvallis, Oregon

Gentlemen:

This will acknowledge receipt of your letter dated June 16, 1947, and a copy of the drawings No. C-78-6 showing the proposed alterations to the log pond for the Pope and Talbot Lumber Company in Oakridge, Oregon.

It is quite evident that the failure of this structure would not result in injury to life and property and its capacity is approximately two million gallons. Therefore, you may consider the plans as approved.

Yours very truly,

CHAS. E. STRICKLIN
State Engineer

CES:lys

22485
22492
R-22494
21930

May 13, 1947

Fish Commission of Oregon
510 Governor Building,
S. W. 2nd Ave. at Stark
Portland 4, Oregon

Attention: Mr. M. T. Hoy, Assistant Master Fish Warden

Dear Mr. Hoy:

Pursuant to your request of May 5, I am enclosing herewith copies of applications as follows:

Chas. Orvay	-	Application No. 22485
J. P. Rich	-	Application No. 22492
Pope & Talbot, Inc.	-	Application No. R-22494 and Application No. 21930

It is my understanding that as now proposed you have no objection to the Pope & Talbot Salt Creek Developments, and if this is the case, it will be appreciated if you will so advise us at your early convenience so that these applications may be placed in line for approval and issuance of permits.

Very truly yours,

CHAS. E. STRICKLIN
State Engineer

By
Ed K. Humphrey, Assistant

EKL:mjo

Enclosures 4

21930
R-22494

May 5, 1947

Cornell, Howland, Hayes & Merryfield
Consulting Engineers
212 Rennie Building
Corvallis, Oregon

Attention: Mr. James C. Howland:

Dear Mr. Howland:

This will acknowledge receipt of your letter of May 1 transmitting a re-draft of Application No. 21930 in the name of Pope and Talbot, Inc. to appropriate 15 c.f.s. from Salt Creek for manufacturing and irrigation and an application in the same name for a permit to construct Oakridge Mill Log Pond and store therein 330 acre-feet of water, together with fees in the amount of \$30.90 for which our Receipt No. 2897 is enclosed.

The reservoir application has been filed and given No. R-22494.

The applications appear to be in order except that the description of the point of diversion under Item 4 of Application No. 21930 does not agree with the location of this point as shown on the accompanying map, and for your convenience in making any necessary changes in either the application or map, I am enclosing them herewith, the application being indorsed so that to retain its priority, it must be returned to this office on or before June 5, 1947.

Also, if the manufacturing noted under Item 3 includes any use other than for maintenance of a mill pond, will you kindly describe such use under Remarks, and if the maintenance of a pond is the only use, please so note under Item 3.

Very truly yours,

CHAS. E. STRICKLIN
State Engineer

By
Ed K. Humphrey, Assistant

EKH:mjo

Enclosures 3

CORNELL, HOWLAND, HAYES & MERRYFIELD

CONSULTING ENGINEERS

212 RENNIE BLDG.

TELEPHONE 1820

CORVALLIS, OREGON

FRED MERRYFIELD
HOLLY A. CORNELL
JAMES C. HOWLAND
THOMAS B. HAYES

May 1, 1947

Mr. Charles E. Stricklin, State Engineer
State Office Building
Salem, Oregon

RECEIVED
MAY 2 1947
STATE ENGINEER
SALEM, OREGON

Dear Mr. Stricklin:

Enclosed please find applications for permits for Pope and Talbot, Inc. to appropriate water from Salt Creek, and to construct a log pond in the vicinity of Oakridge, Oregon. Attached to the application to appropriate water from Salt Creek is a thin line tracing and a print of our drawing A-78-3, showing the required information for the water line application. Enclosed with the reservoir application is a set of specifications for the reservoir and four prints of four sheets of our drawing C-78-1, showing the reservoir. We are forwarding, under separate cover, thin line prints of the reservoir plans which can be used for making additional prints. Also enclosed please find our check for \$30.90 to cover the cost of filing the applications, computed as follows:

Reservoir Application

Examination Fee	\$ 5.00	
Recording Fee 200 acre-feet	1.00	
Next 180 acre-feet @ 1/2¢	<u>0.90</u>	
		\$ 6.90

Water Right Application


Examination Fee	\$ 5.00	
Recording Fee		
1 c.f.s.	5.00	
Next 14 c.f.s.	<u>14.00</u>	
		\$24.00
		<hr/>
		\$30.90

Mr. Charles E. Stricklin, State Engineer
Page Two
May 1, 1947

The final design for the intake on Salt Creek and the canal have not been completed, and therefore the dimensions shown on the application may be altered slightly. We will provide you with the exact location and dimensions on these structures when the design is completed.

Very truly yours,

CORNELL, HOWLAND, HAYES & MERRYFIELD


By James C. Howland

JCH:pm
Enclosures

cc : Mr. L. L. Stewart

September 11, 1946

21928
21929
21930

Mr. M. T. Hoy
Assistant Fish Warden
510 Governor Building
S. W. 2nd Ave at Stark
Portland 4, Oregon

Dear Mr. Hoy:

Pursuant to your letter of September 4, I am enclosing herewith copies of Applications No. 21928, 21929 and 21930 in the name of Pope and Talbot, Inc.

Your objections to the filings in question are noted and action under the three applications is being suspended awaiting further developments.

In connection with the three Pope and Talbot applications, it is my understanding that the applicants intend to develop only one of the projects proposed in the three applications but can not state definitely at this time which location they will occupy.

Yours very truly,

CHAS. E. STRICKLEN
State Engineer

By
Ed K. Humphrey, Assistant

EKH:CI
Enc.
cc-Pope & Talbot

21928
21929
21930

September 11, 1946

Oregon State Game Commission
1634 S. W. Alder Street
Portland 8, Oregon

Gentlemen:

Pursuant to your letter of September 4, I am enclosing herewith copies of Applications No. 21928, 21929 and 21930 in the name of Pope and Talbot, Inc.

Your objections to the filings in question are noted and action under the three applications is being suspended awaiting further developments.

In connection with the three Pope and Talbot applications, it is my understanding that the applicants intend to develop only one of the projects proposed in the three applications but can not state definitely at this time which location they will occupy.

Yours very truly,

CHAS. E. STRICKLIN
State Engineer

By
Ed K. Humphrey, Assistant

BKH:CI
Enc.
cc-Pope & Talbot

July 30, 1947

Pope & Talbot, Inc.
Portland 9, Oregon

Attention: Mr. L. L. Stewart, Forester

Dear Mr. Stewart:

This will acknowledge receipt of a copy of an agreement under which J. C. Wright relinquishes his permit No. 14043, granting a right to the use of 0.12 cubic foot of water per second for the irrigation of 9 acres and 0.20 cubic foot of water per second for domestic purposes.

As I interpret the agreement, it is intended that water shall be used as described in permit No. 14043, even though this permit is to be relinquished, the right to such use being covered by Pope & Talbot's, Inc. Application No. 21930.

The Pope and Talbot application is for the irrigation of only 3 acres, and it does not cover use for domestic purposes. It will be appreciated if you will let us know whether or not you wish to revise your application to include uses to correspond with those covered by Permit No. 14043.

Yours very truly,

CHAS. E. STRICKLIN
State Engineer

By
Ed K. Humphrey, Assistant

EKH:dh

42
COPY

POPE & TALBOT, Inc.

LUMBER DIVISION

PORTLAND, 9, OREGON

July 29, 1947

RECEIVED

JUL 30 1947

STATE ENGINEER
SALEM, OREGON

Mr. J. C. Wright
Oakridge, Oregon

Dear Sir:

Kindly refer to the agreement dated May 15, 1947, between Pope & Talbot, Inc. as First Party and J. C. Wright and Minnie B. Wright, Otto J. Bodie and Florence Bodie, and W. C. Wright and Beulah Wright as Second Parties, with reference to certain water rights and the constructing of certain reservoirs and water mains in Lane County near Oakridge, Oregon.

This is to notify you, in accordance with the terms of such agreement, that we desire to exercise such option. By so exercising this option the provisions contained in such agreement as set forth in paragraphs 1 to 7 inclusive shall be enforceable and binding upon the parties thereto.

Very truly yours,

L. L. Stewart

L. L. Stewart
Forester

WYP:st

cc: State Engineer
Salem, Oregon

MEMORANDUM

P 11
21930
R 22494

Re: Examination of site of Pope & Talbot Log Pond Dike near Oakridge in Lane County, Oregon.

An examination of the site of the Pope & Talbot log pond and dike was made on April 26, 1947, in company with James C. Howland of Cornell, Howland, Hayes & Merryfield, consulting engineers, of Corvallis, Oregon, who prepared the plans and specifications, and Carl Hlakley, engineer for Pope & Talbot.

The site is located adjacent to the Willamette Pass Highway, a short distance above the town of Oakridge with the highway passing between it and the Middle Fork of the Willamette River.

The site is located on a very gently sloping side hill on which the excavation will be made to form the pond with the materials excavated used in building the dike. Test pits dug on the site of the dike and in the area of the proposed pond show satisfactory foundation conditions, and the material to be used in the dike suitable for the purpose.

The water supply for the pond will be brought in by a feeder ditch from Salt Creek. The feeder ditch will end in a small drainage channel in which it is proposed to construct a concrete structure which will divert water into the pond and will act as a regulator to hold the water surface in the pond at a fixed elevation and will pass the excess on down the drainage channel to the river.

Details of the dike, control, and outlet structures; and lay out of test holes and data as shown on the drawings in map file C33-3; all of which, together with the specifications covering the construction, are up to the standards fixed by this office.

Accordingly, it is recommended that the application for a permit to divert and to construct a reservoir and store water be granted and the permit be issued.

FERD SCHLAPKOHL

SANITARY
STRUCTURAL
HYDRAULIC
ELECTRICAL
FOUNDATION
ENGINEERS

CORNELL, HOWLAND, HAYES & MERRYFIELD

CONSULTING ENGINEERS

212 RENNIE BLDG.

TELEPHONE 1820

CORVALLIS, OREGON

May 12, 1947

FRED MERRYFIELD
HOLLY A. CORNELL
JAMES C. HOWLAND
THOMAS B. HAYES

RECEIVED
MAY 13 1947
STATE ENGINEER
SALEM, OREGON

Mr. Charles E. Stricklin, State Engineer
State Office Building
Salem, Oregon

Reference: File #21930
R-22494


Dear Mr. Stricklin:

Enclosed please find Application #21930 for Pope and Talbot, Inc., which has been revised in accordance with your letter of May 5, 1947. In the original application, there was an error under Item 4, giving the point of diversion. However, since the application was made, survey information has given us a more definite location for the intake and we have changed the map accordingly. Therefore, you will find enclosed with the application one print of the map and a thin print which can be used for reproducing more drawings. The details of the use of the water for manufacturing have been given under Remarks, as you requested.

As we mentioned in our letter of May 1, the exact location of the ditch is now the subject of a design study and we will furnish you the final location in detail as soon as it is determined.

Very truly yours,

CORNELL, HOWLAND, HAYES & MERRYFIELD


By James C. Howland

JCH:pm
Enclosures 3

cc: L. L. Stewart
Pope and Talbot, Inc.

RECEIVED


MAY 2 1947

STATE ENGINEER
SALEM, OREGON

15 14
22 23

22 23
27 26

Superseded

 AREA TO BE IRRIGATED

T.21S. R.3E. W.M.



Pope & Talbot, Inc., Oatridge, Oregon

MAP TO ACCOMPANY

WATER RIGHT APPLICATION

Scale: 1" = 1000' | April 28, 1947 | SHEET 1 OF 1

JWA CORNELL, HOWLAND, HAYES & MERRYFIELD
CORVALLIS, OREGON

A-78-3

REGISTERED PROFESSIONAL ENGINEER 2458
 OREGON MAY 10, 1946
 JAMES C. HOWLAND

No Pic

Permit No. 17689

Application No. 21930

County LANE

Proof of Appropriation of Water

- 3070
- Name Pope & Talbot Inc. 2. Address ~~518~~ 3070 N. W. Front Ave.
Portland, Oregon
 - Source of supply Salt Creek and reservoir to be constructed under application No. 22494,
Permit No. R-882.
Tributary of Middle Fork Willamette River
 - Amount of water 1.0 c.f.s. being 0.5 cts for maintenance of pond & 0.5 cts for manufacturing 5. Priority date August 29, 1946
 - Use ~~domestic, manufacturing and irrigation, being 14.76 c.f.s. for manufacturing and 0.04 c.f.s. for irrigation and 0.20 c.f.s. for domestic use.~~
maintenance of 1st pond under Appl R-22494
Per. R-882
 - Location of point of diversion, SE 1/4 of NE 1/4 Sec. 23, Twp. 21 S., Range 3 E., W. M.
(Legal Subdivision)
 - The description of land given below corresponds to that found in your permit covering land to be irrigated, or, if for other purposes, the place of use.

Insp. Sept. 1, 1960 M.B.

Township	Range	Section	Forty-acre Tract	No. Acres Described in Permit	No. Acres Actually Irrigated
21 S.	3 E.	22	SE 1/4 of NW 1/4	3 and domestic	
		15	SW 1/4 SW 1/4	pond Mfg	
		15	SE 1/4 SW 1/4	pond	
		22	NE 1/4 NW 1/4	pond	
		22	NW 1/4 NW 1/4	pond	
		22	SW 1/4 NW 1/4	pond	

The water will be used to maintain the mill pond, provide fire protection, supply the mill boilers, and make up losses in the ditch. A small piece of land is to be irrigated.

This appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated from direct flow and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each from direct flow and storage from reservoir to be constructed under Permit No. R-882, and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

DESCRIPTION OF WORKS

9. (a) If a dam has been constructed, give description: Height, ft.; length on top, ft.; length on bottom, ft.; material used and character of construction,

(b) Give description of headgate: Width, ft.; depth, ft.; material used and character of construction,

(c) Size of canal: Width on top (at waterline), ft.; width on bottom, ft.; depth of water, ft.; grade, ft. fall per 1,000 ft. Actual capacity, sec.-ft. Give general description:

(d) Pipe line: Description of intake, Length of pipe, ft.; size at intake, in.; size at ft. from intake, in.; size at place of use, in. Difference in elevation between intake and place of use, ft. Is grade uniform? Actual capacity of pipe line, sec.-ft. Give general description: (Material: Steel, wrought, cast iron, wood stave, etc.)

(e) Pumping plant: Give size and type of pump, Suction lift, ft.; discharge lift, ft. Type of motor used Horsepower rating, H. P. Actual capacity of pump, sec.-ft.

10. During what months is water beneficially used?

11. State character of soil Kind of crops raised

12. Does the accompanying map, filed with your application, show correctly the point of diversion, area of land irrigated, or place of use?

13. If not, wherein is such map in error?

14. Domestic use: Give number of families actually using water at this time

15. If for power, mining, municipal, manufacturing, storage or any other purpose than irrigation, give extent and method of such use

AFFIDAVIT OF APPROPRIATOR

STATE OF OREGON,
County of } ss.

I,, being first duly sworn, depose and say that I have read the above and foregoing proof of appropriation of water; that I know the contents thereof, and that the facts therein stated are true.

IN WITNESS WHEREOF, I have hereunto set my hand this day of, 194.....

Subscribed and sworn to before me this day of, 194.....

Notary Public for Oregon

[Notarial Seal]

My commission expires

AFFIDAVIT OF WITNESSES

STATE OF OREGON,
County of } ss.

We,, and of, being first duly sworn, depose and say that

we are well acquainted with the facts and conditions set forth in the foregoing statement relative to proof of appropriation of water under Permit No.; that we and each of us have been over and upon each tract described in said proof, and from such personal inspection have knowledge that all necessary ditches, dams and other diversion and distributing works have been constructed, and water used as stated therein; that we have carefully read such proof of appropriation, and that each and every statement contained therein is true to the best of our knowledge and belief.

Subscribed and sworn to before me this day of, 194.....

Notary Public for Oregon

[Notarial Seal]

My commission expires

REPORT OF PERSON MAKING INSPECTION

(For use by Representative of State Engineer)

I, _____, do hereby certify that I have made an inspection of the works described herein and in Permit No. _____, on the _____ day of _____, 1946, and found the foregoing statements and descriptions of works to be accurate. In my opinion the appropriation has been completed to the extent of _____ and I recommend the issuance of water right certificate for this amount.

(Quantity of water in second-feet or acre-feet)

NOTICE TO INSPECTORS

M. Rich

(Name)

If conditions do not justify the above report by you, please return the proof without your signature, with a full report by letter.

(Title)

Info - Mr. Snyder - Mr. McFetridge - Mr. Oberstaller

No use for Domestic or Irrigation (Domestic from Willamette R.)

Head Gate on Salt Cr.

7 1/2 wide x 1 1/2 depth of water

At present a smaller opening is used 2' wide x 1' high with a head of water 0.5' above top of opening

Canal from Salt Cr. to Equalizing Pond as shown on Map

Log Pond is supplied by a 14 in Over flow pipe from Equalizing pond with a fall of 37 ft.


18" x 12" x 10" St. Pipe from Equalizing Pond to Mill approx 1300 ft long with a fall of 40 ft.

10 hp Cent. Service pump } on end of gravity pipe line at Mill
20 hp Aux. Fire pump }


Manufacturing Use - Two 650 hp boilers, one 1000 hp boiler make up water estimated 4000 gal./hr. for boilers cooling three Air Compressors & Saws cooling grates

Four - 1500 Gal/min. Fire Pumps on Fire pond which is a small area in the N.E. Cor. of log pond diked off for Fire Pond

BRANDEN & CO.—ALBANY, ORE.



RECEIVED
 MAY 17 1917
 STATE ENGINEER
 SALEM, OREGON

 AREA TO BE IRRIGATED

T21S R3E WM.

Application No. **R-22494**
 Permit No. **21930**
R882
17687

Topo & Talbot, Inc., Corvallis, Oregon

MAP TO ACCOMPANY

WATER RIGHTS APPLICATION

Scale: 1" = 1000' April 26, 1917 SHEET 2 OF 1

JWA ORNELL, HOWLAND, HAYES & MERRIFIELD
 CORVALLIS, OREGON

A-70-3



Superseded

*** APPLICATION FOR PERMIT**

To appropriate the Public Waters of the State of Oregon

I, Papa & Talbot, Inc. (Name of applicant)
of 618 N.W. Front Ave., Portland 9,
(Mailing address), State of _____, do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation _____

1. The source of the proposed appropriation is Salt Creek (Name of stream)
a tributary of Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is 70
cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Mill Power and Manufacturing
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located _____ ft. _____ and _____ ft. _____ from the
corner of _____ (N. or S.) (E. or W.)
Not definitely decided
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NE 1/4 SE 1/4 of Sec. 23, Tp. 21S,
(Give smallest legal subdivision) (N. or S.)
R. 3E, W. M., in the county of Lane
(E. or W.)

5. The Main Ditch to be 8000'
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the SE 1/4 NW 1/4 of Sec. 22, Tp. 21S,
(Smallest legal subdivision) (N. or S.)
R. 3E, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

Not determined

6. (a) Height of dam _____ feet, length on top _____ feet, length at bottom _____ feet; material to be used and character of construction _____
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate _____
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description _____
(Size and type of pump)
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line— *Un determined*

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
<i>21 S</i>	<i>3 E</i>	<i>22</i>		

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

(Legal Subdivision)

Tp., R., W. M.

(No. N. or S.)

(No. E. or W.)

(f) Is water to be returned to any stream?

(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.

(No. N. or S.)

(No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of) and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 40000
- 12. Construction work will begin on or before June 30 1947
- 13. Construction work will be completed on or before June 30 1948
- 14. The water will be completely applied to the proposed use on or before June 30 1948

Pope + Talbot, Inc.
(Signature of applicant)

By Myrswell

Remarks:

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 194.....

WITNESS my hand this day of, 194.....

Will be protested

PERMIT

STATE OF OREGON, }
County of Marion, }³⁸

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from

The use to which this water is to be applied is

If for irrigation, this appropriation shall be limited to of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is

Actual construction work shall begin on or before and shall thereafter be prosecuted with reasonable diligence and be completed on or before

Complete application of the water to the proposed use shall be made on or before

WITNESS my hand this day of, 194.....

STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933.

Application No. 21930
Permit No.

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. District No.

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 29th day of August,
1946, at 4:45 o'clock P. M.

Returned to applicant:

Corrected application received:

Approved:

Recorded in book No. of

Permits on page

STATE ENGINEER

Drainage Basin No. 2 Page 89A

Fees Paid

WILLIAM Y. POWELL

ATTORNEY
POPE & TALBOT, INC.
LUMBER DIVISION

MCCORMICK TERMINAL
PORTLAND 9, OREGON



CONTOUR INTERVAL 10 FEET
 DATUM MEAN SEA LEVEL
 PTBM X - PLANE TABLE BENCH MARK

WILLAMETTE BASIN PROJECT, OREGON
LOOKOUT POINT DAM
 MIDDLE FORK WILLAMETTE RIVER
RESERVOIR MAP

IN 2 SHEETS SCALE IN FEET SHEET NO. 2
 1000 2000 3000 4000 5000

U. S. ENGINEER OFFICE, PORTLAND, OREGON, DISTRICT

SUBMITTED: _____ APPROVED: _____ 19____

RECOMMENDED: _____ ENGINEER _____ MAJOR, CORPS OF ENGINEERS
 DISTRICT ENGINEER

1ST LIEUT. CORPS OF ENGINEERS
 SURVEYED & DRAWN BY U. S. G. S. TRACED BY: _____ CHECKED BY: J.P.#