



Oregon

John A. Kitzhaber, M.D., Governor

Water Resources Department

Commerce Building
158 12th Street NE
Salem, OR 97310-0210
(503) 378-3739
FAX (503) 378-8130

November 10, 1997

FILE#: P 80696

JAMES A SMEJHAL
42142 NW PALACE DR
BANKS , OR 97106

Dear Reservoir Owner,

You submitted a Notice of Exempt Reservoir under *ORS 537.405 (HB 2376)*. HB 2376 provided an opportunity for the Oregon Department of Fish and Wildlife to comment on how a specific reservoir(s) caused injury to an existing fishery resource. In addition the same law allowed members of the public to comment on how the storage or use of the water caused an injury to an existing water right. This comment period ended on August 1, 1997.

The Department received the attached injury allegation(s) related to your reservoir(s), as provided for in *ORS 537.405*. If you do not agree with the allegation of injury, please submit detailed information to the Department explaining why or how the allegation is in error. Your response must be postmarked no later than *December 10, 1997*.

The Department will review any submission you may make and determine if a Mitigation Order is required. If the Department finds that the allegation is factual and verifiable, the Department will issue a Mitigation Order requiring that the attached conditions, or other conditions that prove to be necessary after reviewing any information that is submitted, be met in order for the reservoir to maintain an exempt status.

If you receive a Mitigation Order, you may request a Contested Case Hearing to contest the findings of the Department and the allegation of injury. Information on how to request a Contested Case Hearing will be provided with the mitigation order, if issued.

If you have any questions, please call the Water Rights Information Group at (503) 378-3739 extension. 499.

Water Right Section

MITIGATION CONDITIONS

File # P- 80696

Date 11-7-97

DWI

Oregon Department of Fish and Wildlife Conditions

_____ In accordance with ORS 498.268 and ORS 509.605, install, maintain, and operate bypass devices as required by the Oregon Department of Fish and Wildlife that will provide adequate upstream passage for fish. (SMBS)

_____ Install, maintain, and operate fish screening devices as required by the Oregon Department of Fish and Wildlife to prevent fish from entering the diversion. (SMSS)

_____ The reservoir owner is required to by-pass flows from _____ through _____ . (BPC)

Water Right Related Conditions

_____ The pond may be filled one time only per year. No diversion of water to storage can occur during times all water rights are not met on the John Day river System. (KR1)

_____ If required by the Watermaster, the water user shall install and maintain a headgate, an in-line flow meter, weir, or other suitable device for measuring and recording the quantity of water diverted. The type and plans of the headgate and measuring device must be approved by the Watermaster (Department). (KR2)

_____ Live stream flow must be passed when required to satisfy existing water rights. In order to substantiate live flow is being passed, measuring devices may be required. (J)

_____ Live flow must be by-passed all year. (BSD)

_____ Any secondary use of stored water is limited each year to the capacity of the reservoir. (BSD2)

_____ The water user shall install and maintain a headgate, an in-line flow meter, weir, or other suitable device for measuring and recording the quantity of water diverted. The type and plans of the headgate and measuring device must be approved by the Department prior to beginning construction and shall be installed under the general supervision of the Department.

See P 2

_____ The following provision for a measuring device shall be effective:

_____ the pump system shall include an access port for measuring the water level;

_____ the pump system shall include an in-line flow meter or other suitable device for measuring the water to which the user is entitled;

_____ the type and plans of the measuring device be approved by the Watermaster before the beginning of construction work and that the measuring device be installed under the general supervision of said Watermaster.

_____ A totalizing flow meter must be installed at each diversion point. The totalizing flow meter must be installed and maintained as identified in OAR 690-507-645.

_____ A staff gage that measures the entire range and stage between full reservoir level dead pool storage must be installed in the reservoir. The staff gage shall be United States Geological Survey style porcelain enamel iron staff gage style A, C, E or I. Additionally, if the reservoir is located in channel then weirs or other suitable measuring devices must be installed upstream and downstream of the reservoir, and, a gated valve outlet must be installed.

✓ _____ Live stream flow must be by-passed between 5-1 and 11-30.

_____ The period of use has been limited to _____ through _____.

— No withdrawals allowed from stored water for any use.

RECEIVED

AUG 26 1997

WATER RESOURCES DEPT.
SALEM, OREGON

August 22, 1997

WATERMASTER EXEMPT POND ADDITIONAL COMMENTS

Tualatin Basin - District 18

Jerry Rodgers

P-80696

3N4W16 E $\frac{1}{2}$ NW $\frac{1}{4}$

James Smejkal

This pond is not as large as stated in the registration notice. My estimates are that storage capacity does not exceed 5 acre feet. The pond is in a forested area with no irrigable ground nearby or evidence of equipment on site. It is my opinion that there has never been any irrigation from this source. This registration does not meet the pre-existing (as of 1/31/1995) condition of the statute in regard to size or use.

Although there is no impact in the current condition, expanding the structure and authorizing water use for irrigation will have an impact on existing downstream water rights, including an instream water right established on the West Fork of Dairy Creek.

RECEIVED

JUL 29 1997

WATERMASTER COMMENTS FOR
HB 2153 CERTIFICATES
HB 2376 NOTICES

WATER RESOURCES DEPT.
SALEM, OREGON

Watermaster Name J. ROGERS
Date 7/24/97

RECEIVED

AUG 26 1997

WATER RESOURCES DEPT.
SALEM, OREGON

Please attach copy of HB 2153 Certificate.
HB 2376 Notice of Exempt Reservoir Application # P-80696

** Attach additional sheets if necessary.

Please specify which reservoir(s)/ponds(s) the comments pertain to:
Describe by name, number or Township Range Section and 1/4 1/4 if necessary. If comments refer to all reservoir listed please specify. Please provide enough information to accurately describe which reservoir the comment(s) pertains to.

3N 4W 16 E 1/4 NW 1/4

Does the reservoir/pond cause injury to an existing water right? Specify which water right and the evidence which supports that finding. *Please describe for each reservoir listed above. If the water right and the supporting evidence are the same please indicate.*

- WETLAND AREA - ENLARGED BY ROADFILL -
LESS THAN 1' DEPTH AT TIME OF VISIT DUE TO
PROBABLE SEEPAGE UNDER ROADFILL. - TOTAL STORAGE
CAPACITY IS LIKELY NO GREATER THAN 5 ACRE FEET.
- SITE IS LOCATED IN A FORESTED AREA WITHOUT
IRRIGABLE GROUND NEARBY - NO EVIDENCE OF IRRIGATION
PUMP OR EQUIPMENT ON SITE AND IN MY OPINION, SITE
IS UNLIKELY TO HAVE BEEN HISTORICALLY IRRIGATED
STOCK WATER, AQUATIC LIFE, & FIRE PROTECTION ARE
ACCEPTABLE USES.

*****SEE BACK OF PAGE FOR LIST OF CONDITIONS TO MITIGATE INJURY*****

RECEIVED

AUG 26 1997

**WATER RESOURCES DEPT.
DALEM, OREGON**

Which of the following conditions are required to mitigate the described injury?

(1)

The water user shall install and maintain a headgate, an in-line flow meter, weir, or other suitable device for measuring and recording the quantity of water diverted. The type and plans of the headgate and measuring device must be approved by the Department prior to beginning construction and shall be installed under the general supervision of the Department.

(2)

The following provision for a measuring device shall be effective:

- (a) the pump system shall include an access port for measuring the water level;
- (b) the pump system shall include an in-line flow meter or other suitable device for measuring the water to which the user is entitled;
- (c) the type and plans of the measuring device be approved by the Watermaster before the beginning of construction work and that the measuring device be installed under the general supervision of said Watermaster.

(3)

A totalizing flow meter must be installed at each diversion point. The totalizing flow meter must be installed and maintained as identified in OAR 690-507-645.

(4)

A staff gage that measures the entire range and stage between full reservoir level dead pool storage must be installed in the reservoir. The staff gage shall be United States Geological Survey style porcelain enamel iron staff gage style A, C, E or I. Additionally, if the reservoir is located in channel then weirs or other suitable measuring devices must be installed upstream and downstream of the reservoir, and, a gated valve outlet must be installed

*Please specify whether the installation of the weir(s) will provide no public benefit

(5)

Live stream flow must be by-passed between MAY and NOVEMBER
(WATER AVAILABILITY STANDARDS)

(6)

The period of use has been limited to _____ through _____.

Other (Please specify below)

RECEIVED

AUG 26 1997

WATER RESOURCES DEPT.
SALEM, OREGON

August 22, 1997

WATERMASTER EXEMPT POND ADDITIONAL COMMENTS

Tualatin Basin - District 18

Jerry Rodgers

P-80696

2N4W5 NESE

James Smejkal

This pond is not built as stated on the notice. There is no evidence of a dam on site. This registration does not meet the pre-existing (as of 1/31/1995) condition of the statute.

Although there is no impact with the current condition, building a structure and water use for irrigation will have an impact on existing downstream water rights including an instream water right established on the West Fork of Dairy Creek.

RECEIVED

JUL 29 1997

WATER RESOURCES DEPT.
SALEM, OREGON

WATERMASTER COMMENTS FOR
HB 2153 CERTIFICATES
HB 2376 NOTICES

Watermaster Name J. RODGERS
Date 7-24-97

RECEIVED

AUG 26 1997

WATER RESOURCES DEPT.
SALEM, OREGON

Please attach copy of HB 2153 Certificate.

HB 2376 Notice of Exempt Reservoir Application # P-80696

** Attach additional sheets if necessary.

Please specify which reservoir(s)/ponds(s) the comments pertain to:

Describe by name, number or Township Range Section and 1/4 1/4 if necessary. If comments refer to all reservoir listed please specify. Please provide enough information to accurately describe which reservoir the comment(s) pertains to.

2N 4W 5 NE SE

Does the reservoir/pond cause injury to an existing water right? Specify which water right and the evidence which supports that finding. Please describe for each reservoir listed above. If the water right and the supporting evidence are the same please indicate.

- INSPECT SITE & FOUND A DRY WETLAND AREA.
FOUND NO EVIDENCE OF A 6' DAM, OR STORAGE
FACILITY

- THERE WAS NO PUMP OR IRRIGATION EQUIPMENT
ON SITE AVAILABLE FOR USE.

*****SEE BACK OF PAGE FOR LIST OF CONDITIONS TO MITIGATE INJURY*****

RECEIVED

AUG 26 1997

WATER RESOURCES DEPT.
SALEM, OREGON

August 22, 1997

WATERMASTER EXEMPT POND ADDITIONAL COMMENTS
Tualatin Basin - District 18
Jerry Rodgers

P-80696
2N4W5 NWSE
James Smejkal

This pond is not built as stated on the notice. There is no evidence of a dam on site. This registration does not meet the pre-existing (as of 1/31/1995) condition of the statute.

Although there is no impact with the current condition, building a structure and water use for irrigation will have an impact on existing downstream water rights including an instream water right established on the West Fork of Dairy Creek.

RECEIVED

JUL 29 1997

WATERMASTER COMMENTS FOR
HB 2153 CERTIFICATES
HB 2376 NOTICES

WATER RESOURCES DEPT.
SALEM, OREGON

Watermaster Name J. RODGERS

Date 7-24-97

RECEIVED

AUG 26 1997

Please attach copy of HB 2153 Certificate.

HB 2376 Notice of Exempt Reservoir Application # P-80696

WATER RESOURCES DEPT.
SALEM, OREGON

** Attach additional sheets if necessary.

Please specify which reservoir(s)/pond(s) the comments pertain to:

Describe by name, number or Township Range Section and 1/4 1/4 if necessary. If comments refer to all reservoir listed please specify. Please provide enough information to accurately describe which reservoir the comment(s) pertains to.

<u>2N 4W 4 NW SE</u>	<u>TAX LOT 1101</u>

Does the reservoir/pond cause injury to an existing water right? Specify which water right and the evidence which supports that finding. Please describe for each reservoir listed above. If the water right and the supporting evidence are the same please indicate

- INSPECT SITE ON 7/24 AND FOUND NO EVIDENCE OF A DAM OR POND ON MENDENALL CREEK.

- I DO NOT RECALL A HISTORIC POND AT THIS LOCATION WITHIN THE LAST 5 YEARS. THIS IS A YEAR ROUND STREAM ~~AND~~ LIKELY TO HAVE GAME FISH PRESENT. FISH PASSAGE WOULD PROBABLY BE OF CONCERN TO OIB FW.

*****SEE BACK OF PAGE FOR LIST OF CONDITIONS TO MITIGATE INJURY*****

P-80696

ZW 4W 4 NW SE

Which of the following conditions are required to mitigate the described injury?

(1)

The water user shall install and maintain a headgate, an in-line flow meter, weir, or other suitable device for measuring and recording the quantity of water diverted. The type and plans of the headgate and measuring device must be approved by the Department prior to beginning construction and shall be installed under the general supervision of the Department.

RECEIVED

AUG 26 1997

WATER RESOURCES DEPT.
SALEM, OREGON

(2)

The following provision for a measuring device shall be effective:

- (a) the pump system shall include an access port for measuring the water level;
- (b) the pump system shall include an in-line flow meter or other suitable device for measuring the water to which the user is entitled;
- (c) the type and plans of the measuring device be approved by the Watermaster before the beginning of construction work and that the measuring device be installed under the general supervision of said Watermaster.

(3)

A totalizing flow meter must be installed at each diversion point. The totalizing flow meter must be installed and maintained as identified in OAR 690-507-645.

(4)

A staff gage that measures the entire range and stage between full reservoir level dead pool storage must be installed in the reservoir. The staff gage shall be United States Geological Survey style porcelain enamel iron staff gage style A, C, E or I. Additionally, if the reservoir is located in channel then weirs or other suitable measuring devices must be installed upstream and downstream of the reservoir, and, a gated valve outlet must be installed

*Please specify whether the installation of the weir(s) will provide no public benefit

(5)

Live stream flow must be by-passed between _____ and _____

(6)

The period of use has been limited to _____ through _____

Other (Please specify below)

FISH PASSAGE REQUIREMENTS ON THIS STREAM

RECEIVED

AUG 26 1997

**WATER RESOURCES DEPT.
SALEM, OREGON**

August 22, 1997

WATERMASTER EXEMPT POND ADDITIONAL COMMENTS

Tualatin Basin - District 18

Jerry Rodgers

P-80696

James Smejkal

This request is to maintain my original comments as part of the official file for this notice.

RECEIVED

AUG - 5 1997

WATER RESOURCES DEPT.
SALEM, OREGON

WATERMASTER COMMENTS FOR
HB 2153 CERTIFICATES
HB 2376 NOTICES

RECEIVED
JUL 30 1997
WATERMASTER
HILLSBORO, OR

Watermaster Name J. ROGERS
Date 7-30-97

RECEIVED

AUG 26 1997

WATER RESOURCES DEPT.
SALEM, OREGON

Please attach copy of HB 2153 Certificate.

HB 2376 Notice of Exempt Reservoir Application # P-80696

** Attach additional sheets if necessary.

JAMES SNEKAL

Please specify which reservoir(s)/ponds(s) the comments pertain to:
Describe by name, number or Township Range Section and 1/4 1/4 if necessary. If comments refer to all reservoir listed please specify. Please provide enough information to accurately describe which reservoir the comment(s) pertains to.

2N 3W 10 NW SW
1N 4W 7 NW SE
1N 2W 1 SW NE
2S 3W 10 SE NW

Does the reservoir/pond cause injury to an existing water right? Specify which water right and the evidence which supports that finding. *Please describe for each reservoir listed above. If the water right and the supporting evidence are the same please indicate.*

- SMALL PONDS WITH LIMITED IMPACT TO DOWNSTREAM USERS
- DISCUSS WITH APPLICANT - HE INDICATED THAT IRRIGATION WITHDRAWAL WAS NOT A HISTORICAL USE - ON SITE INSPECTIONS CONFIRMED THAT THERE IS NO PUMP, EQUIPMENT, OR EVIDENCE OF RECENT USE.
- PONDS WERE BUILT MOSTLY FOR AESTHETICS, STOCK WILDLIFE, AND FIRE PROTECTION, WHICH WILL HAVE NO IMPACT. - FUTURE WITHDRAWALS WILL IMPACT DOWNSTREAM USERS.

*****SEE BACK OF PAGE FOR LIST OF CONDITIONS TO MITIGATE INJURY*****

RECEIVED

AUG 26 1997

WATER RESOURCES DEPT.
SALEM, OREGON

Which of the following conditions are required to mitigate the described injury?

(1)

The water user shall install and maintain a headgate, an in-line flow meter, weir, or other suitable device for measuring and recording the quantity of water diverted. The type and plans of the headgate and measuring device must be approved by the Department prior to beginning construction and shall be installed under the general supervision of the Department.

(2)

The following provision for a measuring device shall be effective.

- (a) the pump system shall include an access port for measuring the water level;
- (b) the pump system shall include an in-line flow meter or other suitable device for measuring the water to which the user is entitled;
- (c) the type and plans of the measuring device be approved by the Watermaster before the beginning of construction work and that the measuring device be installed under the general supervision of said Watermaster.

(3)

A totalizing flow meter must be installed at each diversion point. The totalizing flow meter must be installed and maintained as identified in OAR 690-507-645.

(4)

A staff gage that measures the entire range and stage between full reservoir level dead pool storage must be installed in the reservoir. The staff gage shall be United States Geological Survey style porcelain enamel iron staff gage style A, C, E or I. Additionally, if the reservoir is located in channel then weirs or other suitable measuring devices must be installed upstream and downstream of the reservoir, and, a gated valve outlet must be installed

* Please specify whether the installation of the weir(s) will provide no public benefit

(5)

Live stream flow must be by-passed between MAY and NOV.

WATER AVAILABILITY STANDARDS.

(6)

The period of use has been limited to _____ through _____

Other (Please specify below)



Oregon

John A. Kitzhaber, M.D., Governor

Water Resources Department

Commerce Building

158 12th Street NE

Salem, OR 97310-0210

(503) 378-3739

FAX (503) 378-8130

January 16, 1998

JAMES A. SMEJHAL
42142 NW PALACE DR
BANKS, OR 97106

Reference: File P-80696

Dear Applicant:

Thank you for your continuing efforts in our program for authorizing exemptions for existing ponds and reservoirs. We know it has been a long and complicated process, and we appreciate your cooperation.

As indicated in our letters to you last November, we had previously received written comments indicating that your reservoir could be detrimental to fish or might cause injury to other water rights. You were provided an opportunity to submit additional information addressing those comments.


Since then, we have reviewed all the information available to us, and have determined that certain conditions are necessary to mitigate the potential harm to fish or other water rights. The enclosed Mitigation Order spells out the additional conditions we are proposing.

If you agree with these conditions, and comply with the Mitigation Order, the process will be complete.

If you disagree with this order, you may request a contested case hearing, and submit in writing your reasons why the order should be changed or rescinded. You may wish to submit maps or sketches to help us to better understand the particulars of your situation. Once we receive your request for a contested case hearing, we will contact you to discuss the situation and how we might be able to settle disagreements without holding a hearing. If we are unable to agree on a solution, we will schedule a contested case hearing at a time that is agreeable to both you and the Department. The appeal rights are described in more detail in the order enclosed.

Once again, thank you for your participation in this program. If you have any questions please call one of the water rights staff listed below. My extension number is 268.

Sincerely,



Dwight French
Water Rights Section Manager

Enclosures

cc: Watermaster

Russ Klassen	1-800-624-3199 Ext 266
Laura Snedaker	Ext 331
Dallas Miller	Ext 272

Oregon Water Resources Department
Water Rights Division

Notice of Existing Reservoir
Number P-80696

Reservoir Mitigation Order

Application History

A reservoir was constructed prior to January 1, 1995. As evidence of the right to store water, pursuant to ORS 537.405(2)(a), notice of existing reservoir was submitted.

Pursuant to ORS 537.405(4)(a) the Department has received information from Oregon Department of Fish and Wildlife demonstrating that the reservoir poses a significant detrimental impact to existing fishery resources.

Pursuant to ORS 537.405(4)(b) the Department has received information demonstrating that the reservoir results in injury to an existing water right.

ORS 537.405(7) specifies that "...the director shall require the owner of the reservoir to take appropriate action to mitigate injury to existing water rights or impact to the existing fishery resource."

Therefore, the Department has determined that with the following additional mitigation condition(s), the injury to existing water rights and/or detrimental impact to existing fishery resources, described above, will be mitigated.

Order

Live stream flow must be by-passed between MAY 1 and NOVEMBER 30.

The water user shall install and maintain a headgate, an in-line flow meter, weir, or other suitable device for measuring and recording the quantity of water diverted. The type and plans of the headgate and measuring device must be approved by the Department prior to beginning construction and shall be installed under the general supervision of the Department.


Stored water may not be withdrawn for any use.

Install, maintain, and operate fish screening devices as required by the Oregon Department of Fish and Wildlife to prevent fish from entering the diversion.

In accordance with ORS 498.268 and ORS 509.605, install, maintain, and operate bypass devices as required by the Oregon Department of Fish and Wildlife that will provide adequate upstream passage for fish.

Therefore, pursuant to ORS 537.405, the use evidenced by notice of existing reservoir number P-80696, shall be allowed to continue if the injury/negative impact of the reservoir is mitigated as described above.

DATED January 16, 1998


Martha O. Pagel
Director

Notice of Right to Contested Case Hearing

The owner of the reservoir that is the subject of this mitigation order may request a contested case hearing if the owner disagrees with the order. Most disagreements are settled through a series of informal discussions before the hearing date arrives.

If the department does not receive a request for hearing within the time stated in this notice you have waived your right to a hearing under ORS Chapter 183, unless your failure to request a hearing was beyond your reasonable control, as provided in OAR 137-03-075.

The record of this proceeding to date, including information in Department files on the subject of this proceeding, is automatically part of the contested case record upon default for the purpose of proving a prima facie case.

In order to process your request for a contested case hearing please include the following in writing:

- The reference number (located near the top right corner of the order.);
- Your name, address, and telephone number;
- A detailed description of why the condition(s) proposed in this order is not necessary to protect existing water rights or fishery resources;
- Any citation of legal authority to support your protest, if known.

Your request for a contested case hearing must be received by the Department no later than 60 days after the date of this order.

Send your request for a contested case hearing to:

Ponds Program Appeals
Water Rights Section
Oregon Water Resource Department
158 12th ST NE
Salem OR 97310



Oregon Water Resources Department
Notice of Exempt Reservoir

RECEIVED

DEC - 4 1995

For reservoirs built before January 1, 1995, that:

- Store less than 9.2 acre-feet of water, or
- Have a dam less than 10 feet high.

WATER RESOURCES DEPT.
 SALEM, OREGON

The deadline for submitting a Notice of Exempt Reservoir is January 31, 1997.

Landowner: Smejhal, JAMES A A
Last name First name MI

Authorized Agent: _____, _____
Last name First name MI

Address: 42142 NW PALACE DR
BANKS OREGON 97106
City State Zip

Phone: 503-374-4006 503-781-8601
Home Work

FAX: Same E-Mail Address: _____

A. County of use: WASHINGTON . B. River basin (see reverse): Willamette

C. Legal description of reservoir location:

Township	Range	Section	Quarter/Quarter	Tax Lot #
<u>N</u>	<u>2W</u>	<u>1</u>	<u>SW 1/4 NE 1/4</u>	<u>1300</u>

D. Name, if any, of reservoir: NO NAME . E. Reservoir in existence since: 6/1/75
MM DD YY

F. Source of water: ROCK CREEK WELL which flows into WILLAMETTE
Name of river or creek Name of river or creek

G. Maximum height of dam: 9 feet.

H. Quantity of water stored in reservoir at maximum capacity (see reverse): 0.10 acre-feet.

I. Water stored in reservoir is used for (see reverse): STOCK WATER, GOV AGRIC, IRRIGATION, AQUATIC
Fin. prot. LIFE

J. Rate and area of use—Refer to chart on the back of this form. For each type of water use listed in Item I., show the quantity of water used and, if applicable, the number of acres on which water is used.

BEFORE YOU SIGN AND SUBMIT THIS APPLICATION . . . HAVE YOU:
 Answered each question on this form as completely as possible?
 Attached a legible map showing township, section, range, quarter-quarter & tax lot number?

By my signature below, I swear that all statements made and information provided in this application are true to the best of my knowledge.

James A. Smejhal
 (Signature of Landowner/Agent)


JAMES A. Smejhal
 (Printed name and title)

11/17/95
 (Date)



Oregon's major river basins:

- | | | |
|---------------|-----------------|--------------|
| 1-North Coast | 8-Grande Ronde | 15-Rogue |
| 2-Willamette | 9-Powder | 16-Umpqua |
| 3-Sandy | 10-Malheur | 17-S. Coast |
| 4-Hood | 11-Owyhee | 18-Mid Coast |
| 5-Deschutes | 12-Malheur L. | 19-Columbia |
| 6-John Day | 13-Goose/Summer | 20-Snake |
| 7-Umatilla | 14-Klamath | |



Rate and Area of Use			
cfs-cubic feet per second		gpm-gallons per minute	
Agriculture, Land Management			
Gen. Agriculture	cfs/gpm	# acres	
Irrigation	cfs/gpm	# acres	
Stockwater	cfs/gpm	# acres	
Aquatic Life	cfs/gpm	# acres	
Other:	cfs/gpm	# acres	
Cranberry	cfs/gpm	# acres	
Nursery Operatn.	cfs/gpm	# acres	
Temp. Control	cfs/gpm	# acres	
Forest/Range Mgt	cfs/gpm	# acres	
Other:	cfs/gpm	# acres	
Industrial/Commercial Uses			
Industrial	cfs/gpm	_____	
Fire Protection	cfs/gpm	_____	
Power Dev.	cfs/gpm	_____	
Commercial	cfs/gpm	_____	
Mining	cfs/gpm	_____	
Other:	cfs/gpm	_____	
Drinking Water Supply			
Human Consumption	cfs/gpm	_____	
Domestic	cfs/gpm	_____	
Expanded	cfs/gpm	_____	
Domestic	cfs/gpm	_____	
Other:	cfs/gpm	_____	
Community Water Supply			
Municipal	cfs/gpm	_____	
Group Domestic	cfs/gpm	_____	
Other:	cfs/gpm	_____	
Quasi-Municipal	cfs/gpm	_____	
Storm Water Mgt	cfs/gpm	_____	
Other:	cfs/gpm	_____	
Environmental Benefits			
Pollution Abatement	cfs/gpm	_____	
Wetland Enhancement	cfs/gpm	_____	
Other:	cfs/gpm	_____	
Recreation	cfs/gpm	_____	
Wildlife	cfs/gpm	_____	
Other:	cfs/gpm	_____	

RECORD OF SURVEY

IN THE N.W. 1/4, AND THE N.E. 1/4
T. 1N., R. 2W., W.M., WASHINGTON CO.

RECEIVED

FOR: DAVE GRIFFITH

DEC - 4 1995


WATER RESOURCES DEPT.
SALEM, OREGON

LEGEND

- - SET 5/8" X 30" IRON ROD
CAP MARKED "UCI LS 1841"
- - FOUND MONUMENT AS NOTED
- I.P. - IRON PIPE
- I.R. - IRON ROD
- S.N. - SURVEY RECORD NUMBER
- C.S.R. - COUNTY SURVEY RECORD
- Y.P.C. - YELLOW PLASTIC CAP

REFERENCE SURVEY

SURVEY NUMBERS: 21420, 107
ORIGINAL G.L.O. TOWNSHIP PLAT



FIELD
wellhead
POND

Application No. *P-80696*
Permit No.

1/4 CORNER SECTION 1
BRASS CAP IN CONC.
PER MULT. CO. REFERENCE
FIELD BK. 1987, PG. 49.

N67°52'28"E
17.30' - (17.30'
PER S.N. 10733
& DEED BK. 90, PG. 80)

692.10' - (692.10' PER DEED BK.
90, PG. 80, & S.N. 10733)

1272.61'
(PRORATED PER G.L.O. PLAT)

S52°14'32"E
66.00' - (66.00'
PER S.N. 10733)

"A"
5/8" I.R. HELD
(SET IN S.N. 10733)

S58°34'00"E
36.00'

396.00'

S27°21'00"E
71.00'

14.00'
OFFSET

S18°10'00"E
33.00'

66.00'

S68°16'00"E
36.00'

S00°01'31"E

S74°18'00"E
33.00'

S15°00'00"E
93.00'

S36°01'00"E
80.00'

N00°01'31"W
5.72' OFFSET

5/8" I.R. N. 838, E. 041
(SET IN S.N. 10733)

947.46'

OLD PROPERTY LINE
FEE NO. 91-42955

ACRES

FENCE ALONG
PROPERTY LINE

10.00'

S00°01'31"E

645.99'

679.17'

645.99'

50.00'

1/2" I.P., W. 0.31
(NO RECORD)

50.00'
S89°58'29"W

CENTER OF SECTION 1
5/8" I.R. - ACCEPTED
AS SET IN S.N. 10733

5/8" I.R. WITH Y.P.C.
MARKED "PLS 131 CASWELL"
(SET IN S.N. 21420)



Oregon Water Resources Department Notice of Exempt Reservoir

For reservoirs built before January 1, 1995, that:

- Store less than 9.2 acre-feet of water, or
- Have a dam less than 10 feet high.

RECEIVED

DEC - 4 1995

WATER RESOURCES DEPT.
SALEM, OREGON

The deadline for submitting a Notice of Exempt Reservoir is January 31, 1997.

Landowner: SMEJHAL, JAMES A
Last name First name MI

Authorized Agent: _____, _____ MI
Last name First name MI

Address: 42142 NW PALACE DR

BANKS ORE 97106
City State Zip

Phone: 503-324-4006 503-781-8601
Home Work

FAX: same E-Mail Address: _____

A. County of use: WASHINGTON . B. River basin (see reverse): Willamette

C. Legal description of reservoir location:

Township	Range	Section	Quarter/Quarter	Tax Lot #
2N	4W	5	NE/4 SE/4	FD1

D. Name, if any, of reservoir: No NAME . E. Reservoir in existence since: 7 11 146
MM DD YY

F. Source of water: DAIRY CREEK which flows into TUALATIN
Name of river or creek Name of river or creek

G. Maximum height of dam: 6 feet.

H. Quantity of water stored in reservoir at maximum capacity (see reverse): 0.10 acre-feet.

I. Water stored in reservoir is used for (see reverse): Stockwater, irrigation, AQUATIC LIFE, Nursery

J. Rate and area of use—Refer to chart on the back of this form. For each type of water use listed in Item I., show the quantity of water used and, if applicable, the number of acres on which water is used.

BEFORE YOU SIGN AND SUBMIT THIS APPLICATION ... HAVE YOU:

Answered each question on this form as completely as possible?

Attached a legible map showing township, section, range, quarter-quarter & tax lot number?

By my signature below, I swear that all statements made and information provided in this application are true to the best of my knowledge.


James A. Smejhal
(Signature of Landowner/Agent)

JAMES A. SMEJHAL
(Printed name and title)

11/17/95
(Date)

Oregon's major river basins:

- | | | |
|---------------|-----------------|--------------|
| 1-North Coast | 8-Grande Ronde | 15-Rogue |
| 2-Willamette | 9-Powder | 16-Umpqua |
| 3-Sandy | 10-Malheur | 17-S. Coast |
| 4-Hood | 11-Owyhee | 18-Mid Coast |
| 5-Deschutes | 12-Malheur L. | 19-Columbia |
| 6-John Day | 13-Goose/Summer | 20-Snake |
| 7-Umatilla | 14-Klamath | |




Rate and Area of Use			
cfs-cubic feet per second		gpm-gallons per minute	
Agriculture, Land Management			
Gen. Agriculture	cfs/gpm	# acres	_____
Irrigation	cfs/gpm	# acres	_____
Stockwater	cfs/gpm	# acres	_____
Aquatic Life	cfs/gpm	# acres	_____
Other:	cfs/gpm	# acres	_____
Cranberry	cfs/gpm	# acres	_____
Nursery Operatn.	cfs/gpm	# acres	_____
Temp. Control	cfs/gpm	# acres	_____
Forest/Range Mgt	cfs/gpm	# acres	_____
Other:	cfs/gpm	# acres	_____
Industrial/Commercial Uses			
Industrial	cfs/gpm	_____	_____
Fire Protection	cfs/gpm	_____	_____
Power Dev.	cfs/gpm	_____	_____
Commercial	cfs/gpm	_____	_____
Mining	cfs/gpm	_____	_____
Other:	cfs/gpm	_____	_____
Drinking Water Supply			
Human Consumption	cfs/gpm	_____	_____
Domestic	cfs/gpm	_____	_____
Expanded	cfs/gpm	_____	_____
Domestic	cfs/gpm	_____	_____
Other:	cfs/gpm	_____	_____
Community Water Supply			
Municipal	cfs/gpm	_____	_____
Group Domestic	cfs/gpm	_____	_____
Other:	cfs/gpm	_____	_____
Quasi-Municipal	cfs/gpm	_____	_____
Storm Water Mgt	cfs/gpm	_____	_____
Other:	cfs/gpm	_____	_____
Environmental Benefits			
Pollution Abatement	cfs/gpm	_____	_____
Wetland Enhancement	cfs/gpm	_____	_____
Other:	cfs/gpm	_____	_____
Recreation	cfs/gpm	_____	_____
Wildlife	cfs/gpm	_____	_____
Other:	cfs/gpm	_____	_____

ATTACHMENT A VICINITY MAP

Page 2

TAX MAP/LOT NO. 2N4 5 801 CASE FILE NO. 94-481-AD



▲ NORTH

▨ AREA OF CONSIDERATION

SCALE: 1" TO 400'

SITE & SURROUNDING LAND USE DISTRICTS:

AF-20 DISTRICT (AGRICULTURE & FORESTRY)
AF-5 DISTRICT (AGRICULTURE & FOREST)

Application No. 80696
Permit No.

REVIEW STANDARDS FROM CURRENT OR APPLICABLE ORDINANCE OR PLAN

- A. WASHINGTON COUNTY COMPREHENSIVE PLAN
- B. RURAL/NATURAL RESOURCE ELEMENT
- C. TRANSPORTATION PLAN
- D. WASHINGTON COUNTY COMMUNITY DEVELOPMENT CODE:
ARTICLE I, INTRODUCTION & GENERAL PROVISIONS
ARTICLE II, PROCEDURES
ARTICLE III, LAND USE DISTRICTS
ARTICLE IV, DEVELOPMENT STANDARDS
ARTICLE V, PUBLIC FACILITIES AND SERVICES
ARTICLE VI, LAND DIV. & LOT LINE ADJUSTMENTS
ARTICLE VII, PUBLIC TRANSPORTATION FACILITIES
- E. R & O 86-95 TRAFFIC SAFETY IMPROVEMENTS
- F. ORD. NO. 318 UNIFORM ROAD IMPROVEMENT STANDARDS
- G. ORD. NO. 379 TRAFFIC IMPACT FEE



Oregon Water Resources Department Notice of Exempt Reservoir

For reservoirs built before January 1, 1995, that:

- Store less than 9.2 acre-feet of water, or
- Have a dam less than 10 feet high.

The deadline for submitting a Notice of Exempt Reservoir is January 31, 1997.

RECEIVED

DEC - 4 1995

WATER RESOURCES DEPT.
SALEM, OREGON

Landowner: SMEJHAL, JAMES M A
Last name First name MI

Authorized Agent: _____, _____
Last name First name MI

Address: 42142 NW PALACE DR
BANKS OREGON 97106
City State Zip

Phone: 503-324-4006 503-781-8601
Home Work

FAX: Same E-Mail Address: _____

A. County of use: WASHINGTON . B. River basin (see reverse): WILLAMETTE

C. Legal description of reservoir location:

Township	Range	Section	Quarter/Quarter	Tax Lot #
<u>IN</u>	<u>4W</u>	<u>7</u>	<u>NW 1/4 SE 1/4</u>	<u>1901</u>

D. Name, if any, of reservoir: NO NAMES . E. Reservoir in existence since: 6 13 193
MM DD YY

F. Source of water: SPRING which flows into WILLAMETTE
Name of river or creek Name of river or creek

G. Maximum height of dam: 9 feet.

H. Quantity of water stored in reservoir at maximum capacity (see reverse): 0.10 acre-feet.

I. Water stored in reservoir is used for (see reverse): Stockwater, Aquatic Life, Gen Agr, Irrigation
Fire prot.

J. Rate and area of use—Refer to chart on the back of this form. For each type of water use listed in Item I., show the quantity of water used and, if applicable, the number of acres on which water is used.

BEFORE YOU SIGN AND SUBMIT THIS APPLICATION . . . HAVE YOU:

- Answered each question on this form as completely as possible?
- Attached a legible map showing township, section, range, quarter-quarter & tax lot number?

By my signature below, I swear that all statements made and information provided in this application are true to the best of my knowledge.


James A. Smejhal
(Signature of Landowner/Agent)

JAMES A. SMEJHAL
(Printed name and title)

11/17/95
(Date)

Oregon's major river basins:

- | | | |
|---------------|-----------------|--------------|
| 1-North Coast | 8-Grande Ronde | 15-Rogue |
| 2-Willamette | 9-Powder | 16.Umpqua |
| 3-Sandy | 10-Malheur | 17-S. Coast |
| 4-Hood | 11-Owyhee | 18-Mid Coast |
| 5-Deschutes | 12-Malheur L. | 19-Columbia |
| 6-John Day | 13-Goose/Summer | 20-Snake |
| 7-Umatilla | 14-Klamath | |




Rate and Area of Use			
cfs-cubic feet per second		gpm-gallons per minute	
Agriculture, Land Management			
Gen. Agriculture	cfs/gpm	# acres	
Irrigation	cfs/gpm	# acres	
Stockwater	cfs/gpm	# acres	
Aquatic Life	cfs/gpm	# acres	
Other:	cfs/gpm	# acres	
Cranberry	cfs/gpm	# acres	
Nursery Operatn.	cfs/gpm	# acres	
Temp. Control	cfs/gpm	# acres	
Forest/Range Mgt	cfs/gpm	# acres	
Other:	cfs/gpm	# acres	
Industrial/Commercial Uses			
Industrial	cfs/gpm	_____	
Fire Protection	cfs/gpm	_____	
Power Dev.	cfs/gpm	_____	
Commercial	cfs/gpm	_____	
Mining	cfs/gpm	_____	
Other:	cfs/gpm	_____	
Drinking Water Supply			
Human Consumption	cfs/gpm	_____	
Domestic	cfs/gpm	_____	
Expanded	cfs/gpm	_____	
Domestic	cfs/gpm	_____	
Other:	cfs/gpm	_____	
Community Water Supply			
Municipal	cfs/gpm	_____	
Group Domestic	cfs/gpm	_____	
Other:	cfs/gpm	_____	
Quasi-Municipal	cfs/gpm	_____	
Storm Water Mgt	cfs/gpm	_____	
Other:	cfs/gpm	_____	
Environmental Benefits			
Pollution Abatement	cfs/gpm	_____	
Wetland Enhancement	cfs/gpm	_____	
Other:	cfs/gpm	_____	
Recreation	cfs/gpm	_____	
Wildlife	cfs/gpm	_____	
Other:	cfs/gpm	_____	



Fidelity National Title Co. of Oregon

The sketch below is made solely for the purpose of assisting in locating said premises and the Company assumes no liability for variations, if any, in dimensions and location ascertained by actual survey. # 1N47



RECEIVED
DEC - 4 1995

WATER RESOURCES DEPT
SALEM, OREGON

15-1 AND OR 15-31

15-3

FOR ASSESSMENT ONLY. DO NOT FOR ANY OTHER USE

Application No. P-80696
Permit No.

SEE MAP IN 4 18

7 8
18 17



Oregon Water Resources Department Notice of Exempt Reservoir

For reservoirs built before January 1, 1995, that:

- Store less than 9.2 acre-feet of water, or
- Have a dam less than 10 feet high.

The deadline for submitting a Notice of Exempt Reservoir is January 31, 1997.

RECEIVED

DEC - 4 1995

WATER RESOURCES DEPT.
SALEM, OREGON

Landowner: SMEJKAL, JAMES A
Last name First name MI

Authorized Agent: _____, _____
Last name First name MI

Address: 42142 NW PALACE DR
BANKS OREGON 97106
City State Zip

Phone: 503-324-4006 503-781-8601
Home Work

FAX: SAME E-Mail Address: _____

A. County of use: WASHINGTON . B. River basin (see reverse): WILLAMETTE

C. Legal description of reservoir location:

Township	Range	Section	Quarter/Quarter	Tax Lot #
<u>T2S</u>	<u>R3W</u>	<u>10</u>	<u>SE1/4 NW1/4</u>	<u>100</u>

D. Name, if any, of reservoir: NO NAME . E. Reservoir in existence since: 6/1/80
MM DD YY

F. Source of water: SPRING which flows into WILLAMETTE
Name of river or creek Name of river or creek

G. Maximum height of dam: 9 feet.

H. Quantity of water stored in reservoir at maximum capacity (see reverse): 0.10 acre-feet.

I. Water stored in reservoir is used for (see reverse): Stockwater, Irrigation, Gen Agr. Aquatic Life
Fine Prot.

J. Rate and area of use—Refer to chart on the back of this form. For each type of water use listed in Item I., show the quantity of water used and, if applicable, the number of acres on which water is used.

BEFORE YOU SIGN AND SUBMIT THIS APPLICATION . . . HAVE YOU:

Answered each question on this form as completely as possible?



Attached a legible map showing township, section, range, quarter-quarter & tax lot number?

By my signature below, I swear that all statements made and information provided in this application are true to the best of my knowledge.

James A. Smejkal JAMES A. SMEJKAL 11/17/95
Signature of Landowner/Agent (Printed name and title) (Date)

Oregon's major river basins:

- | | | |
|---------------|-----------------|--------------|
| 1-North Coast | 8-Grande Ronde | 15-Rogue |
| 2-Willamette | 9-Powder | 16-Umpqua |
| 3-Sandy | 10-Malheur | 17-S. Coast |
| 4-Hood | 11-Owyhee | 18-Mid Coast |
| 5-Deschutes | 12-Malheur L. | 19-Columbia |
| 6-John Day | 13-Goose/Summer | 20-Snake |
| 7-Umatilla | 14-Klamath | |



Rate and Area of Use			
cfs-cubic feet per second		gpm-gallons per minute	
Agriculture, Land Management			
Gen. Agriculture	cfs/gpm	# acres	
Irrigation	cfs/gpm	# acres	
Stockwater	cfs/gpm	# acres	
Aquatic Life	cfs/gpm	# acres	
Other:	cfs/gpm	# acres	
Cranberry	cfs/gpm	# acres	
Nursery Operatn.	cfs/gpm	# acres	
Temp. Control	cfs/gpm	# acres	
Forest/Range Mgt	cfs/gpm	# acres	
Other:	cfs/gpm	# acres	
Industrial/Commercial Uses			
Industrial	cfs/gpm	_____	
Fire Protection	cfs/gpm	_____	
Power Dev.	cfs/gpm	_____	
Commercial	cfs/gpm	_____	
Mining	cfs/gpm	_____	
Other:	cfs/gpm	_____	
Drinking Water Supply			
Human Consumption	cfs/gpm	_____	
Domestic	cfs/gpm	_____	
Expanded	cfs/gpm	_____	
Domestic	cfs/gpm	_____	
Other:	cfs/gpm	_____	
Community Water Supply			
Municipal	cfs/gpm	_____	
Group Domestic	cfs/gpm	_____	
Other:	cfs/gpm	_____	
Quasi-Municipal	cfs/gpm	_____	
Storm Water Mgt	cfs/gpm	_____	
Other:	cfs/gpm	_____	
Environmental Benefits			
Pollution Abatement	cfs/gpm	_____	
Wetland Enhancement	cfs/gpm	_____	
Other:	cfs/gpm	_____	
Recreation	cfs/gpm	_____	
Wildlife	cfs/gpm	_____	
Other:	cfs/gpm	_____	

Transamerica SKETCH OF PROPERTY SET OUT IN ATTACHED ORDER

To assist in locating the premises. It is not based on a survey, and the company assumes no liability for variations, if any, in dimensions and location.




SW 1/4 SECTION 10 T2S R5W W.M.C.

WASHINGTON COUNTY OREGON

SCALE 1" = 200'

SEE MAP
25 B 108



RECEIVED
DEC - 4 1995
WATER RESOURCES DEPT.
SALEM, OREGON

58-3

POND →

Application No. 80696
Permit No.



Oregon Water Resources Department Notice of Exempt Reservoir

For reservoirs built before January 1, 1995, that:

- Store less than 9.2 acre-feet of water, or
- Have a dam less than 10 feet high.

The deadline for submitting a Notice of Exempt Reservoir is January 31, 1997.

RECEIVED
DEC - 4 1995
WATER RESOURCES DEPT.
SALEM, OREGON

Landowner: JMEJKAL, JAMES A
Last name First name MI

Authorized Agent: _____, _____ MI
Last name First name MI

Address: _____
42142 NW PALACE DR
BANKS ONE 97106

Phone: 503-324-4006 503-781-8601
City State Zip
Home Work

FAX: same E-Mail Address: _____

A. County of use: WASHINGTON B. River basin (see reverse): WILLAMETTE

C. Legal description of reservoir location:

Township	Range	Section	Quarter/Quarter	Tax Lot #
<u>2N</u>	<u>4W</u>	<u>4</u>	<u>NW 1/4 SE 1/4</u>	<u>590 1001</u>

D. Name, if any, of reservoir: _____ E. Reservoir in existence since: 6/11/70
MM DD YY

F. Source of water: Mendenhall which flows into TUALATIN
Name of river or creek Name of river or creek

G. Maximum height of dam: 9 feet.

H. Quantity of water stored in reservoir at maximum capacity (see reverse): 0.30 acre-feet.

I. Water stored in reservoir is used for (see reverse): Stock water, Gen Agr, Fire prot, Aquatic Life

J. Rate and area of use—Refer to chart on the back of this form. For each type of water use listed in Item I., show the quantity of water used and, if applicable, the number of acres on which water is used.


BEFORE YOU SIGN AND SUBMIT THIS APPLICATION . . . HAVE YOU:
 Answered each question on this form as completely as possible?
 Attached a legible map showing township, section, range, quarter-quarter & tax lot number?

By my signature below, I swear that all statements made and information provided in this application are true to the best of my knowledge.

James A Smejkal JAMES A Smejkal 11/17/95
(Signature of Landowner/Agent) (Printed name and title) (Date)

Oregon's major river basins:

- | | | |
|---------------|-----------------|--------------|
| 1-North Coast | 8-Grande Ronde | 15-Rogue |
| 2-Willamette | 9-Powder | 16-Umpqua |
| 3-Sandy | 10-Malheur | 17-S. Coast |
| 4-Hood | 11-Owyhee | 18-Mid Coast |
| 5-Deschutes | 12-Malheur L. | 19-Columbia |
| 6-John Day | 13-Goose/Summer | 20-Snake |
| 7-Umatilla | 14-Klamath | |



Rate and Area of Use			
cfs-cubic feet per second		gpm-gallons per minute	
Agriculture, Land Management			
Gen. Agriculture	cfs/gpm	# acres	_____
Irrigation	cfs/gpm	# acres	_____
Stockwater	cfs/gpm	# acres	_____
Aquatic Life	cfs/gpm	# acres	_____
Other:	cfs/gpm	# acres	_____
Cranberry	cfs/gpm	# acres	_____
Nursery Operatn.	cfs/gpm	# acres	_____
Temp. Control	cfs/gpm	# acres	_____
Forest/Range Mgt	cfs/gpm	# acres	_____
Other:	cfs/gpm	# acres	_____
Industrial/Commercial Uses			
Industrial	cfs/gpm	_____	_____
Fire Protection	cfs/gpm	_____	_____
Power Dev.	cfs/gpm	_____	_____
Commercial	cfs/gpm	_____	_____
Mining	cfs/gpm	_____	_____
Other:	cfs/gpm	_____	_____
Drinking Water Supply			
Human Consumption	cfs/gpm	_____	_____
Domestic	cfs/gpm	_____	_____
Expanded	cfs/gpm	_____	_____
Domestic	cfs/gpm	_____	_____
Other:	cfs/gpm	_____	_____
Community Water Supply			
Municipal	cfs/gpm	_____	_____
Group Domestic	cfs/gpm	_____	_____
Other:	cfs/gpm	_____	_____
Quasi-Municipal	cfs/gpm	_____	_____
Storm Water Mgt	cfs/gpm	_____	_____
Other:	cfs/gpm	_____	_____
Environmental Benefits			
Pollution Abatement	cfs/gpm	_____	_____
Wetland Enhancement	cfs/gpm	_____	_____
Other:	cfs/gpm	_____	_____
Recreation	cfs/gpm	_____	_____
Wildlife	cfs/gpm	_____	_____
Other:	cfs/gpm	_____	_____


SECTION 4 T2N R4W W.M.

WASHINGTON COUNTY OREGON

SCALE 1" = 400'

RECORDED
DEC - 4 1995
SALEM, OREGON DEPT.

SEE MAP
3N 4 33



SEE MAP 2N4 4BA
LOT 3 42.66 Ac.

500
11.0 Ac.
600
62.04 Ac.
LOT 2 42.82 Ac.

200
5.0 Ac.

400
65.00 Ac. LOT

Application No. 80696
Permit No.

13-14

SEE MAP 2N4 4BD

1101
4.00 Ac.
1100
31.55 Ac.
14578

8.94 CH.
590'
1002
7.72 Ac.

201.88
903
1.02 Ac.
902
4.78 Ac.
See C.S. 10696

900
26.47 Ac.

700
38.77 Ac.

TAX LOTTED ON MAP

I.C.S. No. 125(2)

BACONA RD.

MATCH LINE

S10°23'W 8.57 CH.

S1°02'W 30 CH. WL

S50°59'



Oregon Water Resources Department Notice of Exempt Reservoir

For reservoirs built before January 1, 1995, that:

- Store less than 9.2 acre-feet of water, or
- Have a dam less than 10 feet high.

The deadline for submitting a Notice of Exempt Reservoir is January 31, 1997.

RECEIVED

DEC - 4 1995

WATER RESOURCES DEPT.
SALEM, OREGON

Landowner: SMEJKAL, JAMES A
Last name First name MI

Authorized Agent: _____
Last name First name MI

Address: 42142 NW PALACE DR
BANKS, OREGON

City: _____ State: _____ Zip: 97106

Phone: 324-4006 Home: _____ Work: _____
FAX: 324-4006 E-Mail Address: 781-8601

A. County of use: WASHINGTON B. River basin (see reverse): TUALATIN WILLAMETTE

C. Legal description of reservoir location:

Township	Range	Section	Quarter/Quarter	Tax Lot #
<u>2N</u>	<u>3W</u>	<u>10</u>	<u>NW 1/4 SW 1/4</u>	<u>500</u>

D. Name, if any, of reservoir: NO NAME E. Reservoir in existence since: 6/1/80
MM DD YY

F. Source of water: SPRING which flows into DAIRY CREEK
Name of river or creek Name of river or creek

G. Maximum height of dam: 9 feet.

H. Quantity of water stored in reservoir at maximum capacity (see reverse): 0.10 acre-feet.

I. Water stored in reservoir is used for (see reverse): SOIL AGRIC, STOCKWATER IRRIGATION
AQUATIC LIFE, FINE PROTI

J. Rate and area of use—Refer to chart on the back of this form. For each type of water use listed in Item I, show the quantity of water used and, if applicable, the number of acres on which water is used.

BEFORE YOU SIGN AND SUBMIT THIS APPLICATION . . . HAVE YOU:

Answered each question on this form as completely as possible?

Attached a legible map showing township, section, range, quarter-quarter & tax lot number?


By my signature below, I swear that all statements made and information provided in this application are true to the best of my knowledge.

James A. Smejkal JAMES A. SMEJKAL 11/17/95
(Signature of Landowner/Agent) (Printed name and title) (Date)




Oregon's major river basins:

- | | | |
|---------------|-----------------|--------------|
| 1-North Coast | 8-Grande Ronde | 15-Rogue |
| 2-Willamette | 9-Powder | 16-Umpqua |
| 3-Sandy | 10-Malheur | 17-S. Coast |
| 4-Hood | 11-Owyhee | 18-Mid Coast |
| 5-Deschutes | 12-Malheur L. | 19-Columbia |
| 6-John Day | 13-Goose/Summer | 20-Snake |
| 7-Umatilla | 14-Klamath | |



Rate and Area of Use			
		<small>cfs-cubic feet per second</small>	<small>gpm-gallons per minute</small>
Agriculture, Land Management			
Gen. Agriculture	cfs/gpm	<input checked="" type="checkbox"/> # acres	_____
Irrigation	cfs/gpm	<input checked="" type="checkbox"/> # acres	_____
Stockwater	cfs/gpm	<input checked="" type="checkbox"/> # acres	_____
Aquatic Life	cfs/gpm	<input checked="" type="checkbox"/> # acres	_____
Other:	cfs/gpm	_____	# acres _____
Cranberry	cfs/gpm	_____	# acres _____
Nursery Operatn.	cfs/gpm	_____	# acres _____
Temp. Control	cfs/gpm	_____	# acres _____
Forest/Range Mgt	cfs/gpm	_____	# acres _____
Other:	cfs/gpm	_____	# acres _____
Industrial/Commercial Uses			
Industrial	cfs/gpm	_____	_____
Fire Protection	cfs/gpm	<input checked="" type="checkbox"/>	_____
Power Dev.	cfs/gpm	_____	_____
Commercial	cfs/gpm	_____	_____
Mining	cfs/gpm	_____	_____
Other:	cfs/gpm	_____	_____
Drinking Water Supply			
Human Consumption	cfs/gpm	_____	_____
Domestic	cfs/gpm	_____	_____
Expanded	cfs/gpm	_____	_____
Domestic	cfs/gpm	_____	_____
Other:	cfs/gpm	_____	_____
Community Water Supply			
Municipal	cfs/gpm	_____	_____
Group Domestic	cfs/gpm	_____	_____
Other:	cfs/gpm	_____	_____
Quasi-Municipal	cfs/gpm	_____	_____
Storm Water Mgt	cfs/gpm	_____	_____
Other:	cfs/gpm	_____	_____
Environmental Benefits			
Pollution Abatement	cfs/gpm	_____	_____
Wetland Enhancement	cfs/gpm	_____	_____
Other:	cfs/gpm	_____	_____
Recreation	cfs/gpm	_____	_____
Wildlife	cfs/gpm	_____	_____
Other:	cfs/gpm	_____	_____



↑ NORTH
SCALE: 1" TO 800'

■ DWELLING SITE

SITE & SURROUNDING LAND USE DISTRICTS:

EFC DISTRICT (EXCLUSIVE FOREST & CONSERVATION)
EFU DISTRICT (EXCLUSIVE FARM USE)

Application No. *P-80696*
Permit No.

REVIEW STANDARDS FROM CURRENT OR APPLICABLE ORDINANCE OR PLAN

- A. WASHINGTON COUNTY COMPREHENSIVE PLAN
- B. RURAL/NATURAL RESOURCE ELEMENT
- C. TRANSPORTATION PLAN
- D. WASHINGTON COUNTY COMMUNITY DEVELOPMENT CODE:
 - ARTICLE I, INTRODUCTION & GENERAL PROVISIONS
 - ARTICLE II, PROCEDURES
 - ARTICLE III, LAND USE DISTRICTS
 - ARTICLE IV, DEVELOPMENT STANDARDS
 - ARTICLE V, PUBLIC FACILITIES AND SERVICES
 - ARTICLE VI, LAND DIV. & LOT LINE ADJUSTMENTS
 - ARTICLE VII, PUBLIC TRANSPORTATION FACILITIES
- E. R & O 86-85 TRAFFIC SAFETY IMPROVEMENTS
- F. ORD. NO. 318 UNIFORM ROAD IMPROVEMENT STANDARDS
- G. ORD. NO. 379 TRAFFIC IMPACT FEE



Oregon Water Resources Department Notice of Exempt Reservoir

For reservoirs built before January 1, 1995, that:

- Store less than 9.2 acre-feet of water, or
- Have a dam less than 10 feet high.

The deadline for submitting a Notice of Exempt Reservoir is January 31, 1995. WATER RESOURCES DEPT. SALEM, OREGON

RECEIVED

DEC - 4 1995

Landowner: SMEJKAL, JAMES I A
Last name First name MI

Authorized Agent: _____, _____
Last name First name MI

Address: 42142 NW PALACE DR
BANKS OREGON 97106
City State Zip

Phone: 503-324-4006 503-781-8601
Home Work

FAX: Same E-Mail Address: _____

A. County of use: WASHINGTON B. River basin (see reverse) WILLAMETTE

C. Legal description of reservoir location:

Township	Range	Section	Quarter/Quarter	Tax Lot #
<u>3N</u>	<u>4W</u>	<u>16</u>	<u>E 1/2 NW 1/4</u>	

D. Name, if any, of reservoir: NO NAME E. Reservoir in existence since: 7 11 159
MM DD YY

F. Source of water: DAILY CRK which flows into WILLAMETTE RIVER
Name of river or creek Name of river or creek

G. Maximum height of dam: 9 feet.

H. Quantity of water stored in reservoir at maximum capacity (see reverse): 9.2 acre-feet.

I. Water stored in reservoir is used for (see reverse): stock water, irrigation, aquatic life, fine fish.

J. Rate and area of use—Refer to chart on the back of this form. For each type of water use listed in Item I., show the quantity of water used and, if applicable, the number of acres on which water is used.

BEFORE YOU SIGN AND SUBMIT THIS APPLICATION ... HAVE YOU:

Answered each question on this form as completely as possible?

Attached a legible map showing township, section, range, quarter-quarter & tax lot number?


By my signature below, I swear that all statements made and information provided in this application are true to the best of my knowledge.

[Signature] JAMES A. SMEJKAL 11/17/95
(Signature of Landowner/Agent) (Printed name and title) (Date)



Oregon's major river basins:

- | | | |
|---------------|-----------------|--------------|
| 1-North Coast | 8-Grande Ronde | 15-Rogue |
| 2-Willamette | 9-Powder | 16-Umpqua |
| 3-Sandy | 10-Malheur | 17-S. Coast |
| 4-Hood | 11-Owyhee | 18-Mid Coast |
| 5-Deschutes | 12-Malheur L. | 19-Columbia |
| 6-John Day | 13-Goose/Summer | 20-Snake |
| 7-Umatilla | 14-Klamath | |




Rate and Area of Use					
cfs-cubic feet per second		gpm-gallons per minute			
Agriculture, Land Management					
Gen. Agriculture	cfs/gpm	# acres	_____		
Irrigation	cfs/gpm	# acres	_____		
Stockwater	cfs/gpm	# acres	_____		
Aquatic Life	cfs/gpm	# acres	_____		
Other:	cfs/gpm	# acres	_____		
Cranberry	cfs/gpm	# acres	_____		
Nursery Operatn.	cfs/gpm	# acres	_____		
Temp. Control	cfs/gpm	# acres	_____		
Forest/Range Mgt	cfs/gpm	# acres	_____		
Other:	cfs/gpm	# acres	_____		
Industrial/Commercial Uses					
Industrial	cfs/gpm	_____	Commercial	cfs/gpm	_____
Fire Protection	cfs/gpm	_____	Mining	cfs/gpm	_____
Power Dev.	cfs/gpm	_____	Other:	cfs/gpm	_____
Drinking Water Supply					
Human Consumption	cfs/gpm	_____	Domestic	cfs/gpm	_____
Domestic Expanded	cfs/gpm	_____	Other:	cfs/gpm	_____
Community Water Supply					
Municipal	cfs/gpm	_____	Quasi-Municipal	cfs/gpm	_____
Group Domestic	cfs/gpm	_____	Storm Water Mgt	cfs/gpm	_____
Other:	cfs/gpm	_____	Other:	cfs/gpm	_____
Environmental Benefits					
Pollution Abatement	cfs/gpm	_____	Recreation	cfs/gpm	_____
Wetland Enhancement	cfs/gpm	_____	Wildlife	cfs/gpm	_____
Other:	cfs/gpm	_____	Other:	cfs/gpm	_____

T. 3 N., R. 4 W.

RECEIVED

DEC - 4 1995

WATER RESOURCES DEPT.
SALEM, OREGON



Application No. **R-20696**
 Permit No.