

Water Right Conditions  
Tracking Slip

Groundwater/Hydrology Section

FILE # # G-17564

ROUTED TO: W.R.

TOWNSHIP/  
RANGE-SECTION: 2N/30E 1

CONDITIONS ATTACHED?:  yes  no

REMARKS OR FURTHER INSTRUCTIONS:

\_\_\_\_\_  
\_\_\_\_\_  
Reviewer: Mark A. Porter



**PUBLIC INTEREST REVIEW FOR GROUNDWATER APPLICATIONS**

TO: Water Rights Section Date October 2, 2012  
 FROM: Groundwater Section Marc Norton Reviewer's Name  
 SUBJECT: Application G- 17564 Supersedes review of \_\_\_\_\_  
Date of Review(s)

**PUBLIC INTEREST PRESUMPTION; GROUNDWATER**

**OAR 690-310-130 (1)** *The Department shall presume that a proposed groundwater use will ensure the preservation of the public welfare, safety and health as described in ORS 537.525.* Department staff review groundwater applications under OAR 690-310-140 to determine whether the presumption is established. OAR 690-310-140 allows the proposed use be modified or conditioned to meet the presumption criteria. **This review is based upon available information and agency policies in place at the time of evaluation.**

**A. GENERAL INFORMATION:** Applicant's Name: Tyler Bowman County: Umatilla

- A1. Applicant(s) seek(s) 0.31 cfs from 1 well(s) in the Umatilla Basin,  
 \_\_\_\_\_ subbasin Quad Map: Barnhart
- A2. Proposed use Irrigation of 25 acres Seasonality: March 1<sup>st</sup> – October 31st
- A3. Well and aquifer data (attach and number logs for existing wells; mark proposed wells as such under logid):

| Well | Logid  | Applicant's Well # | Proposed Aquifer* | Proposed Rate(cfs) | Location (T/R-S QQ-Q) | Location, metes and bounds, e.g. 2250' N, 1200' E fr NW cor S 36 |
|------|--------|--------------------|-------------------|--------------------|-----------------------|--|
| 1    | UMAT 1 | 1                  | CRBG              | 0.31               | 02N/30E-01 SW SW      | 730' N, 300' E fr SW cor S 1                                     |
| 2    |        |                    |                   |                    |                       |  |
| 3    |        |                    |                   |                    |                       |  |
| 4    |        |                    |                   |                    |                       |  |
| 5    |        |                    |                   |                    |                       |  |

\* Alluvium, CRB, Bedrock

| Well | Well Elev ft msl | First Water ft bls | SWL ft bls | SWL Date  | Well Depth (ft) | Seal Interval (ft) | Casing Intervals (ft) | Liner Intervals (ft) | Perforations Or Screens (ft) | Well Yield (gpm) | Draw Down (ft) | Test Type |
|------|------------------|--------------------|------------|-----------|-----------------|--------------------|-----------------------|----------------------|------------------------------|------------------|----------------|-----------|
| 1    | 945              | 140                | 130        | 9/17/1970 | 298             | 0 - 34             | 0 - 34                | ----                 | ----                         | 300              | ---            | Air       |
|      |                  |                    | 140.72     | 6/10/2011 |                 |                    |                       |                      |                              |                  |                |           |
|      |                  |                    |            |           |                 |                    |                       |                      |                              |                  |                |           |
|      |                  |                    |            |           |                 |                    |                       |                      |                              |                  |                |           |
|      |                  |                    |            |           |                 |                    |                       |                      |                              |                  |                |           |

Use data from application for proposed wells.

A4. **Comments:** In June 2011, Tony Justus did a site visit and measured the water level.

Requested discharge rate is 139 gpm = 0.31 cfs.

A5.  **Provisions of the Umatilla** \_\_\_\_\_ Basin rules relative to the development, classification and/or management of groundwater hydraulically connected to surface water  are, or  are not, activated by this application. (Not all basin rules contain such provisions.)  
 Comments: \_\_\_\_\_

A6.  **Well(s) #** \_\_\_\_\_, \_\_\_\_\_, \_\_\_\_\_, \_\_\_\_\_, \_\_\_\_\_, tap(s) an aquifer limited by an administrative restriction.  
 Name of administrative area: None  
 Comments: \_\_\_\_\_

**B. GROUNDWATER AVAILABILITY CONSIDERATIONS, OAR 690-310-130, 400-010, 410-0070**

B1. **Based upon available data**, I have determined that ground water\* for the proposed use:

- a.  is over appropriated,  is not over appropriated, or  cannot be determined to be over appropriated during any period of the proposed use. \* This finding is limited to the groundwater portion of the over-appropriation determination as prescribed in OAR 690-310-130;
- b.  will not or  will likely be available in the amounts requested without injury to prior water rights. \* This finding is limited to the groundwater portion of the injury determination as prescribed in OAR 690-310-130;
- c.  will not or  will likely to be available within the capacity of the groundwater resource; or
- d.  will, if properly conditioned, avoid injury to existing groundwater rights or to the groundwater resource:
  - i.  The permit should contain condition #(s) 7B – Interference, 7N - Annual WL (February/March), 7P – Well Tag, Large measuring and reporting with flow meter on each well;
  - ii.  The permit should be conditioned as indicated in item 2 below.
  - iii.  The permit should contain special condition(s) as indicated in item 3 below;

- B2. a.  **Condition** to allow groundwater production from no deeper than \_\_\_\_\_ ft. below land surface;
- b.  **Condition** to allow groundwater production from no shallower than \_\_\_\_\_ ft. below land surface;
- c.  **Condition** to allow groundwater production only from the \_\_\_\_\_ groundwater reservoir between approximately \_\_\_\_\_ ft. and \_\_\_\_\_ ft. below land surface;
- d.  **Condition** to allow production only from a single aquifer in the Columbia River Basalt groundwater reservoir;
- e.  **Well reconstruction** is necessary to accomplish one or more of the above conditions. The problems that are likely to occur with this use and without reconstructing are cited below. Without reconstruction, I recommend withholding issuance of the permit until evidence of well reconstruction is filed with the Department and approved by the Groundwater Section.

**Describe injury** –as related to water availability– that is likely to occur without well reconstruction (interference w/ senior water rights, not within the capacity of the resource, etc): \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

B3. **Groundwater availability remarks:** \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

**C. GROUND WATER/SURFACE WATER CONSIDERATIONS, OAR 690-09-040**

C1. **690-09-040 (1):** Evaluation of aquifer confinement:

| Well | Aquifer or Proposed Aquifer | Confined                            | Unconfined               |
|------|-----------------------------|-------------------------------------|--------------------------|
| 1    | CRBG                        | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
|      |                             | <input type="checkbox"/>            | <input type="checkbox"/> |
|      |                             | <input type="checkbox"/>            | <input type="checkbox"/> |
|      |                             | <input type="checkbox"/>            | <input type="checkbox"/> |
|      |                             | <input type="checkbox"/>            | <input type="checkbox"/> |

Basis for aquifer confinement evaluation: Groundwater level rose above where it was encountered during the drilling process.

C2. **690-09-040 (2) (3):** Evaluation of distance to, and hydraulic connection with, surface water sources. All wells located a horizontal distance less than ¼ mile from a surface water source that produce water from an unconfined aquifer shall be assumed to be hydraulically connected to the surface water source. Include in this table any streams located beyond one mile that are evaluated for PSI.

| Well | SW # | Surface Water Name | GW Elev<br>ft msl | SW Elev<br>ft msl | Distance<br>(ft) | Hydraulically Connected? |                                     |                          | Potential for Subst. Interfer. Assumed? |                                     |
|------|------|--------------------|-------------------|-------------------|------------------|--------------------------|-------------------------------------|--------------------------|---|-------------------------------------|
|      |      |                    |                   |                   |                  | YES                      | NO                                  | ASSUMED                  | YES                                     | NO                                  |
| 1    | 1    | Umatilla River     | 905               | 815               | 1344             | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>                | <input checked="" type="checkbox"/> |
|      |      |                    |                   |                   |                  | <input type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/>                | <input type="checkbox"/>            |
|      |      |                    |                   |                   |                  | <input type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/>                | <input type="checkbox"/>            |
|      |      |                    |                   |                   |                  | <input type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/>                | <input type="checkbox"/>            |
|      |      |                    |                   |                   |                  | <input type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/>                | <input type="checkbox"/>            |
|      |      |                    |                   |                   |                  | <input type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/>                | <input type="checkbox"/>            |
|      |      |                    |                   |                   |                  | <input type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/>                | <input type="checkbox"/>            |
|      |      |                    |                   |                   |                  | <input type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/>                | <input type="checkbox"/>            |

Basis for aquifer hydraulic connection evaluation: Based on information on the well log, it appears that the main water bearing zone is from 260 to 298 feet below land surface and over 100 feet below the Umatilla River.

Water Availability Basin the well(s) are located within: Umatilla River

C3a. **690-09-040 (4):** Evaluation of stream impacts for each well that has been determined or assumed to be hydraulically connected and less than 1 mile from a surface water source. Limit evaluation to instream rights and minimum stream flows that are pertinent to that surface water source, and not lower SW sources to which the stream under evaluation is tributary. Compare the requested rate against the 1% of 80% natural flow for the pertinent Water Availability Basin (WAB). If Q is not distributed by well, use full rate for each well. Any checked  box indicates the well is assumed to have the potential to cause PSI.

| Well | SW # | Well < ¼ mile?           | Qw > 5 cfs?              | Instream Water Right ID | Instream Water Right Q (cfs) | Qw > 1% ISWR?            | 80% Natural Flow (cfs) | Qw > 1% of 80% Natural Flow? | Interference @ 30 days (%) | Potential for Subst. Interfer. Assumed? |
|------|------|--------------------------|--------------------------|-------------------------|------------------------------|--------------------------|------------------------|------------------------------|----------------------------|---|
|      |      | <input type="checkbox"/> | <input type="checkbox"/> |                         |                              | <input type="checkbox"/> |                        | <input type="checkbox"/>     |                            | <input type="checkbox"/>                |
|      |      | <input type="checkbox"/> | <input type="checkbox"/> |                         |                              | <input type="checkbox"/> |                        | <input type="checkbox"/>     |                            | <input type="checkbox"/>                |
|      |      | <input type="checkbox"/> | <input type="checkbox"/> |                         |                              | <input type="checkbox"/> |                        | <input type="checkbox"/>     |                            | <input type="checkbox"/>                |
|      |      | <input type="checkbox"/> | <input type="checkbox"/> |                         |                              | <input type="checkbox"/> |                        | <input type="checkbox"/>     |                            | <input type="checkbox"/>                |
|      |      | <input type="checkbox"/> | <input type="checkbox"/> |                         |                              | <input type="checkbox"/> |                        | <input type="checkbox"/>     |                            | <input type="checkbox"/>                |
|      |      | <input type="checkbox"/> | <input type="checkbox"/> |                         |                              | <input type="checkbox"/> |                        | <input type="checkbox"/>     |                            | <input type="checkbox"/>                |
|      |      | <input type="checkbox"/> | <input type="checkbox"/> |                         |                              | <input type="checkbox"/> |                        | <input type="checkbox"/>     |                            | <input type="checkbox"/>                |
|      |      | <input type="checkbox"/> | <input type="checkbox"/> |                         |                              | <input type="checkbox"/> |                        | <input type="checkbox"/>     |                            | <input type="checkbox"/>                |

C3b. **690-09-040 (4):** Evaluation of stream impacts by total appropriation for all wells determined or assumed to be **hydraulically connected and less than 1 mile** from a surface water source. **Complete only if Q is distributed among wells.** Otherwise same evaluation and limitations apply as in C3a above.

| SW # | Qw > 5 cfs?              | Instream Water Right ID | Instream Water Right Q (cfs) | Qw > 1% ISWR?            | 80% Natural Flow (cfs) | Qw > 1% of 80% Natural Flow? | Interference @ 30 days (%) | Potential for Subst. Interfer. Assumed? |
|------|--------------------------|-------------------------|------------------------------|--------------------------|------------------------|------------------------------|----------------------------|---|
|      | <input type="checkbox"/> |                         |                              | <input type="checkbox"/> |                        | <input type="checkbox"/>     |                            | <input type="checkbox"/>                |
|      | <input type="checkbox"/> |                         |                              | <input type="checkbox"/> |                        | <input type="checkbox"/>     |                            | <input type="checkbox"/>                |
|      | <input type="checkbox"/> |                         |                              | <input type="checkbox"/> |                        | <input type="checkbox"/>     |                            | <input type="checkbox"/>                |
|      | <input type="checkbox"/> |                         |                              | <input type="checkbox"/> |                        | <input type="checkbox"/>     |                            | <input type="checkbox"/>                |

Comments: NA

C4a. **690-09-040 (5):** Estimated impacts on **hydraulically connected surface water sources greater than one mile** as a percentage of the proposed pumping rate. Limit evaluation to the effects that will occur up to one year after pumping begins. This table encompasses the considerations required by 09-040 (5)(a), (b), (c) and (d), which are not included on this form. Use additional sheets if calculated flows from more than one WAB are required.

| Non-Distributed Wells |     |     |     |     |     |     |     |     |     |     |     |     |     |
|-----------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Well                  | SW# | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|                       |     | %   | %   | %   | %   | %   | %   | %   | %   | %   | %   | %   | %   |
| Well Q as CFS         |     |     |     |     |     |     |     |     |     |     |     |     |     |
| Interference CFS      |     |     |     |     |     |     |     |     |     |     |     |     |     |
| Distributed Wells     |     |     |     |     |     |     |     |     |     |     |     |     |     |
| Well                  | SW# | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|                       |     | %   | %   | %   | %   | %   | %   | %   | %   | %   | %   | %   | %   |
| Well Q as CFS         |     |     |     |     |     |     |     |     |     |     |     |     |     |
| Interference CFS      |     |     |     |     |     |     |     |     |     |     |     |     |     |
| Well Q as CFS         |     | %   | %   | %   | %   | %   | %   | %   | %   | %   | %   | %   | %   |
| Interference CFS      |     |     |     |     |     |     |     |     |     |     |     |     |     |
| Well Q as CFS         |     | %   | %   | %   | %   | %   | %   | %   | %   | %   | %   | %   | %   |
| Interference CFS      |     |     |     |     |     |     |     |     |     |     |     |     |     |
| Well Q as CFS         |     | %   | %   | %   | %   | %   | %   | %   | %   | %   | %   | %   | %   |
| Interference CFS      |     |     |     |     |     |     |     |     |     |     |     |     |     |
| Well Q as CFS         |     | %   | %   | %   | %   | %   | %   | %   | %   | %   | %   | %   | %   |
| Interference CFS      |     |     |     |     |     |     |     |     |     |     |     |     |     |
| Well Q as CFS         |     | %   | %   | %   | %   | %   | %   | %   | %   | %   | %   | %   | %   |
| Interference CFS      |     |     |     |     |     |     |     |     |     |     |     |     |     |
| (A) = Total Interf.   |     |     |     |     |     |     |     |     |     |     |     |     |     |
| (B) = 80 % Nat. Q     |     |     |     |     |     |     |     |     |     |     |     |     |     |
| (C) = 1 % Nat. Q      |     |     |     |     |     |     |     |     |     |     |     |     |     |
| (D) = (A) > (C)       |     |     |     |     |     |     |     |     |     |     |     |     |     |
| (E) = (A / B) x 100   |     | %   | %   | %   | %   | %   | %   | %   | %   | %   | %   | %   | %   |

(A) = total interference as CFS; (B) = WAB calculated natural flow at 80% exceed. as CFS; (C) = 1% of calculated natural flow at 80% exceed. as CFS; (D) = highlight the checkmark for each month where (A) is greater than (C); (E) = total interference divided by 80% flow as percentage.

**Basis for impact evaluation:** \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**C4b. 690-09-040 (5) (b) The potential to impair or detrimentally affect the public interest is to be determined by the Water Rights Section.**

- C5.  **If properly conditioned**, the surface water source(s) can be adequately protected from interference, and/or groundwater use under this permit can be regulated if it is found to substantially interfere with surface water:
  - i.  The permit should contain condition #(s) \_\_\_\_\_;
  - ii.  The permit should contain special condition(s) as indicated in "Remarks" below;

**C6. SW / GW Remarks and Conditions** \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**References Used:** \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**D. WELL CONSTRUCTION, OAR 690-200**

D1. Well #: \_\_\_\_\_ Logid: \_\_\_\_\_

D2. **THE WELL does not meet current well construction standards based upon:**

- a.  review of the well log;
- b.  field inspection by \_\_\_\_\_;
- c.  report of CWRE \_\_\_\_\_;
- d.  other: (specify) \_\_\_\_\_

D3. **THE WELL construction deficiency:**

- a.  constitutes a health threat under Division 200 rules;
- b.  commingles water from more than one groundwater reservoir;
- c.  permits the loss of artesian head;
- d.  permits the de-watering of one or more groundwater reservoirs;
- e.  other: (specify) \_\_\_\_\_

D4. **THE WELL construction deficiency is described as follows:** \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

- D5. **THE WELL** a.  was, *or*  was not constructed according to the standards in effect at the time of original construction or most recent modification.
- b.  I don't know if it met standards at the time of construction.

D6.  **Route to the Enforcement Section.** I recommend withholding issuance of the permit until evidence of well reconstruction is filed with the Department and approved by the Enforcement Section and the Groundwater Section.

**THIS SECTION TO BE COMPLETED BY ENFORCEMENT PERSONNEL**

D7.  Well construction deficiency has been corrected by the following actions: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

\_\_\_\_\_, 200\_\_\_\_\_  
(Enforcement Section Signature)

D8.  **Route to Water Rights Section (attach well reconstruction logs to this page).**



### Groundwater Application G-17564 - Bowman Umatilla County, Barnhart Quad

#### Legend

- Obs Well Current
- Obs Well Non-Current
- State Obs Well Current
- State Obs Well Non-Current
- Other Well

