

The original and first copy of this report are to be filed with the

WATER RESOURCES DEPARTMENT. SALEM, OREGON 97310 within 30 days from the date of well completion.

WATER WEL UMAT 3843

STATE OF OREGON JUN 29 1995 State Well No.

(Please type or print) WATER RESOURCE State Permit No. SALEM, OREGON

51129E-34

UMAT 3843

(1) OWNER:

Name Don Mc Eden Address Rt 3 Box 3724 Hermiston Oregon 97838

(2) TYPE OF WORK (check):

New Well [x] Deepening [] Reconditioning [] Abandon [] If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary [x] Driven [] Cable [] Jetted [] Dug [] Bored []

(4) PROPOSED USE (check):

Domestic [x] Industrial [x] Municipal [] Irrigation [] Test Well [] Other []

(5) CASING INSTALLED:

8" Diam. from 0 ft. to 22 ft. Gage 250

(6) PERFORATIONS:

Perforated? [] Yes [x] No. Type of perforator used Size of perforations in. by in.

(7) SCREENS:

Well screen installed? [] Yes [x] No Manufacturer's Name Type Model No. Diam. Slot size Set from ft. to ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level Was a pump test made? [] Yes [x] No If yes, by whom? Field: gal./min. with ft. drawdown after hrs. 150 gal./min. with 78 ft. drawdown after 1 hrs.

(9) CONSTRUCTION:

Well seal—Material used Cement Well sealed from land surface to 22 ft. diameter of well bore to bottom of seal 11 in. diameter of well bore below seal 8 in. Number of sacks of cement used in well seal 8 sacks How was cement grout placed? As a drive shoe used? [x] Yes [] No Plugs Size: location ft. Did any strata contain unusable water? [] Yes [x] No Type of water? depth of strata Method of sealing strata off As well gravel packed? [] Yes [x] No Size of gravel: Gravel placed to ft.

(10) LOCATION OF WELL:

County Umatilla Driller's well number NW 1/4 NE 1/4 Section 34 T.514 R. 296 W.M. Bearing and distance from section or subdivision corner

(11) WATER LEVEL: Completed well.

Depth at which water was first found 152 ft. Static level 150 ft. below land surface. Date 7 Artisan pressure lbs. per square inch. Date

(12) WELL LOG:

Diameter of well below casing Depth drilled 428 ft. Depth of completed well 425 ft. Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

Table with columns: MATERIAL, From, To, SWL. Rows include: Toluene (0-2), Sand (2-4), 1/4" gravel (4-9), Limestone (9-110), Rock black (110-118), Rock blue + white (118-138), Rock brown (138-152), Rock black (152-162), Rock brown (162-210), Rock black + white (210-240), Rock blue + white (240-300), Rock black + white (300-328), Rock green + white (328-380), Gravel (380-428)

Application No. 619119 Permit No.

Work started 10-10-97 Completed 10-14-97 Date well drilling machine moved off of well 10-14-97

Drilling Machine Operator's Certification: This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief. [Signed] Date 10-17-97

Water Well Contractor's Certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Name TRUY GRIFFIN Address 100 HERMISTON AVE HERMISTON OREGON [Signed] Date 10-17-97

Contractor's License No. Date 10-17-97

(USE ADDITIONAL SHEETS IF NECESSARY)

NOV 03 2006

WATER RESOURCES DEPT SALEM, OREGON