

Water Resources Department

North Mall Office Building 725 Summer Street NE, Suite A Salem, OR 97301-1271 503-986-0900 FAX 503-986-0904

June 7, 2013

CHARLES PRITCHARD PO BOX 176 DAYS CREEK, OR 97429

Reference: File S-87880

Dear Mr. Pritchard:

THIS IS NOT A PERMIT AND IS SUBJECT TO CHANGE AT THE NEXT PHASE OF PROCESSING.

This letter is to inform you of the preliminary analysis of your water-use permit application and to describe your options. In determining whether an application may be approved, the Department must consider the factors listed below, all of which must be favorable to the proposed use if it is to be allowed. Based on the information you have supplied, the Water Resources Department has made the following preliminary determinations:

Initial Review Determinations:

- 1. The application proposed the use of 0.005 cubic foot per second (CFS) of water from South Umpqua River, a tributary of Umpqua River, for year-round human consumption for one household.
- 2. The proposed use is not prohibited by law or rule except where otherwise noted below.
- 3. The use of water from South Umpqua River, a tributary of Umpqua River, for year-round human consumption for one household is allowable under the Umpqua Basin Program.
- 4. Surface water is not available during the period July 1 through November 30 of each year due to requirements for existing water rights and/or minimum flows in a scenic waterway. However, human consumption of water (indoor use only: cooking, drinking and sanitation) from the proposed source may be considered a high public interest use if there is no reasonable alternative.
 - The application included information intending to document that no alternate water source is available, and that denial of the permit would cause loss of reasonable expectation for use of the property. The Department will consider this information and work with the Oregon Department of Fish and Wildlife to attempt to determine conditions which will protect instream values during the months when instream flow requirements are not met. If this can be achieved, the Department may recommend approval of 0.005 CFS, further limited to 500 gallons per day, for human consumption use (indoor use only: cooking, drinking, sanitation) at the next step in processing.
- 5. The proposed diversion falls within a high-priority area for streamflow restoration under the Oregon Plan for Salmon & Watersheds.
- 6. The application is subject to Section 4(d) of the Endangered Species Act.

Summary of Initial Determinations

Because not all items above are favorable, the use of 0.005 CFS of water from South Umpqua River, a tributary of Umpqua River for year-round human consumption for one household is not allowable.

However, if conditions can applied to protect instream values, the Department may recommend approval of the application for year-round human consumption use (indoor use only: cooking, drinking, sanitation) at a rate of 0.005 CFS, further limited to 500 gallons per day.

At this time, you must decide whether to proceed or to withdraw your application as described below.

Please reference the application number when sending any correspondence regarding the conclusions of this initial review. Comments received within the comment period will be evaluated at the next phase of the process.

To Proceed With Your Application:

If you choose to proceed with your application, you do not have to notify the Department. Your application will automatically be placed on the Department's Public Notice to allow others the opportunity to comment. After the comment period the Department will complete a public interest review and issue a Proposed Final Order.

Withdrawal Refunds:

If you choose not to proceed, you may withdraw your application and receive a refund (minus a \$200 processing charge per application). To accomplish this you must notify the Department in writing by **Friday**, **June 21**, **2013**. For your convenience you may use the enclosed "STOP PROCESSING" form.

If A Permit Is Issued It Will Likely Include The Following Conditions:

Measurement, recording and reporting conditions:

- A. Before water use may begin under this permit, the permittee shall install a totalizing flow meter at each point of diversion. The permittee shall maintain the meter in good working order.
- B. The permittee shall keep a complete record of the amount of water diverted each month, and shall submit a report which includes the recorded report water-use measurements to the Department annually or more frequently as may be required by the Director. Further, the Director may require the permittee to report general water-use information, including the place and nature of use of water under the permit.
- C. The permittee shall allow the watermaster access to the meter; provided however, where any meter is located within a private structure, the watermaster shall request access upon reasonable notice.

- D. The Director may provide an opportunity for the permittee to submit alternative measuring and reporting procedures for review and approval.
- 2. You may be required to install fish screens at the point of diversion to meet Oregon Department of Fish and Wildlife specifications for adequate protection of aquatic life.

This initial review does not attempt to address various public interest issues such as sensitive, threatened, or endangered fish species. These issues will be addressed as the Department reviews comments from the public and other agencies, and prepares a Proposed Final Order. You should be aware that, if significant public interest issues are found to exist, such a finding could have an impact on the eventual outcome of your application.

The water source identified in your application may be affected by an Agricultural Water Quality Management Area Plan. These plans are developed by the Oregon Department of Agriculture (ODA) with the cooperation of local landowners and other interested stakeholders, and help to ensure that current and new appropriations of water are done in a way that does not adversely harm the environment. You are encouraged to explore ODA's Water Quality Program web site at http://www.oregon.gov/ODA/NRD/water_agplans.shtml to learn more about the plans and how they may affect your proposed water use.

If you have any questions:

K Kavanag

Feel free to call me at 503-986-0816 if you have any questions regarding the contents of this letter or your application. Please have your application number available if you call. General questions about water rights and water use permits should be directed to our customer service staff at 503-986-0801. When corresponding by mail, please use this address: Kerry Kavanagh, Oregon Water Resources Department, 725 Summer St NE Ste A, Salem OR 97301-1266. Our fax number is 503-986-0901.

Sincerely,

Kerry Kavanagh

Water Right Application Caseworker

enclosures: Application Process Description and Stop Processing Request Form

S-87880 WAB 16-71192 POU 16-71192 GW n/a

APPLICATION FACT SHEET

Application File Number: S-87880

Applicant: CHARLES PRITCHARD

County: Douglas

Watermaster: 15

Priority Date: March 19, 2013

Source: SOUTH UMPQUA RIVER, A TRIBUTARY OF UMPQUA RIVER

Use: HUMAN CONSUMPTION FOR ONE HOUSEHOLD

Quantity: 0.005 CUBIC FOOT PER SECOND

Basin Name & Number: Umpqua, #16

Stream Index Reference: Volume 3 S UMPQUA R

Point of Diversion Location: SESE, SECTION 9, T30S, R4W, W.M.; 710 FEET NORTH AND

310 FEET WEST FROM SE CORNER, SECTION 9

Place of Use:

SE ¼ SE ¼ SECTION 9
TOWNSHIP 30 SOUTH, RANGE 4 WEST, W.M.

14 DAY STOP PROCESSING DEADLINE DATE: Friday, June 21, 2013

PUBLIC NOTICE DATE: Tuesday, June 11, 2013

30 DAY COMMENT DEADLINE DATE: Thursday, July 11, 2013

Mailing List for IR Copies

Application #S-87880

Original mailed to applicant:

CHARLES PRITCHARD PO BOX 176 DAYS CREEK, OR 97429 Copies Mailed (SUPPORT STAFF) (DATE)

IR Date: June 7, 2013

SENT VIA EMAIL:

- 1. WRD Watermaster #15
- 2. ODFW
- 3. DEQ

Copies sent to:

- 1. WRD File # S-87880
- 2. WRD Water Availability: Ken Stahr

IR, Map, and Fact Sheet Copies sent to:

- 3. WRD Regional Manager: SWR
- 4. Department of Agriculture

Affected Landowners (include "Notice of Initial Review--Affected Landowner")

1. Berlva L. Pritchard, Trustee, B.L. Pritchard Family Trust, PO Box 176, Day Creek, OR 97429

Copies sent to Other Interested Persons (CWRE, Agent, Well Driller, Commenter, etc.)

- 1. Kim Kratz, Director, Oregon State Habitat Office, National Marine Fisheries Service, 1201 NE Lloyd Blvd, Portland, OR 97232
- 2. Jim Thrailkill, Field Supervisor, USFWS,

Roseburg Field Office, 2900 NW Stewart Parkway, Roseburg, OR 97471

Caseworker: Kerry Kavanagh

COPYSHT.IR

APPLICATION PROCESS DESCRIPTION FOR GROUNDWATER. SURFACE WATER AND REGULAR RESERVOIR APPLICATIONS

In order to take and use the waters of Oregon, a citizen must first obtain a permit from the Water Resources Department. The water must be used for beneficial purpose - without waste. To become well-informed about water right topics, weekly public notice, forms and fees please visit our web site at www.wrd.state.or.us

1. Pre-application considerations

- follow instructions in the application packet
- if you have questions about completing an application or would like to arrange a pre-application conference contact the Department's Water Rights Information Group (WRIG) at 503-986-0801

2. Application filing

- application with fee is received by the Department
- Department determines completeness of application
- if use is not allowed by statute (ORS 538), the application and fees are returned to the applicant
- incomplete application and fees are returned to the applicant
 only a complete application receives a tentative priority date, is assigned a caseworker, and moves forward for processing

3. Initial Review (IR)

- caseworker reviews application by considering basin plans, water availability, statutory restrictions and all other appropriate factors
- caseworker sends IR report to applicant
- contact the caseworker if you have questions about the IR
- seven days after date of the IR, it is included in Department's weekly Public Notice
- public comments must be submitted within 30 days after the Public Notice
- administrative hold may be requested in writing by applicant

4. Proposed Final Order (PFO)

- caseworker evaluates application against required criteria and develops draft permit, if appropriate
- PFO includes instructions for filing of protests
- caseworker considers public comments and mails PFO to applicant
- the PFO is included in Department's weekly Public Notice
- public protests to the PFO must be submitted within 45 days after the Public Notice

Stop Processing deadline is within 14 days of Initial Review - use the form below

- applicant may request no further action and fee refund of all but \$200

	STOP PROCESSING REQUEST FOR
GROUNDWATER	, SURFACE WATER AND REGULAR RESERVOIR APPLICATIONS
Applicant notification	to withdraw Water Right Application #
fees be refunded (min	nitial Review for my application, I request that processing be stopped and the rus a \$200 examination fee.) I understand that without a valid permit I may ster as requested in my application
Signature	date
Signature	date
Under ORS 537.150 (right application prod	5) and 537.620 (5) timely submission of this request authorizes that the water cess be stopped and all filing fees (except \$200 examination fee) be returned.
This notice must be re	eceived at Water Resources Department by
Return the notice to:	OWRD, Water Rights Division
	STOP PROCESSING
	725 Summer Street, NE - Suite A
	Salem OR 97301-1271

5. Final Order (FO)

- if no protest is filed, Final Order is issued

The protest process

If one or more protests are filed, permit process consists of:

- settlement discussion
- contested case hearing
- proposed order
- period of time to file exceptions
- possible hearing by Water Resources Commission
- final order issued

Permit holder responsibilities

- comply with all water use conditions of the permit
- advise Department of address change or assignment to new permit holder
- if need arises, request extension of time or authorize cancellation of permit
- submit timely claim of beneficial use (COBU) to Department
- most permits require COBU to be prepared by a Certified Water Right Examiner
- permits may be canceled by the permit holder or by the Department for failure to comply with or one or more permit conditions