

Application for a Permit to Use Ground Water



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.wrd.state.or.us

SECTION 1: APPLICANT INFORMATION AND SIGNATURE

Applicant Information

NAME JOHN C. FLYNN, MATILDA I FLYNN, NEIL J. FLYNN LIVING TRUST.			PHONE (HM) 541 947.4534
PHONE (WK) 541 219 1003	CELL 541 219 1003		FAX 541 947 4359
ADDRESS 438 MT. VIEW			
CITY LAKEVIEW	STATE OR	ZIP 97630	E-MAIL* JF John Flynn @ Hotmail . Com

Organization Information

NAME		PHONE	FAX
ADDRESS			CELL
CITY	STATE	ZIP	E-MAIL*

Agent Information – The agent is authorized to represent the applicant in all matters relating to this application.

RECEIVED BY OWRD

AGENT / BUSINESS NAME		PHONE	FAX
ADDRESS			CELL
CITY	STATE	ZIP	E-MAIL* NOV 04 2013 SALEM, OR










Note: Attach multiple copies as needed

* By providing an e-mail address, consent is given to receive all correspondence from the department electronically. (paper copies of the final order documents will also be mailed.)

By my signature below I confirm that I understand:

- I am asking to use water specifically as described in this application.
- Evaluation of this application will be based on information provided in the application.
- I cannot use water legally until the Water Resources Department issues a permit.
- Oregon law requires that a permit be issued before beginning construction of any proposed well, unless the use is exempt. Acceptance of this application does not guarantee a permit will be issued.
- If I get a permit, I must not waste water.
- If development of the water use is not according to the terms of the permit, the permit can be cancelled.
- The water use must be compatible with local comprehensive land-use plans.
- Even if the Department issues a permit, I may have to stop using water to allow senior water-right holders to get water to which they are entitled.

I (we) affirm that the information contained in this application is true and accurate.

		
Applicant Signature	Print Name and title if applicable	Date
		
Applicant Signature	Print Name and title if applicable	Date
		

For Department Use

App. No. G17733

Permit No. _____

Date _____

SECTION 2: PROPERTY OWNERSHIP

Please indicate if you own all the lands associated with the project from which the water is to be diverted, conveyed, and used.

☒ Yes

☒ There are no encumbrances.

☐ This land is encumbered by easements, rights of way, roads or other encumbrances.

☐ No

☐ I have a recorded easement or written authorization permitting access.

☐ I do not currently have written authorization or easement permitting access.

☐ Written authorization or an easement is not necessary, because the only affected lands I do not own are state-owned submersible lands, and this application is for irrigation and/or domestic use only (ORS 274.040).

☐ Water is to be diverted, conveyed, and/or used only on federal lands.

List the names and mailing addresses of all affected landowners (*attach additional sheets if necessary*).

You must provide the legal description of: 1. The property from which the water is to be diverted, 2. Any property crossed by the proposed ditch, canal or other work, and 3. Any property on which the water is to be used as depicted on the map.

SECTION 3: WELL DEVELOPMENT

WELL NO.	NAME OF NEAREST SURFACE WATER	IF LESS THAN 1 MILE:	
		DISTANCE TO NEAREST SURFACE WATER	ELEVATION CHANGE BETWEEN NEAREST SURFACE WATER AND WELL HEAD
1	Miners Draw	700 ft.	-10 ft.

RECEIVED BY OWRD

NOV 04 2013

SALEM, OR

Please provide any information for your existing or proposed well(s) that you believe may be helpful in evaluating your application. For existing wells, describe any previous alteration(s) or repair(s) not documented in the attached well log or other materials (*attach additional sheets if necessary*).

Miners draw is a dry channel. Only water rights filed on the draw are stock water/ storage rights filed by BLM. First reservoir is 1.75 miles west of proposed well.

SECTION 3: WELL DEVELOPMENT, CONTINUED

Source (aquifer), if known: Basalt/Basin fill sediments

Total maximum rate requested: 1.42 cfs (each well will be evaluated at the maximum rate unless you indicate well-specific rates and annual volumes in the table below).

Complete the table below. If this is an existing well, the following information may be found on the applicable well log. *(If a well log is available, please submit it in addition to completing the table.)* If this is a proposed well, or well-modification, consider consulting with a licensed well driller, geologist, or certified water right examiner.

OWNER'S WELL NAME OR NO.	PROPOSED	EXISTING	WELL ID (WELL TAG) NO.* OR WELL LOG ID**	FLOWING ARTESIAN	CASING DIAMETER	CASING INTERVALS (IN FEET)	PERFORATED OR SCREENED INTERVALS (IN FEET)	SEAL INTERVALS (IN FEET)	MOST RECENT STATIC WATER LEVEL & DATE (IN FEET)	PROPOSED USE			
										SOURCE AQUIFER***	TOTAL WELL DEPTH	WELL- SPECIFIC RATE (GPM)	ANNUAL VOLUME (ACRE-FEET)
1	☒	☐		☐	10-16 inch	Minimu m standards	See section 10	Minimu m standard s	38 ft. 2/22/1978	Basalt/ Basin fill sediment	See secti on 10	637.3	340
	☐	☐		☐									
	☐	☐		☐									
	☐	☐		☐									
	☐	☐		☐									
	☐	☐		☐									
	☐	☐		☐									
	☐	☐		☐									
	☐	☐		☐									

* Licensed drillers are required to attach a Department-supplied Well Tag, with a unique Well ID or Well Tag Number to all new or newly altered wells. Landowners can request a Well ID for existing wells that do not have one. The Well ID is intended to serve as a unique identification number for each well.

** A well log ID (e.g. MARI 1234) is assigned by the Department to each log in the agency's well log database. A separate well log is required for each subsequent alteration of the well.

*** Source aquifer examples: Troutdale Formation, gravel and sand, alluvium, basalt, bedrock, etc.

SECTION 4: WATER USE

USE	PERIOD OF USE	ANNUAL VOLUME (ACRE-FEET)
Irrigation	3/1 - 10/31	340

Exempt Uses: Please note that 15,000 gallons per day for single or group **domestic** purposes and 5,000 gallons per day for a single **industrial or commercial** purpose are exempt from permitting requirements.

For irrigation use only:

Please indicate the number of primary and supplemental acres to be irrigated (*must match map*).

Primary: 113.6 Acres Supplemental: 0 Acres

List the Permit or Certificate number of the underlying primary water right(s): _____

Indicate the maximum total number of acre-feet you expect to use in an irrigation season: 3

- If the use is **municipal or quasi-municipal**, attach **Form M**
- If the use is **domestic**, indicate the number of households: N/A
If the use is **mining**, describe what is being mined and the method(s) of extraction: N/A

SECTION 5: WATER MANAGEMENT

A. Diversion and Conveyance

What equipment will you use to pump water from your well(s)?

☒ Pump (give horsepower and type): 125+ Hp Deep set bowls

☐ Other means (describe): _____

Provide a description of the proposed means of diversion, construction, and operation of the diversion works and conveyance of water. Piped to pivot

B. Application Method

What equipment and method of application will be used? (e.g., drip, wheel line, high-pressure sprinkler)

Low pressure Center pivot

C. Conservation

Please describe why the amount of water requested is needed and measures you propose to: prevent waste; measure the amount of water diverted; prevent damage to aquatic life and riparian habitat; prevent the discharge of contaminated water to a surface stream; prevent adverse impact to public uses of affected surface waters.

Inline flow meter

SECTION 6: STORAGE OF GROUND WATER IN A RESERVOIR

If you would like to store ground water in a reservoir, complete this section (*if more than one reservoir, reproduce this section for each reservoir*).

Reservoir name: N/A Acreage inundated by reservoir: N/A

Use(s): N/A

Volume of Reservoir (acre-feet): N/A Dam height (feet, if excavated, write "zero"): N/A

***Note:** If the dam height is greater than or equal to 10.0' above land surface **AND** the reservoir will store 9.2 acre feet or more, engineered plans and specifications must be approved prior to storage of water.*

SECTION 7: USE OF STORED GROUND WATER FROM THE RESERVOIR

If you would like to use stored ground water from the reservoir, complete this section (*if more than one reservoir, reproduce this section for each reservoir*).

Annual volume (acre-feet): N/A

USE OF STORED GROUND WATER	PERIOD OF USE

SECTION 8: PROJECT SCHEDULE

Date construction will begin: 3/2014

Date construction will be completed: 3/2016

Date beneficial water use will begin: 5/2014

RECEIVED BY OWRD

NOV 04 2013

SALEM, OR

SECTION 9: WITHIN A DISTRICT

☐ Check here if the point of diversion or place of use are located within or served by an irrigation or other water district.

Irrigation District Name	Address	
City	State	Zip

SECTION 10: REMARKS

Use this space to clarify any information you have provided in the application (*attach additional sheets if necessary*).

Well to be constructed similar to Lake 1782 and 1779. Copies attached

NOTICE TO WATER WELL CONTRACTOR

The original and first copy
of this report are to be
filed with the

STATE ENGINEER, SALEM, OREGON 97310
within 30 days from the date
of well completion.

WATER WELL REPORT

STATE OF OREGON

(Please type or print)

(Do not write above this line)

RECEIVED

APR 6 1978

State Well No.

355/24E-33db

WATER RESOURCES DEPT.
SALEM, OREGON

(1) OWNER:

Name Flynn BrothersAddress Plush, Oregon

(2) TYPE OF WORK (check):

New Well ☒ Deepening ☐ Reconditioning ☐ Abandon ☐

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary ☒ Driven ☐
Cable ☐ Jetted ☐
Dug ☐ Bored ☐

(4) PROPOSED USE (check):

Domestic ☐ Industrial ☐ Municipal ☐
Irrigation ☒ Test Well ☐ Other ☐

CASING INSTALLED:

Threaded ☐ Welded ☒

14" Diam. from 0 ft. to 134 ft. Gage 250
" Diam. from ft. to ft. Gage
" Diam. from ft. to ft. Gage

PERFORATIONS:

Perforated? ☒ Yes ☐ No.Type of perforator used Mills Knife

Size of perforations 1 in. by 3 in.
160 perforations from 70 ft. to 102 ft.
perforations from ft. to ft.
perforations from ft. to ft.

(7) SCREENS:

Well screen installed? ☐ Yes ☒ No

Manufacturer's Name

Type Model No.
Diam. Slot size Set from ft. to ft.
Diam. Slot size Set from ft. to ft.

(8) WELL TESTS:

Drawdown is amount water level is
lowered below static levelWas a pump test made? ☒ Yes ☐ No If yes, by whom? Contractor

Yield: 1750 gal./min. with 107 ft. drawdown after 24 hrs.
1400 " 76 " 24 "
" 1000 " 55 " 24 "

Ball test gal./min. with ft. drawdown after hrs.

Artesian flow g.p.m.

Temperature of water 59° Depth artesian flow encountered ft.

(9) CONSTRUCTION:

Well seal—Material used Cement Grout

Well sealed from land surface to 20 ft.

Diameter of well bore to bottom of seal 20 in.

Diameter of well bore below seal 14 in.

Number of sacks of cement used in well seal 27 sacks

Number of sacks of bentonite used in well seal 2 sacks

Brand name of bentonite Baroid Quick Gel

Number of pounds of bentonite per 100 gallons

of water 5 lbs./100 gals.

Was a drive shoe used? ☒ Yes ☐ No Plugs Size: location ft.Did any strata contain unusable water? ☐ Yes ☒ No

Type of water? depth of strata

Method of sealing strata off

Was well gravel packed? ☐ Yes ☒ No Size of gravel:

Gravel placed from ft. to ft.

(10) LOCATION OF WELL:

County LAKEDriller's well number AR-530-77

NW 1/4 SE 1/4 Section 33 T. 35 S R. 24 E.W.M.

Bearing and distance from section or subdivision corner

6 Miles North of Plush, Oregon

(11) WATER LEVEL: Completed well.

Depth at which water was first found 70 ft.

Static level 38 ft. below land surface. Date 2/22/78

Artesian pressure lbs. per square inch. Date

(12) WELL LOG:

Diameter of well below casing 14 "

Depth drilled 190 ft. Originally Depth of completed well 460 ft. Deepen

Formation: Describe color, texture, grain size and structure of materials;
and show thickness and nature of each stratum and aquifer penetrated,
with at least one entry for each change of formation. Report each change in
position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
Soil Zone (Sand, Brown)	0	2	
Clay & Sand (Brown)	2	49	
Gravel (Fine) & Clay (Brown)	49	70	
Basalt Gravel & Cinders/Clay	70	80	
Basalt Gravel (Black)	80	102	
Cemented Gravel (Brown)	102	122	34
Basalt (Red to Black)	122	126	
Basalt (Grey)	126	176	
Basalt & Cinder Layers (Red)	176	181	
Basalt (Grey) With Cinders	181	190	
WELL DEEPENED FROM 190 Ft.			
Basalt (Black, Fine-Grained)	190	250	
White Claystone (Red & White)			
Cinders (H ₂ O Zone) 200 GPM	250	260	38
Basalt (Grey, Fine-Grained)	260	275	
(Hit Open Channel H ₂ O Zone) (700 GPM)			
Channel: Occurred in Fractured			
Brown Basalt With Layers of			
Brown to White Claystone	275	380	

Work started 12/14/73 Completed 2/22/1978

Date well drilling machine moved off of well 2/22/1978

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision.
Materials used and information reported above are true to my
best knowledge and belief.

[Signed] Ray Stooksberry Date 2/22/1978
(Drilling Machine Operator)

Drilling Machine Operator's License No. 801

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is
true to the best of my knowledge and belief.

Name JACK STOOKSBERRY

(Person, firm or corporation)

(Type or print)

Address Rt. 2 Box 47, Lakeview, Oregon 97630[Signed] Jack Stooksberry Jr.
(Water Well Contractor)

Contractor's License No. 211 Date 2/12/1974

(USE ADDITIONAL SHEETS IF NECESSARY)

SP*45656-119

617733

FLYNN BROTHERS IRRIGATION WELL LOG (CONTINUED) 2/22/78

Basalt Grey 380 to 420 Ft.

Fractured Basalt (Brown)
With Layers of Sandstone 420 to 440 Ft.

Sand Stone With Loose,
Caving Sand 440 to 460 Ft.

H₂O Aquifer (1,000 G.P.M.)

END OF WELL

RECEIVED BY OWRD

NOV 04 2013

SALEM, OR

617733

NOTICE TO WATER WELL CONTRACTOR
The original and first copy
of this report are to be
filed with the

STATE ENGINEER, SALEM, OREGON 97310
within 30 days from the date
of well completion.

WATER WELL REPORT FEB 19 1974

STATE OF OREGON
(Please type or print)
SALEM, OREGON

State Well No.

State Permit No.

35S/24E-33

(1) OWNER:

Name Flynn Brothers
Address Plush, Oregon

(2) TYPE OF WORK (check):

New Well ☒ Deepening ☐ Reconditioning ☐ Abandon ☐

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary ☐ Driven ☐
Cable ☒ Jetted ☐
Dug ☐ Bored ☐

(4) PROPOSED USE (check):

Domestic ☐ Industrial ☐ Municipal ☐
Irrigation ☒ Test Well ☐ Other ☐

CASING INSTALLED:

Threaded ☐ Welded ☒
14" Diam. from 0 ft. to 134 ft. Gage .250
" Diam. from ft. to ft. Gage
" Diam. from ft. to ft. Gage

PERFORATIONS:

Perforated? ☒ Yes ☐ No.

Type of perforator used Mill's Knife

Size of perforations 1 in. by 3 in.
160 perforations from 70 ft. to 102 ft.
perforations from ft. to ft.
perforations from ft. to ft.

(7) SCREENS:

Well screen installed? ☐ Yes ☒ No

Manufacturer's Name

Type Model No.
Diam. Slot size Set from ft. to ft.
Diam. Slot size Set from ft. to ft.

(8) WELL TESTS:

Drawdown is amount water level is
lowered below static level

Was a pump test made? ☒ Yes ☐ No If yes, by whom? Driller

Yield: 300 gal./min. with 56 ft. drawdown after 3 hrs.

Bailer test gal./min. with ft. drawdown after hrs.

Artesian flow g.p.m.

Temperature of water 58° Depth artesian flow encountered ft.

(9) CONSTRUCTION:

Well seal—Material used Cement

Well sealed from land surface to 20 ft.

Diameter of well bore to bottom of seal 20 in.

Diameter of well bore below seal 14 in.

Number of sacks of cement used in well seal 5 sacks

Number of sacks of bentonite used in well seal sacks

Brand name of bentonite

Number of pounds of bentonite per 100 gallons
of water lbs./100 gals.

Was a drive shoe used? ☒ Yes ☐ No Plugs Size: location ft.

Did any strata contain unusable water? ☐ Yes ☒ No

Type of water? depth of strata

Method of sealing strata off

Was well gravel packed? ☐ Yes ☒ No Size of gravel:

Gravel placed from ft. to ft.

(10) LOCATION OF WELL:

County Lake Driller's well number
SE 1/4 SW 1/4 Section 33 T. 35 R. 24E W.M.
Bearing and distance from section or subdivision corner

(11) WATER LEVEL: Completed well.

Depth at which water was first found 70 ft.
Static level 34 ft. below land surface. Date 2/11/74
Artesian pressure lbs. per square inch. Date

(12) WELL LOG:

Diameter of well below casing 14"

Depth drilled 190 ft. Depth of completed well 190 ft.

Formation: Describe color, texture, grain size and structure of materials;
and show thickness and nature of each stratum and aquifer penetrated,
with at least one entry for each change of formation. Report each change in
position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
Soil Zone (Sandy-Brown)	0	2	
Clay & Sand (Brown)	2	49	
Gravel (fine) & Clay (Brn)	49	70	
Basalt Gravel & cinders with Brown Clay	70	80	
Basalt Gravel (Black)	80	102	
Cemented Gravel (brown)	102	122	
Red to Black Lava Rock	122	126	
Volcanic Rock (Grey)	126	176	
Lava Rock & Cinders (red)	176	181	
Cinders & Lava Rock (black)	181	190	

RECEIVED BY OWRD

NOV 04 2013

SALEM, OR

Work started 12/14/73 Completed 2/11/74

Date well drilling machine moved off of well 2/14/74

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision.
Materials used and information reported above are true to my
best knowledge and belief.

[Signed] Ray Stooksberry Date 2/12/74
(Drilling Machine Operator)

Drilling Machine Operator's License No. 801

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is
true to the best of my knowledge and belief.

Name Jack Stooksberry
(Person, firm or corporation) (Type or print)

Address Rt 2 Box 47, Lakeview, Oregon

[Signed] Jack Stooksberry Jr.
(Water Well Contractor)

Contractor's License No. 211 Date 2/12/74

(USE ADDITIONAL SHEETS IF NECESSARY)

BP*45956-119

617733

NOTICE TO WATER WELL CONTRACTOR

The original and first copy
of this report are to be
filed with the

STATE ENGINEER, SALEM, OREGON 97301
within 30 days from the date
of well completion.

WATER WELL REPORT

STATE OF OREGON

(Please type or print)

(Do not write above this line)

RECEIVED

AUG 12 1974

State Well No. _____

STATE ENGINEER

SALEM, OREGON

State Permit No. _____

355/24E-33

(1) OWNER:

Name Flynn Brothers
Address Plush, Oregon

(2) TYPE OF WORK (check):

New Well ☒ Deepening ☐ Reconditioning ☐ Abandon ☐

If abandonment, describe material and procedure in Item 13.

(3) TYPE OF WELL:

Rotary ☐ Driven ☐
Cable ☒ Jetted ☐
Dug ☐ Bored ☐

(4) PROPOSED USE (check):

Domestic ☐ Industrial ☐ Municipal ☐
Irrigation ☒ Test Well ☐ Other ☐

(5) CASING INSTALLED:

Threaded ☐ Welded ☒
14" Diam. from 0 ft. to 134 ft. Gage 250
" Diam. from ft. to ft. Gage
" Diam. from ft. to ft. Gage

(6) PERFORATIONS:

Perforated? ☒ Yes ☐ No.

Type of perforator used Mills knife

Size of perforations 1 in. by 3 in.
160 perforations from 70 ft. to 102 ft.
perforations from ft. to ft.
perforations from ft. to ft.

(7) SCREENS:

Well screen installed? ☐ Yes ☒ No

Manufacturer's Name _____

Type _____ Model No. _____
Diam. _____ Slot size _____ Set from _____ ft. to _____ ft.
Diam. _____ Slot size _____ Set from _____ ft. to _____ ft.

(8) WELL TESTS:

Drawdown is amount water level is
lowered below static level

Was a pump test made? ☒ Yes ☐ No If yes, by whom? Driller

Yield: 300 gal./min. with 56 ft. drawdown after 3 hrs.

" " " " " "

" " " " " "

Ball test gal./min. with ft. drawdown after hrs.

Artesian flow g.p.m.

Temperature of water 58 Depth artesian flow encountered _____ ft.

(9) CONSTRUCTION:

Well seal—Material used Cement

Well sealed from land surface to 20 ft.

Diameter of well bore to bottom of seal 20 in.

Diameter of well bore below seal 14 in.

Number of sacks of cement used in well seal 15 sacks

Number of sacks of bentonite used in well seal _____ sacks

Brand name of bentonite _____

Number of pounds of bentonite per 100 gallons _____

of water _____ lbs./100 gals.

Was a drive shoe used? ☒ Yes ☐ No Plugs _____ Size: location _____ ft.

Did any strata contain unusable water? ☐ Yes ☒ No

Type of water? _____ depth of strata _____

Method of sealing strata off _____

Was well gravel packed? ☐ Yes ☒ No Size of gravel: _____

Gravel placed from _____ ft. to _____ ft.

(10) LOCATION OF WELL:

County Lake Driller's well number
SE 1/4 SW 1/4 Section 33 T. 35 R. 24E W.M.

Bearing and distance from section or subdivision corner

6 miles north of Plush, Oregon

(11) WATER LEVEL: Completed well.

Depth at which water was first found 70 ft.

Static level 34 ft. below land surface. Date 2/11/74

Artesian pressure _____ lbs. per square inch. Date _____

(12) WELL LOG: Diameter of well below casing 14"

Depth drilled 190 ft. Depth of completed well 190 ft.

Formation: Describe color, texture, grain size and structure of materials;
and show thickness and nature of each stratum and aquifer penetrated,
with at least one entry for each change of formation. Report each change in
position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
Soil Zone (Sandy-Brown)	0	2	
Clay & Sand (Brown)	2	49	
Gravel (fine) & Clay (Brn)	49	70	
Basalt Gravel & cinders with Brown Clay	70	80	
Basalt Gravel (Black)	80	102	
Cemented Gravel (brown)	102	122	
Red to Black Lava Rock	122	126	
Volcanic Rock (Grey)	126	176	
Lava Rock & Cinders (red)	176	181	
Cinders & Lava Rock (blk)	181	190	

RECEIVED BY OWRD

NOV 04 2013

SALEM, OR

Work started 12/14 19 73 Completed 2/11 19 74

Date well drilling machine moved off of well 2/14 19 74

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision.
Materials used and information reported above are true to my
best knowledge and belief.

[Signed] Gary Stooksberry Date 2/12, 19 74.

(Drilling Machine Operator)

Drilling Machine Operator's License No. 801

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is
true to the best of my knowledge and belief.

Name Jack Stooksberry

(Person, firm or corporation)

(Type or print)

Address Rte. 2, Box 47, Lakeview, Oregon

[Signed] Jack Stooksberry Jr.

(Water Well Contractor)

Contractor's License No. 211 Date 2/12, 19 74

(USE ADDITIONAL SHEETS IF NECESSARY)

SP-45656-119

617733

RECEIVED

APR 6 1978

WATER RESOURCES DEPT.
SALEM, OREGON



Jack Stooksberry, Jr.

Well Drilling & Pump Service

Route 2 - Box 47 • Lakeview, Oregon

Phone WH-7-7491-
947-2701

- 6-inch to 24-inch Wells
- Test Pumping & Developing
- Irrigation & Domestic
Test Drilling

3/31/78

WATER RESOURCES DEPARTMENT
SALEM, OREGON

Gentlemen,

Enclosed is a "REVISED" well log for the Flynn Brother's Irrigation well located in Plush, Oregon.

Revisions include a corrected legal description, logging of the formations encountered while deepening, and the bringing of the cement surface seal to ground level. This latter procedure was witnessed by Mr. Howard Daggett, Watermaster for Lake County.

This well was originally drilled in February of 1974 under Jack Stooksberry's Contractors License. In February of 1978 the well was deepened to its present depth by Gary Stooksberry, dba RAPID WATER WELL DRILLING COMPANY.

We hope this Revised Well Log explains the circumstances of this well construction adequately. If further information is required please contact us at the above address.

Sincerely yours,

Gary Stooksberry

GARY STOOKSBERRY

Jack Stooksberry Jr.

JACK STOOKSBERRY

RECEIVED BY OWRD

NOV 04 2013

SALEM, OR

617733

T. 35 S., R. 24 E., Section 33

NENE 29.1

NWNE 30.5

SWNE 27.1

SENE 26.9

RECEIVED BY OWRD

NOV 04 2013

SALEM, OR

G17733

Land Use

Information Form



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.wrd.state.or.us

Applicant: John C. Matlock I, Neil J Flynn
First Last

Mailing Address: 438 Mt. View

Lakeview Ore 97630 Daytime Phone: 541-219-1003
City State Zip

A. Land and Location

Please include the following information for all tax lots where water will be diverted (taken from its source), conveyed (transported), and/or used or developed. Applicants for municipal use, or irrigation uses within irrigation districts may substitute existing and proposed service-area boundaries for the tax-lot information requested below.

Township	Range	Section	¼ ¼	Tax Lot #	Plan Designation (e.g., Rural Residential/RR-5)	Water to be:			Proposed Land Use:
35S	24E	33	NE ¼	204		☐ Diverted	☐ Conveyed	☒ Used	
35S	24E	33	SE ¼			☒ Diverted	☐ Conveyed	☐ Used	
						☐ Diverted	☐ Conveyed	☒ Used	
						☐ Diverted	☐ Conveyed	☐ Used	

List all counties and cities where water is proposed to be diverted, conveyed, and/or used or developed:

Lakeview
RECEIVED BY OWRD
NOV 04 2013

B. Description of Proposed Use

SALEM, OR

Type of application to be filed with the Water Resources Department:

- ☒ Permit to Use or Store Water ☐ Water Right Transfer ☐ Permit Amendment or Ground Water Registration Modification
☐ Limited Water Use License ☐ Allocation of Conserved Water ☐ Exchange of Water

Source of water: ☐ Reservoir/Pond ☒ Ground Water ☐ Surface Water (name) _____

Estimated quantity of water needed: _____ ☒ cubic feet per second ☐ gallons per minute ☐ acre-feet

Intended use of water: ☒ Irrigation ☐ Commercial ☐ Industrial ☐ Domestic for _____ household(s)
☐ Municipal ☐ Quasi-Municipal ☐ Instream ☐ Other _____

Briefly describe:

Note to applicant: If the Land Use Information Form cannot be completed while you wait, please have a local government representative sign the receipt at the bottom of the next page and include it with the application filed with the Water Resources Department.

See bottom of Page 3. →

For Local Government Use Only

The following section must be completed by a planning official from each county and city listed unless the project will be located entirely within the city limits. In that case, only the city planning agency must complete this form. This deals only with the local land-use plan. Do not include approval for activities such as building or grading permits.

Please check the appropriate box below and provide the requested information

- ☒ Land uses to be served by the proposed water uses (including proposed construction) are allowed outright or are not regulated by your comprehensive plan. Cite applicable ordinance section(s): L.C. Z.O. Ord. 3 (A-2 use)
- ☐ Land uses to be served by the proposed water uses (including proposed construction) involve discretionary land-use approvals as listed in the table below. (Please attach documentation of applicable land-use approvals which have already been obtained. Record of Action/land-use decision and accompanying findings are sufficient.) **If approvals have been obtained but all appeal periods have not ended, check "Being pursued."**

Type of Land-Use Approval Needed (e.g., plan amendments, rezones, conditional-use permits, etc.)	Cite Most Significant, Applicable Plan Policies & Ordinance Section References	Land-Use Approval:	
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued

Local governments are invited to express special land-use concerns or make recommendations to the Water Resources Department regarding this proposed use of water below, or on a separate sheet.

--

Name: Darwin Johnson Jr. Title: Planning Commission Director

Signature: [Signature] Phone: (541) 947-6036 Date: 23 Sept 2013

Government Entity: Lake County Planning Dept.

Note to local government representative: Please complete this form or sign the receipt below and return it to the applicant. If you sign the receipt, you will have 30 days from the Water Resources Department's notice date to return the completed Land Use Information Form or WRD may presume the land use associated with the proposed use of water is compatible with local comprehensive plans.

Receipt for Request for Land Use Information

Applicant name: _____ RECEIVED BY OWRD

City or County: _____ Staff contact: _____ NOV 04 2013

Signature: _____ Phone: _____ Date: _____

SALEM, OR

084777

084744-303

327

M0331232

BARGAIN AND SALE DEED

M0331277

KNOW ALL MEN BY THESE PRESENTS, that JIM C. LYNCH, hereinafter called grantor, for the consideration hereinafter stated, does hereby grant, bargain, sell and convey unto JOHN C. FLYNN and MATILDA I. FLYNN, husband and wife, as to an undivided one-half interest; and NEIL J. FLYNN as to the other undivided one-half interest, hereinafter called grantee, and unto grantee's heirs, successors and assigns, all of that certain real property with the tenements, hereditaments and appurtenances thereunto belonging or in anywise appertaining, situated in the County of Lake, State of Oregon, described as follows, to-wit:

Township 35 South, Range 24 East of the Willamette Meridian
Section 33: NE $\frac{1}{4}$

RERECORDED TO CORRECT LEGAL DESCRIPTION. PREVIOUSLY RECORDED IN BOOK 230 ON PAGE 303.

TAX INFORMATION: Code 18-01; Account 3524-200; Reference 9523

THIS INSTRUMENT WILL NOT ALLOW USE OF THE PROPERTY DESCRIBED IN THIS INSTRUMENT IN VIOLATION OF APPLICABLE LAND USE LAWS AND REGULATIONS. BEFORE SIGNING OR ACCEPTING THIS INSTRUMENT, THE PERSON ACQUIRING FEE TITLE TO THE PROPERTY SHOULD CHECK WITH THE APPROPRIATE CITY OR COUNTY PLANNING DEPARTMENT TO VERIFY APPROVED USES AND TO DETERMINE ANY LIMITS ON LAWSUITS AGAINST FARMING OR FOREST PRACTICES AS DEFINED IN ORS 30.930.

TO HAVE AND TO HOLD the same unto the said grantee and grantee's heirs, successors and assigns forever.


The true and actual consideration paid for this transfer, stated in terms of dollars, is \$7,840.00.

IN WITNESS WHEREOF, the grantor has executed this instrument this 16th day of August, 1995.

Jim C. Lynch
Jim C. Lynch

STATE OF OREGON,)
County of Lake.) ss.

This instrument was acknowledged before me on August 16th, 1995, by Jim C. Lynch.



Anna Gray
Notary Public for Oregon
My Commission Expires 7-15-97

AFTER RECORDING RETURN TO:

Jim C. Lynch
P.O. Box 351
Lakeview, OR 97630

SEND TAX STATEMENTS TO:

1/2 to: John C. & Matilda I. Flynn
438 Mountain View
Lakeview, OR 97630
1/2 to: Neil J. Flynn
P.O. Box 48
Plush, OR 97637



State of Oregon } Reel 23
County of Lake } ss. File 1232

I hereby certify that the within instrument was received and filed for record on the 23 day of Aug, 1995 at 11:05 o'clock A.M. and recorded on Page 303 in book 230 Record of said County

James O'Brien
County Clerk
By Shirley Olson Deputy

RECEIVED BY OWRD

NOV 04 2013

SALEM, OR

327

617733

328

11/1/20

MJ231678

County of Lake } 23. Book 23
County of Lake } File 1277

I hereby certify that the within instrument was received and filed for record on the 28 day of August 95 at 2:26 o'clock P.M. and recorded on Page 327 in book 220 of said County of Deeds

By Racey O. Jensen County Clerk
[Signature] Deputy



RECEIVED BY OWRD

NOV 04 2013

SALEM, OR

328

G17733