

**Oregon Water Resources Department
Water Rights Services Division**

Water Rights Application
Number G-17609

Prior to the issuance of a permit, the Department must receive evidence demonstrating compliance with well construction standards for Well 2, which must be approved by the Department's Well Construction and Compliance Section. Please include your application number on any documents submitted to the Department.

Proposed Final Order

Summary of Recommendation: The Department recommends that the attached draft permit be issued with conditions.

Application History

On December 26, 2012, Greater Albany Public School District submitted an application to the Department for the following water use permit:

- Amount of Water: 1.69 cubic feet per second (CFS), being 0.26 CFS from Well 1, 0.367 CFS from Wells 2 and 3, 0.318 CFS from Well 4, 0.568 CFS from Wells 5 (LINN 8307/L96592), 6, 7, and 8, 0.084 CFS from Well 9, and 0.093 CFS from Well 10
- Use of Water: irrigation of 135.75 acres
- Source of Water: Well 1, Well 2, Well 3, Well 4, Well 5 (LINN 8307/L96592), Well 6, Well 7, Well 8, Well 9, and Well 10 in Willamette River Basin
- Area of Proposed Use: Benton and Linn Counties within Section 31, Township 10 South, Range 3 West, W.M.; Section 36, Township 10 South, Range 4 West, W.M.; Section 3, Section 7, Section 17, Section 18, and Section 20, Township 11 South, Range 3 West, W.M.; Section 12 and Section 13, Township 11 South, Range 4 West, W.M.

On November 29, 2013, the Department mailed the applicant notice of its Initial Review, determining that "*The appropriation of 1.69 CFS, being 0.26 CFS from Well 1, 0.367 CFS from Well 3, 0.318 CFS from Well 4, 0.568 CFS from Wells 5 (LINN 8307/L96592), 6, 7, and 8, 0.084 CFS from Well 9, and 0.093 CFS from Well 10 in Willamette River Basin, for irrigation of 135.75 acres March 1 through October 31 of each year is allowable. The appropriation of ground water from Well 2 in Willamette River Basin for irrigation of 135.75 acres March 1 through October 31 of each year is allowable, contingent upon the submittal of evidence demonstrating compliance with current minimum well construction standards.*" The

applicant did not notify the Department to stop processing the application within 14 days of that date.

On December 3, 2013, the Department gave public notice of the application in its weekly notice. The public notice included a request for comments, and information for interested persons about obtaining future notices and a copy of the Proposed Final Order. No written comments were received within 30 days.

In reviewing applications, the Department may consider any relevant sources of information, including the following:

- any applicable basin program
- applicable statutes, administrative rules, and case law
- the amount of water available
- the rate and duty for the proposed use
- any general basin-wide standard for flow rate and duty of water allowed
- the need for a flow rate and duty higher than the general standard
- pending senior applications and existing water rights of record
- any applicable comprehensive plan or zoning ordinance
- recommendations by other state agencies
- the Scenic Waterway requirements of ORS 390.835
- designations of any critical ground water areas
- any comments received

Findings of Fact

The Willamette Basin Program allows irrigation.

An assessment of ground water availability has been completed by the Department's Ground Water/Hydrology section. A copy of this assessment is in the file. Ground water will likely be available within the capacity of the resource, and the proposed use of ground water will avoid injury to existing ground water rights.

Ground Water Findings Under OAR 690-009

The Department determined, consistent with OAR 690-009-0040(4), that the proposed ground water use will not have the potential for substantial interference with surface water.

In making this determination, the Department considered whether:

- (a) There is a hydraulic connection from the proposed well(s) to any surface water sources.
- (b) The point of appropriation is a horizontal distance less than one-fourth mile from the surface water source;

- (c) The rate of appropriation is greater than five cubic feet per second, if the point of appropriation is a horizontal distance less than one mile from the surface water source;
- (d) The rate of appropriation is greater than one percent of the pertinent adopted minimum perennial streamflow or instream water right with a senior priority date, if one is applicable, or of the discharge that is equaled or exceeded 80 percent of time, as determined or estimated by the Department, and if the point of appropriation is a horizontal distance less than one mile from the surface water source;
- (e) The ground water appropriation, if continued for a period of 30 days, would result in stream depletion greater than 25 percent of the rate of appropriation, if the point of appropriation is a horizontal distance less than one mile from the surface water source.

According to the Department's rules, the potential for substantial interference is assumed if (a) and either (b) or (c) or (d) or (e) are met. For this application, the Department determined that there is no potential for substantial interference, because either (a) is not met, or (b), (c), (d) or (e) are not met, or both.

Well 1, Well 2, Well 3, Well 4, Well 5 (LINN 8307/L96592), Well 6, Well 7, Well 8, Well 9, and Well 10 in Willamette River Basin are not within or above a State Scenic Waterway.

The Department finds that the amount of water requested, 1.69 CFS, is an acceptable amount.

The proposed ground water use is not within a designated critical ground water area.

Conclusions of Law

Under the provisions of ORS 537.621, the Department must presume that a proposed use will ensure the preservation of the public welfare, safety and health if the proposed use is allowed in the applicable basin program established pursuant to ORS 536.300 and 536.340 or given a preference under ORS 536.310(12), if water is available, if the proposed use will not injure other water rights and if the proposed use complies with rules of the Water Resources Commission.

The proposed use requested in this application is allowed in the Willamette Basin Program.

Water is available for the proposed use.

The proposed use will not injure other water rights.

The proposed use complies with other rules of the Water Resources Commission not otherwise described above.

The application is in compliance with the State Agency Coordination Program regarding land use.

No proposed flow rate and duty of water higher than the general basin-wide standard is needed.

For these reasons, the required presumption has been established.

Under the provisions of ORS 537.621, once the presumption has been established, it may be overcome by a preponderance of evidence that either:

- (a) One or more of the criteria for establishing the presumption are not satisfied; or
- (b) The proposed use would not ensure the preservation of the public welfare, safety and health as demonstrated in comments, in a protest . . . or in a finding of the department that shows:
 - (A) The specific aspect of the public welfare, safety and health under ORS 537.525 that would be impaired or detrimentally affected; and
 - (B) Specifically how the identified aspect of the public welfare, safety and health under ORS 537.525 would be impaired or be adversely affected.

In this application, all criteria for establishing the presumption have been satisfied, as noted above. The presumption has not been overcome by a preponderance of evidence that the proposed use would impair or be detrimental to the public interest.

The Department therefore concludes that the proposed use would ensure the preservation of the public welfare, safety and health as described in ORS 537.525.

When issuing permits, ORS 537.628(1) authorizes the Department to include limitations and conditions which have been determined necessary to protect the public welfare, safety, and health. The attached draft permit is conditioned accordingly.

Recommendation

The Department recommends that the attached draft permit be issued with conditions.

DATED January 21, 2014

E. Timothy Wallin

E. Timothy Wallin, Water Rights Program Manager
for Phillip C. Ward, Director

Protests

Under the provisions of ORS 537.153(7) (for surface water) or ORS 537.621(8) (for ground water), you can protest this Proposed Final Order. Protests must be received in the Water Resources Department no later than **March 7, 2014**. Protests must be in writing, and must include the following:

- Your name, address, and telephone number;
- A description of your interest in the Proposed Final Order, and, if you claim to represent the public interest, a precise statement of the public interest represented;
- A detailed description of how the action proposed in the Proposed Final Order would impair or be detrimental to your interest;
- A detailed description of how the Proposed Final Order is in error or deficient, and how to correct the alleged error or deficiency;
- Any citation of legal authority to support your protest, if known;
- To affect the department's determination that the proposed use in this application will, or will not, ensure the preservation of the public welfare, safety and health as described in ORS 537.525, ORS 537.621(2) (b) requires that a protest demonstrate, by a preponderance of evidence any of the following: (a) One or more of the criteria for establishing the presumption are, or are not, satisfied; or (b) The specific aspect of the public welfare, safety and health under ORS 537.525 that would be

impaired or detrimentally affected, and specifically how the identified aspect of the public welfare, safety and health under ORS 537.525 would be impaired or be adversely affected;

- If you are the applicant, the protest fee of \$350 required by ORS 536.050; and
- If you are not the applicant, the protest fee of \$700 required by ORS 536.050 and proof of service of the protest upon the applicant.
- If you are the applicant, a statement of whether or not you are requesting a contested case hearing. If you do not request a hearing, the Department will presume that you do not wish to contest the findings of the Proposed Final Order.
- *If you do not protest this Proposed Final Order and if no substantive changes are made in the Final Order, you will not have an opportunity for judicial review, protest or appeal of the Final Order when it is issued.*

Requests for Standing

Under the provisions of ORS 537.153(7) (for surface water) or ORS 537.621(8) (for ground water), persons other than the applicant who support a Proposed Final Order can request standing for purposes of participating in any contested case proceeding on the Proposed Final Order or for judicial review of a Final Order.

Requests for standing must be received in the Water Resources Department no later than **March 7, 2014**. Requests for standing must be in writing, and must include the following:

- The requester's name, mailing address and telephone number;
- If the requester is representing a group, association or other organization, the name, address and telephone number of the represented group;
- A statement that the requester supports the Proposed Final Order as issued;
- A detailed statement of how the requester would be harmed if the Proposed Final Order is modified; and
- A standing fee of \$200. If a hearing is scheduled, an additional fee of \$500 must be submitted along with a request for intervention.

After the protest period has ended, the Director will either issue a Final Order or schedule a contested case hearing. The contested case hearing will be scheduled only if a protest has been submitted and either:

- upon review of the issues, the director finds that there are significant disputes related to the proposed use of water, or
- the applicant requests a contested case hearing within 30 days after the close of the protest period.

If you do not request a hearing within 30 days after the close of the protest period, or if you withdraw a request for a hearing, notify the Department or the administrative law judge that you will not appear or fail to appear at a scheduled hearing, the Director may issue a Final Order by default. If the Director issues a Final Order by default, the Department designates the relevant portions of its files on this matter, including all materials that you have submitted relating to this matter, as the record for purpose of proving a *prima facie* case upon default.

You may be represented by an attorney at the hearing. Legal aid organizations may be able to assist a party with limited financial resources. Generally, partnerships, corporations, associations, governmental subdivisions or public or private organizations are represented by an attorney. However, consistent with OAR 690-002-0020 and OAR 137-003-0555, an agency representative may represent a partnership, corporation, association, governmental subdivision or public or private organization if the Department determines that appearance of a person by an authorized representative will not hinder the orderly and timely development of the record in this case.

This document was prepared by Jeana Eastman. If you have any questions about any of the statements contained in this document I am most likely the best person to answer your questions. You can reach me at 503-986-0812.

If you have questions about how to file a protest or a request for standing, please refer to the respective sections in this Proposed Final Order entitled "Protests" and "Requests for Standing". If you have previously filed a protest and want to know its status, please contact Patricia McCarty at 503-986-0820.

If you have other questions about the Department or any of its programs please contact our Customer Service Group at 503-986-0801. Address all other correspondence to:

Water Rights Section, Oregon Water Resources Department, 725 Summer St NE Ste A, Salem OR 97301-1266, Fax: 503-986-0901.

DRAFT

This is not a permit.
STATE OF OREGON

DRAFT

COUNTIES OF BENTON AND LINN

DRAFT PERMIT TO APPROPRIATE THE PUBLIC WATERS

THIS DRAFT PERMIT IS HEREBY ISSUED TO

GREATER ALBANY PUBLIC SCHOOL DISTRICT
3610 GRAND PRAIRIE RD
ALBANY, OR 97322

The specific limits and conditions of the use are listed below.

APPLICATION FILE NUMBER: G-17609

SOURCE OF WATER: WELL 1, WELL 2, WELL 3, WELL 4, WELL 5 (LINN 8307/L96592), WELL 6, WELL 7, WELL 8, WELL 9, AND WELL 10 IN WILLAMETTE RIVER BASIN

PURPOSE OR USE: IRRIGATION OF 135.75 ACRES

MAXIMUM RATE: 1.69 CUBIC FEET PER SECOND (CFS), BEING 0.26 CFS FROM WELL 1, 0.367 CFS IN ANY COMBINATION FROM WELLS 2 AND 3, 0.318 CFS FROM WELL 4, 0.568 CFS IN ANY COMBINATION FROM WELLS 5 (LINN 8307/L96592), 6, 7, AND 8, 0.084 CFS FROM WELL 9, AND 0.093 CFS FROM WELL 10

PERIOD OF USE: MARCH 1 THROUGH OCTOBER 31

DATE OF PRIORITY: DECEMBER 26, 2012

WELL LOCATIONS:

WELL 1: NE $\frac{1}{4}$ NW $\frac{1}{4}$, SECTION 3, T11S, R3W, W.M.; 790 FEET SOUTH AND 390 FEET WEST FROM N1/4 CORNER, SECTION 3

WELL 2: SW $\frac{1}{4}$ SW $\frac{1}{4}$, SECTION 31, T10S, R3W, W.M.; 810 FEET NORTH AND 580 FEET EAST FROM SW CORNER, SECTION 31

WELL 3: SE $\frac{1}{4}$ SE $\frac{1}{4}$, SECTION 36, T10S, R4W, W.M.; 1030 FEET NORTH AND 310 FEET WEST FROM SE CORNER, SECTION 36

WELL 4: SW $\frac{1}{4}$ SE $\frac{1}{4}$, SECTION 17, T11S, R3W, W.M.; 140 FEET NORTH AND 510 FEET WEST FROM SE CORNER, SW $\frac{1}{4}$ SE $\frac{1}{4}$, SECTION 17

WELL 5 (LINN 8307/L96592): NW $\frac{1}{4}$ NE $\frac{1}{4}$, SECTION 13, T11S, R4W, W.M.; 420 FEET SOUTH AND 410 FEET WEST FROM NE CORNER, NW $\frac{1}{4}$ NE $\frac{1}{4}$ SECTION 13

WELL 6: SW $\frac{1}{4}$ SE $\frac{1}{4}$, SECTION 12, T11S, R4W, W.M.; 315 FEET NORTH AND 420 FEET WEST FROM SE CORNER, SW $\frac{1}{4}$ SE $\frac{1}{4}$, SECTION 12

WELL 7: NW $\frac{1}{4}$ NE $\frac{1}{4}$, SECTION 13, T11S, R4W, W.M.; 10 FEET SOUTH AND 930 FEET WEST FROM NE CORNER, NW $\frac{1}{4}$ NE $\frac{1}{4}$, SECTION 13

WELL 8: NW $\frac{1}{4}$ NE $\frac{1}{4}$, SECTION 13, T11S, R4W, W.M.; 570 FEET NORTH AND 130 FEET EAST FROM SW CORNER, NW $\frac{1}{4}$ NE $\frac{1}{4}$, SECTION 13

WELL 9: SW $\frac{1}{4}$ NW $\frac{1}{4}$, SECTION 7, T11S, R3W, W.M.; 645 FEET NORTH AND 860 FEET EAST FROM W1/4 CORNER, SECTION 7

WELL 10: NE $\frac{1}{4}$ SE $\frac{1}{4}$, SECTION 18, T11S, R3W, W.M.; 300 FEET SOUTH AND 800 FEET WEST FROM E1/4 CORNER, SECTION 18

The amount of water used for irrigation under this right, together with the amount secured under any other right existing for the same lands, is limited to a diversion of ONE-EIGHTIETH of one cubic foot per second and 2.5 acre-feet for each acre irrigated during the irrigation season of each year.

THE PLACE OF USE IS LOCATED AS FOLLOWS:

NW $\frac{1}{4}$ SW $\frac{1}{4}$ 5.25 ACRES
 SW $\frac{1}{4}$ SW $\frac{1}{4}$ 13.0 ACRES
 SECTION 31
 TOWNSHIP 10 SOUTH, RANGE 3 WEST, W.M.

NE $\frac{1}{4}$ SE $\frac{1}{4}$ 0.25 ACRE
 SE $\frac{1}{4}$ SE $\frac{1}{4}$ 11.0 ACRES
 SECTION 36
 TOWNSHIP 10 SOUTH, RANGE 4 WEST, W.M.

NW $\frac{1}{4}$ NE $\frac{1}{4}$ 1.5 ACRES
 SW $\frac{1}{4}$ NE $\frac{1}{4}$ 1.0 ACRE
 NE $\frac{1}{4}$ NW $\frac{1}{4}$ 13.0 ACRES
 SE $\frac{1}{4}$ NW $\frac{1}{4}$ 5.5 ACRES
 SECTION 3

SW $\frac{1}{4}$ NW $\frac{1}{4}$ 6.75 ACRES
 SECTION 7

SW $\frac{1}{4}$ SE $\frac{1}{4}$ 15.0 ACRES
 SE $\frac{1}{4}$ SE $\frac{1}{4}$ 6.0 ACRES
 SECTION 17

SE $\frac{1}{4}$ NE $\frac{1}{4}$ 1.0 ACRE
 NE $\frac{1}{4}$ SE $\frac{1}{4}$ 6.5 ACRES
 SECTION 18

NE ¼ NE ¼ 1.5 ACRES
NW ¼ NE ¼ 3.0 ACRES

SECTION 20
TOWNSHIP 11 SOUTH, RANGE 3 WEST, W.M.

SW ¼ SE ¼ 15.0 ACRES
SE ¼ SE ¼ 3.0 ACRES

SECTION 12

NE ¼ NE ¼ 1.5 ACRES
NW ¼ NE ¼ 26.0 ACRES

SECTION 13
TOWNSHIP 11 SOUTH, RANGE 4 WEST, W.M.

Measurement, recording and reporting conditions:

- A. Before water use may begin under this permit, the permittee shall install a totalizing flow meter or other suitable measuring device as approved by the Director at each point of appropriation. The permittee shall maintain the meter or measuring device in good working order.
- B. The permittee shall keep a complete record of the amount of water diverted each month, and shall submit a report which includes the recorded water-use measurements to the Department annually or more frequently as may be required by the Director. Further, the Director may require the permittee to report general water-use information, including the place and nature of use of water under the permit.
- C. The permittee shall allow the watermaster access to the meter or measuring device; provided however, where any meter or measuring device is located within a private structure, the watermaster shall request access upon reasonable notice.
- D. The Director may provide an opportunity for the permittee to submit alternative measuring and reporting procedures for review and approval.

Prior to using water from any well listed on this permit, the permittee shall ensure that the well has been assigned an OWRD Well Identification Number (Well ID tag), which shall be permanently attached to the well. The Well ID shall be used as a reference in any correspondence regarding the well, including any reports of water use, water level, or pump test data.

STANDARD CONDITIONS

Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.

If the number, location, source, or construction of any well deviates from that proposed in the permit application or required by permit conditions, this permit may be subject to cancellation, unless the Department authorizes the change in writing.

If substantial interference with surface water or a senior water right occurs due to withdrawal of water from any well listed on this permit, then use of water from the well(s) shall be discontinued or reduced and/or the schedule of withdrawal shall be regulated until or unless the Department approves or implements an alternative administrative action to mitigate the interference. The Department encourages junior and senior appropriators to jointly develop plans to mitigate interferences.

The well(s) shall be constructed and maintained in accordance with the General Standards for the Construction and Maintenance of Water Supply Wells in Oregon. The works shall be equipped with a usable access port adequate to determine water-level elevation in the well at all times.

If the riparian area is disturbed in the process of developing a point of appropriation, the permittee shall be responsible for restoration and enhancement of such riparian area in accordance with ODFW's Fish and Wildlife Habitat Mitigation Policy OAR 635-415. For purposes of mitigation, the ODFW Fish and Wildlife Habitat Mitigation Goals and Standards, OAR 635-415, shall be followed.

The use may be restricted if the quality of downstream waters decreases to the point that those waters no longer meet state or federal water quality standards due to reduced flows.

Where two or more water users agree among themselves as to the manner of rotation in the use of water and such agreement is placed in writing and filed by such water users with the watermaster, and such rotation system does not infringe upon such prior rights of any water user not a party to such rotation plan, the watermaster shall distribute the water according to such agreement.

Prior to receiving a certificate of water right, the permit holder shall submit to the Water Resources Department the results of a pump test meeting the Department's standards for each point of appropriation (well), unless an exemption has been obtained in writing under OAR 690-217. The Director may require water-level or pump-test data every ten years thereafter.

This permit is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.

By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

Completion of construction and application of the water shall be made within five years of the date of permit issuance. If beneficial use of permitted water has not been made before this date, the permittee may submit an application for extension of time, which may be approved based upon the merit of the application.

Within one year after making beneficial use of water, the permittee shall submit a claim of beneficial use, which includes a map and report, prepared by a Certified Water Rights Examiner.

Issued

DRAFT - THIS IS NOT A PERMIT

E. Timothy Wallin, Water Rights Program Manager
for Phillip C. Ward, Director

Mailing List for PFO Copies

Application #G-17609

PFO Date January 21, 2014

Original **emailed** to applicant:

~~GREATER ALBANY PUBLIC SCHOOL DISTRICT, 3610 GRAND PRAIRIE RD, ALBANY,
OR 97322~~

SENT VIA EMAIL:

1. App - gary.dahlquist@albany.k12.or.us
2. WM 2

Protest/ Standing Dates checked _____
--

Copies sent to:

1. WRD - File # G-17609
2. Water Availability: Shawn Turner

CASEWORKER : jme