

**Oregon Water Resources Department**  
**Water Right Services Division**

Water Rights Application  
Number G-11443

**Final Order**  
**Extension of Time for Permit Number G-10788**  
**Permit Holder: Ronald C. Nunn**

---

**Permit Information**

**Application File G-11443 Permit G-10788**

Basin: 15 – Rogue / Watermaster District 14

Date of Priority: October 3, 1985

**Authorized Use of Water**

Source of Water: Wells 1, 2, & 3 within the Rogue River Basin

Purpose of Use: Domestic and Commercial (specified)

Maximum Rate: 0.56 Cubic Feet per Second (cfs), being 0.31 cfs for  
Domestic Use and 0.25 for Commercial Use

---

**This Extension of Time request is being processed in accordance with Oregon Revised Statute 537.630 and 539.010(5), and Oregon Administrative Rule Chapter 690, Division 315**

**Appeal Rights**

**This is a final order in other than a contested case.** This order is subject to judicial review under ORS 183.484. A request for judicial review must be filed within the 60 day time period specified by ORS 183.484(2). Pursuant to ORS 536.075 and OAR 137-004-0080 you may either file for judicial review, or petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

**Application History**

Permit G-10788 was issued by the Department on February 29, 1988. The permit called for completion of construction by October 1, 1989 and complete application of water to beneficial use by October 1, 1990. On November 8, 2013, Ronald C. Nunn submitted to the Department an Application for Extension of Time for Permit G-10788. In accordance with OAR 690-315-0050(2), on March 4, 2014, the Department issued a Proposed Final Order proposing to extend the time to complete construction to 2033 and the time to fully apply water to beneficial use to

October 1, 2033. The protest period closed April 18, 2014, in accordance with OAR 690-315-0060(1). No protest was filed.

**Findings of Fact**

The Department adopts and incorporates by reference the findings of fact in the Proposed Final Order dated March 4, 2014.

At time of issuance of the Proposed Final Order the Department concluded that, based on the factors demonstrated by the applicant, any comments received, and information within the file, the permit may be extended subject to the following conditions:

**CONDITIONS**

**1. Last Extension Condition**

This is to be the last extension of time granted for Permit G-10788. Any future extensions of time requests will be denied.

**2. Checkpoint Condition**

The permit holder must submit completed Progress Report Forms to the Department by **October 1, 2018, October 1, 2023, and October 1, 2028. Forms are enclosed with this Final Order.**

- (a) At each checkpoint, the permit holder shall submit and the Department shall review evidence of the permit holder's diligence towards completion of the project and compliance with terms and conditions of the permit and extension. If, after this review, the Department determines the permit holder has not been diligent in developing and perfecting the water use permit, or complied with all terms and conditions, the Department shall modify or further condition the permit or extension to ensure future compliance, or begin cancellation proceedings on the undeveloped portion of the permit pursuant to ORS 537.260 or 537.410, or require submission of a final proof survey pursuant to ORS 537.250;
- (b) The Department shall provide notice of receipt of progress reports in its weekly notice and shall allow a 30 day comment period for each report. The Department shall provide notice of its determination to anyone who submitted comments.


**CONCLUSION OF LAW**

The applicant has demonstrated good cause for the permit extension pursuant to ORS 537.630, 539.010(5) and OAR 690-315-0040(2).

**Order**

The extension of time for Application G-11443, Permit G-10788, therefore, is approved subject to conditions contained herein. The deadline for completing construction is extended to from October 1, 2009 to October 1, 2033. The deadline for applying water to full beneficial use within the terms and conditions of the permit is extended from October 1, 2009 to October 1, 2033.

DATED: April 25, 2014

  
Dwight W. French, Administrator, Water Right Services Division,  
for PHILLIP C. WARD, DIRECTOR

- 
- If you have any questions about statements contained in this document, please contact Ann Reece at (503) 986-0834.
  - If you have other questions about the Department or any of its programs, please contact our Water Resources Customer Service Group at (503) 986-0900
-



Oregon Water Resources Department  
 725 Summer Street NE, Suite A  
 Salem Oregon 97301-1266

# Extension of Time Progress Report Form For Checkpoints

TO THE DIRECTOR OF THE OREGON WATER RESOURCES DEPARTMENT

Permit Holder: Ronald C. Nunn

Application G-11443  
 Permit G-10788

Report Due no later than October 1, 2018

DO NOT SUBMIT PRIOR TO 30 DAYS BEFORE DUE DATE

## Progress Report Form for 2018

As authorized in ORS 690-315-0050(6), this progress report is required in order to ensure diligence is exercised in the development and perfections of Permit G-10788. **FAILURE TO SUBMIT THIS REPORT WILL MOST LIKELY RESULT IN ANY FUTURE EXTENSION BEING DENIED.**

STATE OF OREGON OREGON WATER RESOURCES DEPARTMENT Report Due no later than October 1, 2018		

2. **Compliance with terms and conditions of the permit and/or previous extension.**

3. **Total number of acres irrigated to date= \_\_\_\_\_ (if applicable)**

4. **Provide the maximum rate, or duty if applicable, of water diverted for beneficial use under this permit, if any, made to date.**

Maximum rate used to date = \_\_\_\_\_ cfs (cubic feet per second), or

Maximum rate used to date = \_\_\_\_\_ gpm (gallons per minute), or

Acre Feet stored to date = \_\_\_\_\_ AF

*Report the rate in the same units of measurement as specified in the permit, being cfs (cubic feet per second), gpm (gallons per minute) or AF (acre-feet). Do not provide*

INCOMPLETE REPORTS WILL BE RETURNED. AN ANSWER IS **REQUIRED** IN EACH ITEM. USE N/A FOR ITEM 3 IF THE USE IS NOT IRRIGATION.

Signature \_\_\_\_\_ Date \_\_\_\_\_

*For OWRD use only*

Diligence Shown     Yes     No

Date Public Noticed: \_\_\_\_\_

Reviewed by: \_\_\_\_\_

Date: \_\_\_\_\_



Oregon Water Resources Department  
 725 Summer Street NE, Suite A  
 Salem Oregon 97301-1266

# Extension of Time Progress Report Form For Checkpoints

TO THE DIRECTOR OF THE OREGON WATER RESOURCES DEPARTMENT

Permit Holder: Ronald C. Nunn

Application G-11443  
 Permit G-10788

Report Due no later than October 1, 2023

DO NOT SUBMIT PRIOR TO 30 DAYS BEFORE DUE DATE

## Progress Report Form for 2023

As authorized in ORS 690-315-0050(6), this progress report is required in order to ensure diligence is exercised in the development and perfections of Permit G-10788. FAILURE TO SUBMIT THIS REPORT WILL MOST LIKELY RESULT IN ANY FUTURE EXTENSION BEING DENIED.

ANSWER	QUESTIONS	

2. Compliance with terms and conditions of the permit and/or previous extension.

3. Total number of acres irrigated to date= \_\_\_\_\_ (if applicable)

4. Provide the maximum rate, or duty if applicable, of water diverted for beneficial use under this permit, if any, made to date.

Maximum rate used to date = \_\_\_\_\_ cfs (cubic feet per second), or

Maximum rate used to date = \_\_\_\_\_ gpm (gallons per minute), or

Acre Feet stored to date = \_\_\_\_\_ AF

*Report the rate in the same units of measurement as specified in the permit, being cfs (cubic feet per second), gpm (gallons per minute) or AF (acre-feet). Do not provide*

INCOMPLETE REPORTS WILL BE RETURNED. AN ANSWER IS **REQUIRED** IN EACH ITEM. USE N/A FOR ITEM 3 IF THE USE IS NOT IRRIGATION.

Signature \_\_\_\_\_ Date \_\_\_\_\_

**For OWRD use only**

Diligence Shown     Yes     No

Date Public Noticed: \_\_\_\_\_

Reviewed by: \_\_\_\_\_

Date: \_\_\_\_\_



Oregon Water Resources Department  
725 Summer Street NE, Suite A

Salem Oregon 97301-1266

# Extension of Time Progress Report Form For Checkpoints

TO THE DIRECTOR OF THE OREGON WATER RESOURCES DEPARTMENT

Permit Holder: Ronald C. Nunn

Application G-11443

Permit G-10788

Report Due no later than October 1, 2028

DO NOT SUBMIT PRIOR TO 30 DAYS BEFORE DUE DATE

## Progress Report Form for 2028

As authorized in ORS 690-315-0050(6), this progress report is required in order to ensure diligence is exercised in the development and  
perfections of Permit G-10788. FAILURE TO SUBMIT THIS REPORT WILL MOST LIKELY RESULT IN ANY FUTURE EXTENSION  
BEING DENIED.


2. Compliance with terms and conditions of the permit and/or previous extension.
  
3. Total number of acres irrigated to date= \_\_\_\_\_ (if applicable)
  
4. Provide the maximum rate, or duty if applicable, of water diverted for beneficial use under this permit, if any, made to date.
 

Maximum rate used to date = \_\_\_\_\_ cfs (cubic feet per second), or

Maximum rate used to date = \_\_\_\_\_ gpm (gallons per minute), or

Acre Feet stored to date = \_\_\_\_\_ AF

*Report the rate in the same units of measurement as specified in the permit, being cfs (cubic feet per second), gpm (gallons per minute) or AF (acre-feet). Do not provide*

INCOMPLETE REPORTS WILL BE RETURNED. AN ANSWER IS REQUIRED IN EACH ITEM. USE N/A FOR ITEM 3 IF THE USE IS NOT IRRIGATION.

Signature \_\_\_\_\_ Date \_\_\_\_\_

**For OWRD use only**

Diligence Shown     Yes     No                      Date Public Noticed: \_\_\_\_\_

Reviewed by: \_\_\_\_\_                      Date: \_\_\_\_\_