



Oregon

John A. Kitzhaber, MD, Governor

Water Resources Department

North Mall Office Building

725 Summer Street NE, Suite A

Salem, OR 97301-1271

503-986-0900

FAX 503-986-0904

May 9, 2014

ANDY ROOT
524 HWY 20 N
HINES, OR 97738

Reference: File G-17834

Dear Applicant:

**THIS IS NOT A PERMIT AND IS
SUBJECT TO CHANGE AT THE NEXT PHASE OF PROCESSING.**

This letter is to inform you of the preliminary analysis of your water-use permit application and to describe your options. In determining whether an application may be approved, the Department must consider the factors listed below, all of which must be favorable to the proposed use if it is to be allowed. Based on the information you have supplied, the Water Resources Department has made the following preliminary determinations:

Initial Review Determinations:

1. The application proposed the appropriation of 4.62 cubic feet per second (CFS) of water from Well 1 (HARN 1094), Well 5 (HARN 51146/L26615), Well 7 (HARN 51272/L72702), Well 9 (HARN 51448/L93552), Well 10 (HARN 51765/L102536), Well 11 (HARN 51760/L102534), Well 12 (HARN 51817/L107659), Well 13 (HARN 51445/L104470), Well 14 (HARN 51871/L109033), and Well 15 (HARN 51970/L11173) in Harney Lake Basin for irrigation of 277.0 acres March 1 through October 31 of each year.
2. The proposed use is not prohibited by law or rule except where otherwise noted below.
3. The appropriation of water from Well 1 (HARN 1094), Well 5 (HARN 51146/L26615), Well 7 (HARN 51272/L72702), Well 9 (HARN 51448/L93552), Well 10 (HARN 51765/L102536), Well 11 (HARN 51760/L102534), Well 12 (HARN 51817/L107659), Well 13 (HARN 51445/L104470), Well 14 (HARN 51871/L109033), and Well 15 (HARN 51970/L11173) in Harney Lake Basin for irrigation is allowable under the Malheur Lake Basin Program.
4. Ground water will not likely be available within the capacity of the resource and/or without injury to existing ground water rights.

The Department has determined, based upon OAR 690-009, that the proposed ground water use will not have the potential for substantial interference with any surface water source.

Summary of Allowable Water Use

Because not all items above are favorable, the appropriation of 4.62 cubic feet per second (CFS) of water from Well 1 (HARN 1094), Well 5 (HARN 51146/L26615), Well 7 (HARN 51272/L72702), Well 9 (HARN 51448/L93552), Well 10 (HARN 51765/L102536), Well 11 (HARN 51760/L102534), Well 12 (HARN 51817/L107659), Well 13 (HARN 51445/L104470), Well 14 (HARN 51871/L109033), and Well 15 (HARN 51970/L11173) in Harney Lake Basin for irrigation of 277.0 acres is not allowable, and it appears unlikely that you will be issued a permit unless a suitable mitigation proposal is provided prior to issuance of the Proposed Final Order. At this time, you must decide whether to proceed or to withdraw your application as described below.

Please reference the application number when sending any correspondence regarding the conclusions of this Initial Review. Comments received within the comment period will be evaluated at the next phase of the process.

Withdrawal Refunds:

If you choose not to proceed, you may withdraw your application and receive a refund (minus a \$225 processing charge per application). To accomplish this you must notify the Department in writing by **Friday, May 16, 2014**. For your convenience you may use the enclosed "STOP PROCESSING" form.

To Proceed With Your Application:

If you choose to proceed with your application, you do not have to notify the Department. Your application will automatically be placed on the Department's Public Notice to allow others the opportunity to comment. After the comment period the Department will complete a public interest review and issue a Proposed Final Order.

If A Permit Is Issued It Will Likely Include The Following Conditions:

1. Measurement devices, and recording/reporting of annual water use conditions:
 - A. Before water use may begin under this permit, the permittee shall install a totalizing flow meter, or other suitable measuring device as approved by the Director, at each point of appropriation. The permittee shall maintain the device in good working order.
 - B. The permittee shall allow the watermaster access to the device; provided however, where any device is located within a private structure, the watermaster shall request access upon reasonable notice.
 - C. The permittee shall keep a complete record of the volume of water diverted each month, and shall submit a report which includes water-use measurements to the Department annually or more frequently as may be required by the Director. Further, the Director may require the permittee to report general water-use information, including the place and nature of use of water under the permit.
 - D. The Director may provide an opportunity for the permittee to submit alternative measuring and reporting procedures for review and approval.

2. Static Water Level Conditions

The Department requires the water user to obtain, from a qualified individual (see below), and report annual static water levels for each well on the permit. The static water level shall be measured in the month of March. Reports shall be submitted to the Department within 30 days of measurement.

The permittee shall report an initial March static water-level measurement once well construction is complete and annual measurements thereafter. Annual measurements are required whether or not the well is used. The first annual measurement will establish a reference level against which future measurements will be compared. However, the Director may establish the reference level based on an analysis of other water-level data. The Director may require the user to obtain and report additional water levels each year if more data are needed to evaluate the aquifer system.

All measurements shall be made by a certified water rights examiner, registered professional geologist, registered professional engineer, licensed well constructor or pump installer licensed by the Construction Contractors Board. Measurements shall be submitted on forms provided by, or specified by, the Department. Measurements shall be made with equipment that is accurate to at least the standards specified in OAR 690-217-0045. The Department requires the individual performing the measurement to:

- A. Associate each measurement with an owner's well name or number and a Department well log ID; and
- B. Report water levels to at least the nearest tenth of a foot as depth-to-water below ground surface; and
- C. Specify the method of measurement; and
- D. Certify the accuracy of all measurements and calculations reported to the Department.

The water user shall discontinue use of, or reduce the rate or volume of withdrawal from, the well(s) if any of the following events occur:

- A. Annual water-level measurements reveal an average water-level decline of three or more feet per year for five consecutive years; or
- B. Annual water-level measurements reveal a water-level decline of 15 or more feet in fewer than five consecutive years; or
- C. Annual water-level measurements reveal a water-level decline of 25 or more feet; or
- D. Hydraulic interference leads to a decline of 25 or more feet in any neighboring well with senior priority.

The period of restricted use shall continue until the water level rises above the decline level which triggered the action or the Department determines, based on the permittee's and/or the Department's data and analysis, that no action is necessary because the aquifer in question can sustain the observed declines without adversely impacting the resource or causing substantial interference with senior water rights. The water user shall not allow excessive decline, as defined in Commission rules, to occur within the aquifer as a result of use under this permit. If more than one well is involved, the water user may submit an alternative measurement and reporting plan for review and approval by the Department.

3. The permittee shall construct one minimum six-inch diameter observation well to penetrate the same aquifer as the production wells. The well shall meet the Department's minimum well construction standards and shall be cased and sealed to the same depth as the production well. The well shall be constructed at a location approved by the Department for the purpose of instrumentation with continuous water-level monitoring equipment. The landowner or permittee shall provide access to Department staff to install and maintain the monitoring equipment. The well shall not be used for any other purpose while the Department is monitoring water levels. The well shall be completed prior to water use under the terms of this permit.
4. Prior to using water from any well listed on this permit, the permittee shall ensure that the well has been assigned an OWRD Well Identification Number (Well ID tag), which shall be permanently attached to the well. The Well ID shall be used as a reference in any correspondence regarding the well, including any reports of water use, water level, or pump test data.

The water source identified in your application may be affected by an Agricultural Water Quality Management Area Plan. These plans are developed by the Oregon Department of Agriculture (ODA) with the cooperation of local landowners and other interested stakeholders, and help to ensure that current and new appropriations of water are done in a way that does not adversely harm the environment. You are encouraged to explore ODA's Water Quality Program web site at http://www.oregon.gov/ODA/NRD/water_agplans.shtml to learn more about the plans and how they may affect your proposed water use.

If you have any questions:

Feel free to call me at 503-986-0816 if you have any questions regarding the contents of this letter or your application. Please have your application number available if you call. General questions about water rights and water use permits should be directed to our customer service staff at 503-986-0801. When corresponding by mail, please use this address: Kim French-Gorski, Oregon Water Resources Department, 725 Summer St NE Ste A, Salem OR 97301-1266. Our fax number is 503-986-0901.

Sincerely,



Kim French-Gorski
Water Right Application Caseworker

enclosures: Application Process Description and Stop Processing Request Form

G-17834
WAB 12-No PSI
POU 12-No PSI
GW

APPLICATION FACT SHEET

Application File Number: G-17834

Applicant: ANDY ROOT

County: Harney

Watermaster: 10

Priority Date: April 11, 2014

Source: WELL 1 (HARN 1094), WELL 5 (HARN 51146/L26615), WELL 7 (HARN 51272/L72702), WELL 9 (HARN 51448/L93552), WELL 10 (HARN 51765/L102536), WELL 11 (HARN 51760/L102534), WELL 12 (HARN 51817/L107659), WELL 13 (HARN 51445/L104470), WELL 14 (HARN 51871/L109033), AND WELL 15 (HARN 51970/L11173) IN HARNEY LAKE BASIN

Use: IRRIGATION OF 277.0 ACRES

Quantity: 4.62 CUBIC FEET PER SECOND

Basin Name & Number: Malheur Lake, #12

Stream Index Reference: Volume 1A HARNEY L & MISC

Point of Diversion or Well Location(s):

WELL 1 (HARN 1094): NENW, SECTION 33, T25S, R30E, W.M.; 1317 FEET SOUTH AND 1355 FEET EAST FROM NW CORNER, SECTION 33

WELL 5 (HARN 51146/L26615): SESW, SECTION 33, T25S, R30E, W.M.; 4195 FEET SOUTH AND 2672 FEET WEST FROM NE CORNER, SECTION 33

WELL 7 (HARN 51272/L72702): SESW, SECTION 34, T25S, R30E, W.M.; 4725 FEET SOUTH AND 1877 FEET EAST FROM NW CORNER, SECTION 34

WELL 9 (HARN 51448/L93552): SESW, SECTION 33, T25S, R30E, W.M.; 4423 FEET SOUTH AND 2750 FEET WEST FROM NE CORNER, SECTION 33

WELL 10 (HARN 51765/L102536): NWNW, SECTION 3, T26S, R30E, W.M.; 985 FEET SOUTH AND 455 FEET EAST FROM NW CORNER, SECTION 3

WELL 11 (HARN 51760/L102534): NWNW, SECTION 3, T26S, R30E, W.M.; 1005 FEET SOUTH AND 375 FEET EAST FROM NW CORNER, SECTION 3

WELL 12 (HARN 51817/L107659): NESW, SECTION 33, T25S, R30E, W.M.; 2690 FEET SOUTH AND 2890 FEET WEST FROM NE CORNER, SECTION 33

WELL 13 (HARN 51445/L104470): NENW, SECTION 4, T26S, R30E, W.M.; 1090 FEET SOUTH AND 2705 FEET WEST FROM NE CORNER, SECTION 4

WELL 14 (HARN 51871/L109033): SESE, SECTION 33, T25S, R30E, W.M.; 1000 FEET NORTH AND 10 FEET WEST FROM SE CORNER, SECTION 33

WELL 15 (HARN 51970/L11173): SESE, SECTION 33, T25S, R30E, W.M.; 1000 FEET NORTH AND 30 FEET WEST FROM SE CORNER, SECTION 33

Place of Use:

SE $\frac{1}{4}$ SW $\frac{1}{4}$ 32.3 ACRES
SW $\frac{1}{4}$ SE $\frac{1}{4}$ 2.8 ACRES
SECTION 32
TOWNSHIP 25 SOUTH, RANGE 30 EAST, W.M.

NW $\frac{1}{4}$ NW $\frac{1}{4}$ 0.7 ACRES
SW $\frac{1}{4}$ NW $\frac{1}{4}$ 3.7 ACRES
NW $\frac{1}{4}$ SW $\frac{1}{4}$ 3.4 ACRES
SW $\frac{1}{4}$ SW $\frac{1}{4}$ 4.8 ACRES
SECTION 4

NE $\frac{1}{4}$ NE $\frac{1}{4}$ 20.0 ACRES
NW $\frac{1}{4}$ NE $\frac{1}{4}$ 34.7 ACRES
SW $\frac{1}{4}$ NE $\frac{1}{4}$ 36.9 ACRES
SE $\frac{1}{4}$ NE $\frac{1}{4}$ 37.8 ACRES
NE $\frac{1}{4}$ NW $\frac{1}{4}$ 19.3 ACRES
NE $\frac{1}{4}$ SE $\frac{1}{4}$ 37.6 ACRES
SE $\frac{1}{4}$ SE $\frac{1}{4}$ 38.6 ACRES
SECTION 5

NE $\frac{1}{4}$ NE $\frac{1}{4}$ 4.4 ACRES
SECTION 8
TOWNSHIP 26 SOUTH, RANGE 30 EAST, W.M.

14 DAY STOP PROCESSING DEADLINE DATE: Friday, May 23, 2014

PUBLIC NOTICE DATE: Tuesday, May 13, 2014

30 DAY COMMENT DEADLINE DATE: Thursday, June 12, 2014