



State of Oregon  
Water Resources Department  
725 Summer Street NE, Suite A  
Salem, Oregon 97301  
(503) 986-0900

# Application for Limited Water Use License

*A summary of review criteria and procedures that are generally applicable to these applications is available at  
[www.wrd.state.or.us/OWRD/PUBS/forms.shtml](http://www.wrd.state.or.us/OWRD/PUBS/forms.shtml).*

License No. LL1532

Applicant(s): City of Woodburn

RECEIVED BY OWRD

Contact Person: Randy Scott, Public Works Director

JUN 04 2014

Mailing Address: 190 Garfield Street

Woodburn

OR

97071

SALEM, OR

City

State

Zip

Telephone No: 503-980-2427

I (We) make application for a Limited License to use or store the following described surface waters or groundwater-not otherwise exempt, or to use stored water of the State of Oregon for a use of a short-term or fixed duration:

1. SOURCE(S) OF WATER for the proposed use: Three (3) wells a tributary of \_\_\_\_\_

2. TOTAL AMOUNT OF WATER to be diverted: 6.67 cubic feet per second, or 3,000 gallons per minute. If water is to be used from more than one source, give the quantity from each: Well #12 est 400 gpm, Well #13 est 1,100 gpm, Well #14 est 1,500 gpm

3. INTENDED USE(S) OF WATER: (check all that apply)

Road construction or maintenance

General construction

Forestland and rangeland management; or

Other: Beneficial use for supply of drinking water for residents of the City of Woodburn

4. DESCRIPTION OF PROPOSED PROJECT: Include a description of the intended place of use as shown on the accompanying site map, the method of water diversion, the type of equipment to be used (including pump horsepower, if applicable), length and dimensions of supply ditches and pipelines:

Diversion of groundwater from 3 wells for municipal beneficial use in the City of Woodburn, they are:  
Well #12 (L41053/MARI 57300) - 75 horsepower vertical turbine pump - 200 feet of raw water transmission line conveys water to Parr Road Treatment Plant.  
Well #13 (41043/MARI 57301) - 125 horsepower vertical turbine pump - 4,450 feet of raw water transmission line conveys water to Parr Road Treatment Plant.  
Well #14 (72465/MARI 58515) - 150 horsepower vertical turbine pump - 3,300 feet of raw water transmission line conveys water to Regional Way Treatment Plant.

RECEIVED BY OWRD

JUN 13 2014

SALEM, OR

5. PROJECT SCHEDULE: (List day, month, and year)

Date water use will begin June 1, 2014

JUN 04 2014

Date project will be completed June 1, 2019

SALEM, OR

Date water use will be completed June 1, 2019

Is this project fully or partially funded by the American Recovery and Reinvestment Act? (Federal stimulus dollars)  Yes  No

**PLEASE READ CAREFULLY**


**NOTE:** A completed water availability statement from the local watermaster, Land Use Information Form completed by the local Planning Department, fees and site map meeting the requirements of OAR 690-340-030 must accompany this request. The fee for this request is \$250 for the first point of diversion plus \$25 for each additional point of diversion. Please review the Department's fee schedule to view fees required to request a limited license for Aquifer Storage and Recovery testing purposes or for Artificial Groundwater Recharge testing purposes.

Failure to provide any of the required information will result in return of your application. The license, if granted, will not be issued or replaced by a new license for a period of more than five consecutive years. The license, if granted, will be subordinate to all other authorized uses that rely upon the same source, or water affected by the source, and may be revoked at any time it is determined the use causes injury to any other water right or minimum perennial streamflow.

If water source is a well, well logs or adequate information for the Department to determine aquifer, well depth, well seal and open interval, etc. are required. The licensee shall indicate the intended aquifer. If for multiple wells, each map location shall be clearly tied to a well log.

If a limited license is approved, the licensee shall give notice to the Department (Watermaster) at least 15 days in advance of using the water under the Limited License and shall maintain a record of use. The record of use shall include, but need not be limited to, an estimate of the amount of water used, the period of use and the categories of beneficial use to which the water is applied. During the period of the Limited License, the record of use shall be available for review by the Department upon request.

REMARKS:

SIGNATURE of Applicant:  DATE: 5/29/14  
Title: PUBLIC WORKS DIRECTOR

**Mapping Requirements (OAR 690-340-0030):**

(1) A request for a limited license shall be submitted on a form provided by the Water Resources Department, and shall be accompanied by the following:

(c) A site map of reproducible quality, drawn to a standard, even scale of not less than 2 inches = 1 mile, showing:

(A) The locations of all proposed points of diversion referenced by coordinates or by bearing and distance to the nearest established or projected public land survey corner;

(B) The general course of the source for the proposed use, if applicable;

(C) Other topographical features such as roads, streams, railroads, etc., which may be helpful in locating the diversion points in the field.

**This page to be completed by the local Watermaster.**

**WATER AVAILABILITY STATEMENT**

Name of Applicant: City of Woodburn Limited License Number: LL1532

1. To your knowledge, has the stream or basin that is the source for this application ever been regulated for prior rights?  Yes  No

If yes, please explain:

2. Based on your observations, would be there water available in the quantity and at the times needed to supply the use proposed by this application?  Yes  No

3. Do you observe this stream system during regular fieldwork?  Yes  No

If yes, what are your observations for the stream?

4. If the source is a well and if WRD were to determine that there is the potential for substantial interference with nearby surface water sources, would there still be ground water and surface water available during the time requested and in the amount requested without injury to existing water rights?  Yes  No  N/A

What would you recommend for conditions on a limited license that may be issued approving this application?

*Standard LL Conditions*

5. Any other recommendations you would like to make?

*Measure GPS the locations of the wells and tie these locations to a well log.*

Signature *Michael J. McNeil* WM District #: 14 Date: 6-11-14

RECEIVED

MARI 57300

JUN 16 2003

STATE OF OREGON WATER RESOURCES DEPT. WATER SUPPLY WELL PERMITS, OREGON (as required by ORS 537.745)

WELL I.D. # L 41053

START CARD # 77457

Instructions for completing this report are on the last page of this form.

Mari 57300

(1) OWNER: Well Number 12

Name City of Madras

Address 170 Garfield St.

City Madras State OR Zip 97071

(2) TYPE OF WORK

[X] New Well [ ] Deepening [ ] Alteration (repair/recondition) [ ] Abandonment

(3) DRILL METHOD:

[ ] Rotary Air [ ] Rotary Mud [ ] Cable [ ] Auger

[X] Other Auger Construction

(4) PROPOSED USE:

[ ] Domestic [X] Community [ ] Industrial [ ] Irrigation

[ ] Thermal [ ] Injection [ ] Livestock [ ] Other

(5) BORE HOLE CONSTRUCTION:

Special Construction approval [ ] Yes [X] No Depth of Completed Well 260 ft.

Explosives used [ ] Yes [X] No Type Amount

Table with columns: HOLE, SEAL, Diameter, From, To, Material, Sacks or pounds

How was seal placed: Method [ ] A [ ] B [X] C [ ] D [ ] E

[ ] Other

Backfill placed from 0 ft. to 0 ft. Material n/a

Gravel placed from 267 ft. to 197 ft. Size of gravel 12-30

(6) CASING/LINER:

Table with columns: Diameter, From, To, Gauge, Steel, Plastic, Welded, Threaded

Final location of shoe(s)

(7) PERFORATIONS/SCREENS:

[ ] Perforations Method n/a

[X] Screens Type Unknown Material 304 SS

Table with columns: From, To, Slot size, Number, Diameter, Tube/pipe size, Casing, Liner

(8) WELL TESTS: Minimum 2 WATER RESOURCES DEPT SALEM, OREGON

[X] Pump [ ] Bailor [ ] Air [ ] Flowing [ ] Artesian

Yield gpm/min Drawdown 2-205 at 205 Time 1 hr.

Temperature of water 55 Depth Artesian Flow Found 205

Was a water analysis done? [X] Yes By whom Madras

Did any strata contain water not suitable for intended use? [ ] Too little

[ ] Salty [ ] Muddy [ ] Odor [ ] Colored [ ] Other n/a

Depth of strata: 215 to 255

(9) LOCATION OF WELL by legal description:

County Marion Latitude Longitude

Township 5 N or S Range 1 E or W

Section 18 1/4 NW 1/4

Tax Lot 5100 Block Subdivision

Street Address of Well (or nearest address) 515 S. Salthouse Ave

Madras OR 97071

(10) STATIC WATER LEVEL:

53 ft. below land surface. Date 12-2-02

Artesian pressure n/a lb. per square inch. Date n/a

(11) WATER BEARING ZONES:

Depth at which water was first found 58'

Table with columns: From, To, Estimated Flow Rate, SWL

(12) WELL LOG:

Ground Elevation 180'

Table with columns: Material, From, To, SWL

Date started 11-22-02 Completed 5/16/03

(unbonded) Water Well Constructor Certification:

I certify that the work I performed on the construction, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards.

WWC Number

Signed Date

(bonded) Water Well Constructor Certification:

I accept responsibility for the construction, alteration, or abandonment work performed on this well during the construction date reported above.

WWC Number 1796

Signed Date 6-12-03

ORIGINAL - WATER RESOURCES DEPARTMENT FIRST COPY - CONSTRUCTOR SECOND COPY - CUSTOMER

JUN 04 2014

JUN 1 2014

66-1532

SALEM, OR

SALEM, OR

RECEIVED

RECEIVED MARI 57301 JUL 18 2003 57301

STATE OF OREGON 1 6 2003 WATER SUPPLY WELL REPORT

WATER RESOURCES DEPT SALEM, OREGON

WELL I.D. # L 11043 START CARD # 71453

(1) OWNER: Well Number 13

Name Jeff at Madhu... Address 120... City Madhu... State OR Zip 97071

(2) TYPE OF WORK: [X] New Well [ ] Deepening [ ] Alteration [ ] Abandonment

(3) DRILL METHOD: [ ] Rotary Air [ ] Rotary Mud [ ] Cable [ ] Auger [X] Other

(4) PROPOSED USE: [ ] Domestic [X] Community [ ] Industrial [ ] Irrigation [ ] Thermal [ ] Injection [ ] Livestock [ ] Other

(5) BORE HOLE CONSTRUCTION: Special Construction approval [ ] Yes [X] No Depth of Completed Well 305 ft. Explosives used [ ] Yes [X] No

Table with columns: Diameter, From, To, Material, Seal, From, To, Sacks or pounds. Includes data for 24 inch diameter casing.

How was seal placed: Method [ ] A [ ] B [X] C [ ] D [ ] E

Backfill placed from 310 ft. to 337 ft. Material 6-10 Gravel placed from 310 ft. to 337 ft. Size of gravel 6-10

Table for (6) CASING/LINER with columns: Diameter, From, To, Gauge, Steel, Plastic, Welded, Threaded. Shows casing and liner specifications.

Final location of shoe(s) N/A

(7) PERFORATIONS/SCREENS: Table with columns: From, To, Slot size, Number, Diameter, Teleprobe size, Casing, Liner. Includes data for screens at 305-255.

(8) WELL TESTS: Minimum testing time is 1 hour

Table for well tests with columns: Pump, Bailer, Air, Flowing Artesian, Yield gal/min, Drawdown, Run Time, Time. Includes data for 1500 yield and 215 drawdown.

Temperature of water 55° Depth Artesian Flow Found N/A

Was a water analysis done? [X] Yes By whom North Creek Area

Did any strata contain water not suitable for intended use? [ ] Too little [ ] Salty [ ] Muddy [ ] Odor [ ] Colored [ ] Other

Depth of strata: 305 - 255

(9) LOCATION OF WELL by legal description:

County Marion Latitude Longitude Township 5 N Range 2 E Section 13 1/4 SW 1/4 Tax Lot 5000 Block Subdivision Street Address of Well (or nearest address) 828 Pine Road Madhu OR 97071

(10) STATIC WATER LEVEL: 46 ft. below land surface. Date 10-2-02

(11) WATER BEARING ZONES:

Depth at which water was first found 50'

Table for water bearing zones with columns: From, To, Estimated Flow Rate, SWL. Includes data for 0-85, 87-90, 110-166, 178-310.

(12) WELL LOG: Ground Elevation 150'

Table for well log with columns: Material, From, To, SWL. Lists soil types and depths from 0 to 310 feet.

Date started 10-1-02 Completed 5/16/02

(unbonded) Water Well Constructor Certification: I certify that the work I performed on the construction, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards.

WWC Number Signed Date

(bonded) Water Well Constructor Certification:

I accept responsibility for the construction, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards.

WWC Number 1296 Signed Date 6-12-02

ORIGINAL - WATER RESOURCES DEPARTMENT FIRST COPY - CONSTRUCTOR SECOND COPY - CUSTOMER

66-1532

SALEM, OR

SALEM, OR

STATE OF OREGON  
**WATER SUPPLY WELL REPORT**  
(as required by ORS 537.765)

(WELL I.D.#) W 72465  
 (START CARD) # 168777

Instructions for completing this report are on the last page of this form.

**(1) OWNER:** Well Number prod well #14

Name City of Woodburn  
 Address 180 Garfield St  
 City Woodburn State OR Zip 97171

**(2) TYPE OF WORK**  
 New Well  Deepening  Alteration (repair/recondition)  Abandonment

**(3) DRILL METHOD:**  
 Rotary Air  Rotary Mud  Cable  Auger  
 Other Reverse Circulation Rotary

**(4) PROPOSED USE:**  
 Domestic  Community  Industrial  Irrigation  
 Thermal  Injection  Livestock  Other

**(5) BORE HOLE CONSTRUCTION:**  
 Special Construction approval  Yes  No Depth of Completed Well 287 ft.  
 Explosives used  Yes  No Type \_\_\_\_\_ Amount \_\_\_\_\_

HOLE		SEAL		Backs or pounds	
Diameter	From To	Material	From To		
30	0 6	Cement	0 167		609 sbs
26	6 167				
20	167 302				

How was seal placed: Method  A  B  C  D  E  
 Other \_\_\_\_\_  
 Backfill placed from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Material \_\_\_\_\_  
 Gravel placed from 127 ft. to 302 ft. Size of gravel see drawing

**(6) CASING/LINER:**

Diameter	From To	Gauge	Steel	Plastic	Welded	Threaded
Casing: <u>22</u>	<u>+1.5</u> <u>167</u>	<u>.376</u>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	<u>16</u>	<u>+2.3</u> <u>287</u>	<u>.376</u>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	<u>*see attached drawing</u>					
Liner:			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Final location of shoe(s)  
**(7) PERFORATIONS/SCREENS:**

Perforations Method \_\_\_\_\_  
 Screens Type Y-100 Material 304SS

From	To	Size	Type	Material		
<u>176</u>	<u>181</u>	<u>.060</u>	<u>cont</u>	<u>16</u>	<u>PS</u>	<input type="checkbox"/>
<u>227</u>	<u>247</u>	<u>.060</u>	<u>cont</u>	<u>16</u>	<u>PS</u>	<input type="checkbox"/>
<u>290</u>	<u>275</u>	<u>.060</u>	<u>cont</u>	<u>16</u>	<u>PS</u>	<input type="checkbox"/>
<u>287</u>	<u>292</u>	<u>.060</u>	<u>cont</u>	<u>16</u>	<u>PS</u>	<input type="checkbox"/>

**(8) WELL TESTS:** Minimum testing time is 1 hour

Pump  Bailor  Air  Flowing Artesian

Yield gal/min	Drawdown	Drill stem at	Time
<u>1600</u>	<u>84</u>		<u>1 hr.</u>
<u>1670</u>	<u>100</u>		<u>24 hr</u>
<u>1670</u>	<u>182</u>		<u>48 hr</u>

Temperature of water -65F Depth Artesian Flow Found \_\_\_\_\_  
 Was a water analysis done?  Yes By whom \_\_\_\_\_  
 Did any strata contain water not suitable for intended use?  Too little  
 Salty  Muddy  Odor  Colored  Other \_\_\_\_\_  
 Depth of strata: \_\_\_\_\_

**(9) LOCATION OF WELL by legal description:**

County Marion Latitude \_\_\_\_\_ Longitude \_\_\_\_\_  
 Township 5 S Range 1 W WM.  
 Section 8 SE 1/4 SE 1/4  
 Tax Lot 3100 Lot \_\_\_\_\_ Block \_\_\_\_\_ Subdivision \_\_\_\_\_  
 Street Address of Well (or nearest address) 3089 N. Pacific Hwy  
Woodburn, OR

**(10) STATIC WATER LEVEL:**  
44 ft. below land surface. Date 11/11/04  
 Artesian pressure \_\_\_\_\_ lb. per square inch. Date \_\_\_\_\_

**(11) WATER BEARING ZONES:**  
 Depth at which water was first found estimate 37'

From	To	Estimated Flow Rate	SWL
All sand/gravel intervals below their static water level:			
unknown (-37'±)	<u>148</u>	<u>Not Measured</u>	<u>NM</u>
<u>159</u>	<u>291</u>	<u>See #8</u>	<u>see #10</u>

**(12) WELL LOG:**  
 Ground Elevation \_\_\_\_\_

Material	From	To	SWL
See attached formation log.			
All depths are from original ground surface.			
<b>RECEIVED</b>			
<b>NOV 17 2004</b>			
<b>WATER RESOURCES DEPT</b>			
<b>SALEM, OREGON</b>			

Date started 8/22/04 Completed 11/11/04

(unbonded) Water Well Constructor Certification:  
 I certify that the work I performed on the construction, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my knowledge and belief.

Signed James Brannon WWC Number 1748  
 Date 11/16/04

(bonded) Water Well Constructor Certification:  
 I accept responsibility for the construction, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.

Signed [Signature] WWC Number 648  
 Date 11/15/04

ORIGINAL & FIRST COPY-WATER RESOURCES DEPARTMENT SECOND COPY-CONSTRUCTOR THIRD COPY-CUSTOMER  
 RECEIVED BY OWRD RECEIVED BY OWRD

JUN 04 2014 JUN 13 2014  
 66-1532 SALEM, OR SALEM, OR

MARI 58515  
MARI 58515

Mari  
58515

City of Woodburn - Well #14

by Schneider Drilling Co.

Start Card #168777 Label #L72465

FM	TO	DESCRIPTION
0	2	Top soil, brown
2	16	Clay, brown, soft
16	37	Clay, gray, soft
37	45	Sand, gray, fine
45	56	Clay, dark green, soft
56	74	Sand, black, fine-medium
74	76	Clay, brown, medium
76	78	Gravel, 1"- & sand, black, coarse-medium
78	86	Sand, black, coarse-medium w/some gravel, 3/4"
86	106	Clay, gray, medium, sticky
106	113	Gravel, 1.5"- w/sand, coarse & some clay, brown
113	116	Sand, green-black, medium, cemented
116	119	Clay, brown, medium, silty
119	148	Gravel, 1.5"- w/sand, medium
148	159	Clay, gray, sandy, fine, silty
159	163	Sand, brown, medium, cemented
163	166	Sand, black, medium-coarse
166	167	Gravel, 1/2"- & sand, coarse
167	175	Clay, grey, medium, silty
175	178	Wood, some sand, grey
178	180	Clay, grey, medium
180	181	Gravel, 2"- & sand, black, medium w/some clay, brown, soft, silty
181	190	Gravel, 2"- & sand, black, medium
190	192	Clay, blue-green, medium w/some gravel
192	196	Clay, blue-green, medium
196	204	Clay, gray, medium w/gravel, 1.5"-
204	207	Clay, green & gray, hard w/gravel, 1.5"-
207	212	Clay, gray, medium-hard w/some gravel, 1.5"-
212	227	Clay, gray, medium, silty & clay, green, medium-hard
227	228	Clay, gray, medium, silty w/gravel, 1"-
228	239	Gravel, 1.5"- w/some clay, brown & green, medium, silty
239	240	Clay, green-gray-brown, hard-soft, silty w/some gravel, 1.5"-
240	242	Clay, green-gray-brown, hard-soft, silty
242	247	Gravel, 2"- & sand, black, medium
247	254	Clay, green-gray, soft, silty w/some gravel, 1"-
254	256	Clay, brown, soft, silty w/some gravel, 1.5"-
256	258	Gravel, 1.5"- & sand, black, medium
258	262	Clay, brown, soft w/some gravel, 1.5"-
262	264	Gravel, 2"- w/clay, brown & green, soft-hard
264	269	Gravel, 1"- & sand, black, coarse
269	274	Gravel, 2"- & sand, black, coarse
274	275	Clay, gray, soft, silty
275	278	Clay, gray & brown, soft, silty w/some gravel, 1.5"-
278	283	Clay, gray & brown, silty, soft
283	287	Gravel, 2"- w/clay, gray, hard
287	289	Clay, brown, hard w/gravel, 2"-
289	291	Gravel, 2"- & sand, medium-fine, black
291	293	Clay, brown, soft, silty
293	295	Clay, green, medium
295	297	Clay, green & gray, medium, silty
297	302	Clay, gray, medium, silty

RECEIVED

NOV 17 2004

WATER RESOURCES DEPT  
SALEM, OREGON

RECEIVED BY OWRD

JUN 04 2014

SALEM, OR

RECEIVED BY OWRD

JUN 13 2014

SALEM, OR

66-1532

MARI 58515



Oregon Water Resources Department  
725 Summer Street NE, Suite A  
Salem Oregon 97301  
(503) 986-0900  
www.well.state.or.us

# Application for Well ID Number

RECEIVED BY OWRD  
RECEIVED BY OWRD

Do not complete if the well already has a Well ID Number.

JUN 04 2014

### I. OTHER INFORMATION

Current Owner Name (please print): City of Woodburn, OR. SALEM, OR  
Mailing Address: \_\_\_\_\_  
City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_  
Mailing Address (to send Well ID): 270 Montgomery St.  
City: Woodburn State: OR. Zip: 97071

### II. WELL INFORMATION (Do not complete this section if the well report is attached.)

Township: \_\_\_\_\_ (North/South) Range: \_\_\_\_\_ (East/West) Section: \_\_\_\_\_  
Tax Lot: \_\_\_\_\_ County: \_\_\_\_\_ 1/4 \_\_\_\_\_ 1/4  
Street Address of Well: \_\_\_\_\_ City: \_\_\_\_\_  
Owner at time the well was constructed, (if known): \_\_\_\_\_  
If the property had a different street address in the past: \_\_\_\_\_

### III. GENERAL WELL INFORMATION (Do not complete this section if the well report is attached.)

Use of Well (domestic, irrigation, commercial, industrial, monitoring): \_\_\_\_\_  
Date Well Constructed: \_\_\_\_\_ Total Well Depth: \_\_\_\_\_ Casing Diameter: \_\_\_\_\_  
Other Information: \_\_\_\_\_

SUBMITTED BY (please print): Dennis R. Samson  
PHONE: 503-988-6380 FAX: \_\_\_\_\_

RECEIVED

JAN 08 2009

WATER RESOURCES DEPT  
SALEM, OREGON

Send application to Oregon Water Resources Department, 725 Summer St NE, Suite A, Salem, Oregon 97301-1266; fax (503) 986-0902. Applications are processed and Well ID Numbers are mailed every Wednesday.

For OWRD Use Only by the Oregon Water Resources Department		
Received Date: <u>1/8/09</u>	Well Log Number: <u>MARI 58515</u>	Well Identification #: <u>99076</u> <u>6725125 1010</u>

Last Update: 11/06/08

RECEIVED BY OWRD

Well ID Number: I

WCC

JUN 13 2014

SALEM, OR

LL-1532



# Land Use Information Form



Oregon Water Resources Department  
 725 Summer Street NE, Suite A  
 Salem, Oregon 97301-1266  
 (503) 986-0900  
 www.wrd.state.or.us

Applicant: City of Woodburn c/o Randy Scott  
First Last

Mailing Address: 190 Garfield Street

Woodburn OR 97071 Daytime Phone: 503-980-2427  
City State Zip

## A. Land and Location

Please include the following information for all tax lots where water will be diverted (taken from its source), conveyed (transported), and/or used or developed. Applicants for municipal use, or irrigation uses within irrigation districts may substitute existing and proposed service-area boundaries for the tax-lot information requested below.

Township	Range	Section	¼ ¼	Tax Lot #	Plan Designation (e.g., Rural Residential/RR-5)	Water to be:	Proposed Land Use:
T5S	R2W	13	NESE	828		<input checked="" type="checkbox"/> Diverted <input type="checkbox"/> Conveyed <input type="checkbox"/> Used	Municipal
T5S	R1W	18	SENW	515		<input checked="" type="checkbox"/> Diverted <input type="checkbox"/> Conveyed <input type="checkbox"/> Used	Municipal
T5S	R1W	4	NWSW	3105		<input checked="" type="checkbox"/> Diverted <input type="checkbox"/> Conveyed <input type="checkbox"/> Used	Municipal
						<input type="checkbox"/> Diverted <input type="checkbox"/> Conveyed <input type="checkbox"/> Used	

List all counties and cities where water is proposed to be diverted, conveyed, and/or used or developed:

Marion County, City of Woodburn

## B. Description of Proposed Use

Type of application to be filed with the Water Resources Department:

- Permit to Use or Store Water   
  Water Right Transfer   
  Permit Amendment or Ground Water Registration Modification  
 Limited Water Use License   
  Allocation of Conserved Water   
  Exchange of Water

Source of water:  Reservoir/Pond     Ground Water     Surface Water (name) \_\_\_\_\_

Estimated quantity of water needed: 6.67  cubic feet per second     gallons per minute     acre-feet

Intended use of water:  Irrigation     Commercial     Industrial     Domestic for \_\_\_\_\_ household(s)  
 Municipal     Quasi-Municipal     Instream     Other \_\_\_\_\_

Briefly describe:

These three municipal wells will be operated under this Limited Water Use License until they can be permitted and brought into the other City well field wells through a transer process

Note to applicant: If the Land Use Information Form cannot be completed while you wait, please have a local government representative sign the receipt at the bottom of the next page and include it with the application filed with the Water Resources Department.

RECEIVED BY OWRD

See bottom of Page 3. →

JUN 13 2014

Revised 2/8/2010

Land Use Information Form - Page 2 of 3

WR / FS

SALEM, OR

LLHS32

JUN 13 2014

SALEM, OR

### For Local Government Use Only

The following section must be completed by a planning official from each county and city listed unless the project will be located entirely within the city limits. In that case, only the city planning agency must complete this form. This deals only with the local land-use plan. Do not include approval for activities such as building or grading permits.

**Please check the appropriate box below and provide the requested information**

- Land uses to be served by the proposed water uses (including proposed construction) are allowed outright or are not regulated by your comprehensive plan. Cite applicable ordinance section(s): WOODBURN DEV. ORD. 2.03-204
- Land uses to be served by the proposed water uses (including proposed construction) involve discretionary land-use approvals as listed in the table below. (Please attach documentation of applicable land-use approvals which have already been obtained. Record of Action/land-use decision and accompanying findings are sufficient.) **If approvals have been obtained but all appeal periods have not ended, check "Being pursued."**

Type of Land-Use Approval Needed (e.g., plan amendments, rezones, conditional-use permits, etc.)	Cite Most Significant, Applicable Plan Policies & Ordinance Section References	Land-Use Approval:	
		<input type="checkbox"/> Obtained <input type="checkbox"/> Denied	<input type="checkbox"/> Being Pursued <input type="checkbox"/> Not Being Pursued
		<input type="checkbox"/> Obtained <input type="checkbox"/> Denied	<input type="checkbox"/> Being Pursued <input type="checkbox"/> Not Being Pursued
		<input type="checkbox"/> Obtained <input type="checkbox"/> Denied	<input type="checkbox"/> Being Pursued <input type="checkbox"/> Not Being Pursued
		<input type="checkbox"/> Obtained <input type="checkbox"/> Denied	<input type="checkbox"/> Being Pursued <input type="checkbox"/> Not Being Pursued
		<input type="checkbox"/> Obtained <input type="checkbox"/> Denied	<input type="checkbox"/> Being Pursued <input type="checkbox"/> Not Being Pursued

Local governments are invited to express special land-use concerns or make recommendations to the Water Resources Department regarding this proposed use of water below, or on a separate sheet.

NO CONCERNS.

Name: DONALD DOLENC Title: ASSOCIATE PLANNER  
 Signature: [Signature] Phone: 503-980-2431 Date: 5-9-14  
 Government Entity: CITY OF WOODBURN

**Note to local government representative:** Please complete this form or sign the receipt below and return it to the applicant. If you sign the receipt, you will have 30 days from the Water Resources Department's notice date to return the completed Land Use Information Form or WRD may presume the land use associated with the proposed use of water is compatible with local comprehensive plans.

**Receipt for Request for Land Use Information**

Applicant name: \_\_\_\_\_  
 City or County: \_\_\_\_\_ Staff contact: \_\_\_\_\_  
 Signature: \_\_\_\_\_ Phone: \_\_\_\_\_ Date: \_\_\_\_\_

LL-1532