

Certificate of Water Right Ownership Update

NOTICE TO SELLERS & BUYERS:

By law, all water belongs to the public (ORS 537.110). In almost every instance, a permit or water right certificate from the Water Resources Department is needed before using, diverting or storing water (ORS 537.130). However, most domestic wells do not require water rights. A certificate of water right stays with the land. In order to keep track of water right ownership, the Department requests that this form be submitted to the Department. If for multiple rights, a separate form for each right will be required.

Water that has been used for a long time in one place or that involves a water structure (like a dam) that already exists is no guarantee that there is a water right which would allow the water use to continue.

If you have any questions about this form or water right requirements, please contact your local watermaster or call the Water Resources Department at 503-986-0900.

Note: Please type or print legibly when filling in the following information. Use additional paper if necessary.

Applicant(s): Yard		Norman		
First Failing Address: 16844 State Hwy 138		Last		Company of the Compan
Oakland	Orego	on	97462	
City	State			Zip
Phone:		W 1		Otto
nome		Work		Other
	PROPERTY BUY	YER INFORMATION	<u> </u>	RECEIVED BY OWRD
Applicant(s): Wayne		Harris		
First			Last	JAN 13 2014
Mailing Address: 16844 State Hwy 1	38			
Oakland	Oregon		97462	SALEM, OR
Phone: 54/459266	65	State	Zip	
PROPERTY I	ESCRIPTION (a	Work attach additional page	odes if necessary):	
County: Douglas Tow	nship: 23	Range: 07	Section	: 32
Tax Lot Number(s): 300				
Street address of water right proper	ty: 16844 State Hwy	138, Oakland, OR, 9764	12	
Water Right Information (attach cop	y of water right peri	nit or certificate & final	proof map):	
Application #: S20633	Permit #: S16138	Certi	ficate or Page #: 27	630
Will all the lands associated with the	is water right be o	wned by the buyer?	Yes (No	
Name of individual completing this	form: Wayne Harris	S	Phone: 805	5-358-5061
Signature: a Jagar Alam		Date:	/ 2 0	//

Please be sure to attach a copy of your property deed or legal description of the property.





After recording return to: Wayne A. Harris and Catherine A. Harris 16844 State Highway 138 W Oakland, OR 97462

Until a change is requested all tax statements shall be sent to the following address: Wayne A. Harris and Catherine A. Harris 16844 State Highway 138 W Oakland, OR 97462

File No.: 7391-2124306 (cv) Date: September 27, 2013 Douglas County Official Records Patricia K. Hitt, County Clerk 2013-016577

09/30/2013 01:58:37 PM

DEED-WD Cnt=1 Stn=12 HEDI \$15.00 \$11.00 \$10.00 \$15.00

\$51.00

STATUTORY WARRANTY DEED

Norman J. Yard and Vivian L. Yard, Trustees of The Yard Trust, under agreement dated November 21, 2000, Grantor, conveys and warrants to Wayne A. Harris and Catherine A. Harris as tenants by the entirety, Grantee, the following described real property free of liens and encumbrances, except as specifically set forth herein:

See Legal Description attached hereto as Exhibit A and by this reference incorporated herein.


Subject to:

 2013-2014 taxes a lien not yet payable; Covenants, conditions, restrictions and/or easements, if any, affecting title, which may appear in the public record, including those shown on any recorded plat or survey.

The true consideration for this conveyance is \$925,000.00. (Here comply with requirements of ORS 93.030)

RECEIVED BY OWRD

JAN 13 2014



* APPLICATION FOR A PERMIT

To Appropriate the Public Waters of the State of Oregon

I, R. E. Campbell (Please of applicant)	
of P. O. Box 3186, Terminal Annex, Los Angeles 54, County of Los Angeles	,
State ofCalifornia, do hereby make application for a permit to appropriate the	I .
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:	
If the applicant is a corporation, give date and place of incorporation	
1. The source of the proposed appropriation is	
, a tributary of	i
2. The amount of water which the applicant intends to apply to beneficial use is 2 second fairrigation plus one second foot for domestic stock and fish & 111y pond. (If water is to be used from more than one source, give quantity from each)	
**3. The use to which the water is to be applied is	
(Brigation, power, mining, manufacturing, domestic supplies, etc.) Irrigation, domestic, stock, fish and lily pond.	,
4. The point of diversion is located 1320 ft. S. and ft. ft. from the Sout	nwest
corner of the NW 1 of the NE1 of Section 33 T. 23 S. R. 7 W. thence West along measurement of the NW 2 of the NE2 of Section or subdivision)	nder
(Rection or subdivision) line of north bank of UNPOUA River 2943 ft. to point of diversion, being within, i	1
(If preferable, give distance and bearing to section corner) Legal subdivision lines were extended, the SEt of the NET (If there is more then one point of diversion, each must be described, Unjurgante short if necessary)	1
being within the	,
being within the	
5. The Pipe Line to be 1900 ft.	
(Main ditch, canal or pipe line) (Miles or test) in length, terminating in the	
(Riccilest legal subdivision) (K. or E.) R	
(B. or W.)	
DESCRIPTION OF WORKS	
Diversion Works	
6. (a) Height of dam feet, length on top feet, length at botto	
feet; material to be used and character of construction	CEIVED BY OWR
rock and brush, timber only, etc., westeway over or around dam)	JAN 1 3 2014
(b) Description of headgate	SALEM, OF
(c) If water is to be pumped give general descriptionTwo Stage Cantrifugal Pump	••••
Size 6" x 18" x 21". Engine to be internal Combustion type, 50 H.P. or larger.	1
*A different form of application is provided where storage works are contemplated. **Applications for permits to appropriate water for the squaretion of electricity, with the assession of municipalities, must be made to the My.	

	Jeer, neber of	water	feet; grade	feet fall per one
ousand feet.				
			eadgate: width on top (at wate	
	feet; width	on bottom	feet; depth of w	ater feet;
rade		feet fall per one	thousand feet.	
			size at intake,8	la talua at
_				_
rom intake	ir	n.; size at place o	f use 8# in.; diff	ference in elevation between
ntake and plac	e of use,	100 ft. Is	grade uniform? Iss.	Estimated capacity,
2	sec. ft.		4 · 5	
-	•			
8. Locati	ion of area to be	s irrigated, or pla	ice of use	
Township	Range	Section	Forty-aure Tract	Number Acres To Be Irrigated
23 S	7 Ħ	32	NW of HE	29
23 5	7 ₩	32	net of net	34
-	7 W	32	SEZ of NEZ	31
23 S 23 S	7. W	33		
A2 4	~ =	. ^^	GWI _ A GWI	1
23S	7 H	29	Sil of Sil	159
roperty on	which water i	s to be used	is a part of that more	
	as follows:	1		1.
lso, Beginn	ing at the No	rtheast corne	r of the Johnson B. Goff	Donation Land Claim
onation Lan hence East hence South	d Claim No. 3 with the Nort 77° 32' West	B in Township h line of sai 6.68 chains	23 South, Range 7 West d claim 52.00 chains; to to a white cak 12 inches	nence South 2.84 chains; diameter marked C.S.for
onation Lan- hence East hence South orner; then arked G.S.B	Claim No. 3 with the Nort 77° 32' West te N. 55° 48' T bears Nort	h line of sai 6.68 chains W. 5.12 cha h 131 East 6	d claim 52.00 chains; to a white cak 12 inches ins to stake from which 0 links and a fir 18 increased, attach separate shoot) (Con-	willamette Meridian; mence South 2.84 chains; diameter marked C.S. for a fir 18 inches diameter
onation Lan- hence East hence South orner; then arked C.S.B	of Claim No. 3 with the Nort 770 32! West to N. 550 48' T. bears Nort	h line of sai 6.68 chains W. 5.12 chs h 132 Rest 6	d claim 52.00 chains; to a white cak 12 inches ins to stake from which 0 links and a fir 18 increased, stack separate shoot) (Contract land, dark load	willamette Meridian; hence South 2.84 chains; diameter marked C.S. for a fir 18 inches diameter ches diameter marked tinued under Remarks) s; 59 acres beach land, c
onation Landhence East thence South orner; then sarked C.S.B (a) Chartel (b) King	of Claim No. 3 with the Nort 770 32! West to N. 550 48' T. bears Nort racter of soil	h line of sai 6.68 chains W. 5.12 chs h 132 Rest 6	d claim 52.00 chains; to a white cak 12 inches ins to stake from which 0 links and a fir 18 increased, attach separate shoot) (Con-	willamette Meridian; hence South 2.84 chains; diameter marked C.S. for a fir 18 inches diameter ches diameter marked tinued under Remarks) s; 59 acres beach land, c
constion Landhence East dience South corner; then sarked C.S.B (a) Character (b) King	I Claim No. 3 with the Nort 770 32! West to N. 550 48' T. bears Nort recter of soil	B in Township h line of sai 6.68 chains W. 5.12 cha h 132 East 6 Of more see	23 South, Range 7 West d claim 52.00 chains; to so white cak 12 inchesins to stake from which 0 links and a fir 18 incremind, stack separate sheet) (Contract land, dark load records around the separate sheet)	willamette Meridian; hence South 2.84 chains; diameter marked C.S. for a fir 18 inches diameter ches diameter marked tinued under Remarks) a; 59 acres bench land, c including alfalfa, grain
constion Landhence East thence South corner; then sarked C S B (a) Character (b) Kind Power or Mining 9. (a) T	of Claim No. 3 with the Nort 770 32! West to N. 550 48' T. bears Nort racter of soil	h line of sai 6.68 chains W. 5.12 che h 1320 Rest 6 (Horrogen	23 South, Range 7 West d claim 52.00 chains; to to a white cak 12 inches ins to stake from which 0 links and a fir 18 increased, stack separate sheet) (Contract land, dark load, reserves for this area,	willamette Meridian; mence South 2.84 chains; s diameter marked C.S. for a fir 18 inches diameter ches diameter marked tinued under Remarks) s; 59 acres bench land, c including alfalfa, grain theoretical horsepower.
chence East chence South corner; then sarked C.S.B (a) Chai (b) Kinc Power or Minir 9. (a) T (b) G	The No. 3 Ith the Nort 77° 32! Nest te N. 55° 48° Thears Nort acter of soil	B in Township h line of sai h line of sai 6.68 chains W. 5.12 che h 132 East 6 CH more acce CO acres rive com General fa power to be deve	23 South, Range 7 West d claim 52.00 chains; ti to s white cak 12 inches ins to stake from which O links and a fir 18 increased, stuck separate shoot) (Contr. bottom land, dark loading erops for this area, sloped power	willamette Meridian; mence South 2.84 chains; s diameter marked C.S. for a fir 18 inches diameter ches diameter marked tinued under Remarks) s; 59 acres bench land, c including alfalfa, grain theoretical horsepower.
chence East chence South corner; then sarked C.S.B (a) Chai (b) Kinc Power or Minir 9. (a) T (b) G	The No. 3 Ith the Nort 77° 32! Nest te N. 55° 48° Thears Nort acter of soil	B in Township h line of sai h line of sai 6.68 chains W. 5.12 che h 132 East 6 CH more acce CO acres rive com General fa power to be deve	23 South, Range 7 West d claim 52.00 chains; ti to s white cak 12 inches ins to stake from which O links and a fir 18 increased, stuck separate shoot) (Contr. bottom land, dark loading erops for this area, sloped power	willamette Meridian; mence South 2.84 chains; s diameter marked C.S. for a fir 18 inches diameter ches diameter marked tinued under Remarks) s; 59 acres bench land, c including alfalfa, grain theoretical horsepower.
constion Lanchence East cheme East cheme South corner; then sarked C.S.B. (a) Chartage (b) Kinc Power or Minir 9. (a) T (b) C (c) T	The No. 3 Ith the Nort 77° 32! West to N. 55° 48' Thears Nort acter of soil	B in Township h line of sai h line of sai 6.68 chains W. 5.12 che h 131 East 6 CH more see	23 South, Range 7 West d claim 52.00 chains; ti to a white cak 12 inches ins to stake from which O links and a fir 18 increased, attach separate shoot) (Con- required, attach separate shoot) respectively. The state of the stat	willamette Meridian; hence South 2.84 chains; diameter marked C.S. for a fir 18 inches diameter hes diameter marked tinued under Remarks) a;59 acres bench land, c including alfalfa, grain theoretical horsepower sec. ft.
constion Lanchence East chence South corner; then sarked C.S.B. (a) Character (b) Kinc Power or Minir 9. (a) T (b) C (c) T (d) T	The No. 3 Ith the Nort 77° 32! Nest te N. 55° 48° Thears Nort acter of soil	B in Township h line of sai h line of sai 6.68 chains W. 5.12 che h 132 East 6 CH more see CO acres rive com General fa power to be deve er to be used for tilized	23 South, Range 7 West d claim 52.00 chains; ti to a white cak 12 inches ins to stake from which O links and a fir 18 inc required, stuck separate shoot) (Con- recurred, attach separate shoot) ar bottom land, dark load recurred arrops for this area, sloped power feet. me of which the power is to be	willamette Meridian; hence South 2.84 chains; diameter marked C.S. for a fir 18 inches diameter hes diameter marked tinued under Remarks) a; 59 acres bench land, c including alfalfa, grain theoretical horsepower. sec. ft.
constion Lanchence East thence South corner; then sarked C.S.B. (a) Character (b) Kind (b) Kind (c) T (d) T	I Claim No. 3 with the Nort 770 32! West ce N. 55° 48' Thears Nort racter of soil	B in Township h line of sai h 6.68 chains W. 5.12 che h 1310 East 6 (Brace and Construct Constr	23 South, Range 7 West d claim 52.00 chains; ti to a white cak 12 inches ins to stake from which O links and a fir 18 increased, attach separate sheet) (Con- reported, attach separate sheet) research, attach separate sheet) (Con- reported, attach separ	willamette Meridian; hence South 2.84 chains; diameter marked C.S. for a fir 18 inches diameter hes diameter marked tinued under Remarks) a; 59 acres bench land, c including alfalfa, grain theoretical horsepower. sec. ft.
constion Lanchemore East themes South corner; themsarked C.S.B. (a) Character (b) Kind (b) Kind (c) T (d) T	I Claim No. 3 with the Nort 770 32! West ce N. 55° 48' Thears Nort racter of soil	B in Township h line of sai h 6.68 chains W. 5.12 che h 1310 East 6 (Brace and Construct Constr	23 South, Range 7 West d claim 52.00 chains; ti to a white cak 12 inches ins to stake from which O links and a fir 18 inc required, stuck separate shoot) (Con- recurred, attach separate shoot) ar bottom land, dark load recurred arrops for this area, sloped power feet. me of which the power is to be	willamette Meridian; hence South 2.84 chains; diameter marked C.S. for a fir 18 inches diameter hes diameter marked tinued under Remarks) a; 59 acres bench land, c including alfalfa, grain theoretical horsepower. sec. ft.
constion Lanchemore East chemica South corner; then sarked C.S.B (a) Chan (b) Kind Power or Minin 9. (a) T (b) C (c) T (d) T	Claim No. 3 with the Nort T70 32! West to N. 55° 48' Thears Nort racter of soil It of crops raised ag Purposes otal amount of grantity of wate otal fall to be u The nature of the	B in Township h line of sai 6.68 chains W. 5.12 che h 1310 East 6 CH more see 100 acres rive 100	23 South, Range 7 West d claim 52.00 chains; ti to a white cak 12 inches ins to stake from which O links and a fir 18 inc required, attach separate shoot) (Con r bottom land, dark loar res crops for this area, sloped power (Check) (Cagal subdivision)	willamette Meridian; hence South 2.84 chains; diameter marked C.S. for a fir 18 inches diameter hes diameter marked tinued under Remarks) a; 59 acres bench land, c including alfalfa, grain theoretical horsepower. sec. ft.
constion Lanchence East chence South corner; then sarked C.S.B. (a) Character (b) Kinc (b) Kinc (c) T (d) T (e) S Tp. (No. N. or	I Claim No. 3 with the Nort TO 32! Nest to N. 55° 48° T bears Nort acter of soil I of crops raised ag Purposes otal amount of puantity of wate otal fall to be u The nature of th such works to be	B in Township h line of sai h line of sai 6.68 chains W. 5.12 che h 135 East 6 (Horrowse CO. acrea rive com General fa power to be deve er to be used for tilized e works by mea e located in	23 South, Range 7 West d claim 52.00 chains; ti to a white cak 12 inches ins to stake from which O links and a fir 18 inc required, stuck separate shoot) (Con- required, attach separate shoot) The bottom land, dark load ru erops for this area, sloped power (Regal subdivision) M.	willamette Meridian; hence South 2.84 chains; diameter marked C.S. for a fir 18 inches diameter hes diameter marked tinued under Remarks) a; 59 acres bench land, c including alfalfa, grain theoretical horsepower. sec. ft.
constion Lanchence East cheme East cheme South corner; then sarked C.S.B. (a) Character (b) Kinc (b) Kinc (c) T (d) T (e) S Tp. (No. N. or (f) Id	I Claim No. 3 with the Nort TO 32! Nest to N. 55° 48° T bears Nort acter of soil I of crops raised ag Purposes otal amount of puantity of wate otal fall to be u The nature of th such works to be to water to be re	B in Township h line of sai h line of sai 6.68 chains W. 5.12 che h 135 East 6 (Horrowsell CO. acrea rive loam General fa power to be deve er to be used for tilized e works by mea e located in o. R. c. W. I turned to any st	23 South, Range 7 West d claim 52.00 chains; ti to a white cak 12 inches ins to stake from which O links and a fir 18 inc required, stuck separate shoot) (Con- required, attach separate shoot) The bottom land, dark load real erops for this area, sloped power (Regal subdivision) M. (Con-	willamette Meridian; hence South 2.84 chains; diameter marked C.S. for a fir 18 inches diameter hes diameter marked tinued under Remarks) a; 59 acres bench land, c including alfalfa, grain theoretical horsepower. sec. ft. e developed of Sec.
constion Lanchence East cheme East cheme South corner; then sarked C.S.B. (a) Character (b) Kinc (b) Kinc (c) T (d) T (e) S Tp. (No. N. or (f) Id	I Claim No. 3 with the Nort TO 32! Nest to N. 55° 48° T bears Nort acter of soil I of crops raised ag Purposes otal amount of puantity of wate otal fall to be u The nature of th such works to be to water to be re	B in Township h line of sai h line of sai 6.68 chains W. 5.12 che h 135 East 6 (Horrowsell CO. acrea rive loam General fa power to be deve er to be used for tilized e works by mea e located in o. R. c. W. I turned to any st	23 South, Range 7 West d claim 52.00 chains; ti to a white cak 12 inches ins to stake from which O links and a fir 18 inc required, stuck separate shoot) (Con- required, attach separate shoot) The bottom land, dark load ru erops for this area, sloped power (Regal subdivision) M.	willamette Meridian; hence South 2.84 chains; diameter marked C.S. for a fir 18 inches diameter hes diameter marked tinued under Remarks) a; 59 acres bench land, c including alfalfa, grain theoretical horsepower. sec. ft. e developed of Sec.
Constion Lanchenge East chence South corner; then earked C.S.B (a) Chan (b) Kind Power or Minir 9. (a) T (b) C (c) T (d) T (e) S Tp. (No. N. or (f) Id (g) I	I Claim No. 3 with the Nort 770 32! West to N. 550 48' Thears Nort racter of soil	B in Township h line of sai 6.68 chains W. 5.12 che h 1310 East 6 (H more see LOO acrea rive Loom General fa power to be deve er to be used for tilized the works by mean the located in turned to any stem and locate points	23 South, Range 7 West d claim 52.00 chains; ti to a white cak 12 inches ins to stake from which O links and a fir 18 inc required, attach separate shoot) (Con r hottom land, dark loan res crops for this area, sloped power (Chest) (Lagal subdivision) (Con (Chest area) (Con (Con (Chest area) (Con (Con (Con (Con (Con (Con (Con (Co	willamette Meridian; hence South 2.84 chains; diameter marked C.S. for a fir 18 inches diameter ches diameter marked tinued under Remarks) a; 59 acres bench land, c including alfalfa, grain theoretical horsepower. sec. ft. e developed of Sec.
constion Lanchence East thence South corner; then earked C.S.B. (a) Character (b) Kinc Power or Minir 9. (a) T (b) C (c) T (d) T (e) S Tp. (80.M.cc (g) I	I Claim No. 3 I th the Nort 770 32! Nest te N. 550 48' T bears Nort I dof crops raised ag Purposes otal amount of puantity of wate otal fall to be w The nature of the such works to be water to be re f so, name strea	B in Township h line of sai h line of sai 6.68 chains W. 5.12 che h 132 East 6 (H more see LOO acrea rive loam General fa power to be deve er to be used for tilized e works by mea e located in turned to any st m and locate poi	23 South, Range 7 West d claim 52.00 chains; ti to a white cak 12 inches ins to stake from which O links and a fir 18 inc required, stuck separate shoot) (Con- required, attack separate shoot) (Con-	willamette Meridian; hence South 2.84 chains; diameter marked C.S. for a fir 18 inches diameter hes diameter marked tinued under Remarks) ; 59 acres bench land, c including alfalfa, grain theoretical horsepower. sec. ft. developed of Sec. , W. M.
constion Lanchenge East themes South themes South torner; themes arked C.S.B. (a) Character (b) Kind (b) Kind (c) T (d) T (d) T (e) S Tp. (3) I (g) I (h) T	I Claim No. 3 with the Nort 770 32! West ce N. 55° 48' Thears Nort I bears Nort I of crops raised ag Purposes— otal amount of puntity of wate otal fall to be u The nature of the uch works to be s water to be re f so, name strea	B in Township h line of sai 6.68 chains W. 5.12 che h 1310 East 6 (B more see LOO acrea rive Loom General fa power to be deve er to be used for tilized e works by mea e located in turned to any st m and locate poi m, Sec.	23 South, Range 7 West d claim 52.00 chains; ti to a white cak 12 inches ins to stake from which O links and a fir 18 inc recurred, attach separate sheet) (Con- ur hottom land, dark loan ran arops for this area, cloped power	willamette Meridian; hence South 2.84 chains; diameter marked C.S. for a fir 18 inches diameter hes diameter marked tinued under Remarks) a; 59 acres bench land, c including alfalfa, grain theoretical horsepower. sec. ft. developed of Sec. , , , , , , , , , , , , , , , , , , ,
constion Lanchence East thence South corner; then earked C.S.B. (a) Character (b) Kince Power or Minir 9. (a) T (b) C (c) T (d) T (e) S Tp. (No. N. or (f) Id (g) I	I Claim No. 3 I th the Nort 770 32! Nest te N. 550 48' Thears Nort I bears Nort I of crops raised ag Purposes otal amount of puantity of wate otal fall to be u The nature of the nature of the second of t	B in Township h line of sai h line of sai 6.68 chains W. 5.12 che h 132 East 6 (H more see LOO acrea rive loam General fa power to be deve er to be used for tilized e located in turned to any st m and locate poi h power is to be	23 South, Range 7 West d claim 52.00 chains; ti to a white cak 12 inches ins to stake from which O links and a fir 18 increased, attach separate shoot) (Con- required, attach separate shoot) (Con- repaired, attach	willamette Meridian; hence South 2.84 chains; diameter marked C.S. for a fir 18 inches diameter hes diameter marked tinued under Remarks) a; 59 acres bench land, c including alfalfa, grain theoretical horsepower. sec. ft. developed of Sec. , W. M.
constion Lanchence East thence South corner; then earked C.S.B. (a) Character (b) Kince Power or Minir 9. (a) T (b) C (c) T (d) T (e) S Tp. (No. N. or (f) Id (g) I	I Claim No. 3 I th the Nort 770 32! Nest te N. 550 48' Thears Nort I bears Nort I of crops raised ag Purposes otal amount of puantity of wate otal fall to be u The nature of the nature of the second of t	B in Township h line of sai h line of sai 6.68 chains W. 5.12 che h 132 East 6 (H more see LOO acrea rive loam General fa power to be deve er to be used for tilized e located in turned to any st m and locate poi h power is to be	23 South, Range 7 West d claim 52.00 chains; ti to a white cak 12 inches ins to stake from which O links and a fir 18 inc recurred, attach separate sheet) (Con- ur hottom land, dark loan ran arops for this area, cloped power	willamette Meridian; hence South 2.84 chains; diameter marked C.S. for a fir 18 inches diameter hes diameter marked tinued under Remarks) a; 59 acres bench land, c including alfalfa, grain theoretical horsepower. sec. ft. developed of Sec. , W. M.
constion Lanchemore East chemore East chemore South corner; them sarked C. S. B (a) Chan (b) Kince Power or Minin 9. (a) T (b) C (c) T (d) T (e) S Tp. (80. H. cc (f) I (g) I	I Claim No. 3 I th the Nort 770 32! Nest te N. 550 48' Thears Nort I bears Nort I of crops raised ag Purposes otal amount of puantity of wate otal fall to be u The nature of the such works to be such works to be water to be re f so, name strea	B in Township h line of sai h line of sai 6.68 chains W. 5.12 che h 132 East 6 (H more see LOO acrea rive loam General fa power to be deve er to be used for tilized e located in turned to any st m and locate poi h power is to be	23 South, Range 7 West delaim 52.00 chains; ti to a white cak 12 inches ins to stake from which O links and a fir 18 increased, attach separate shoot) (Contr. bottom land, dark load research attach separate shoot) (Contr. bottom land, dark load research attach separate shoot) (Contr. bottom land, dark load research attach separate shoot) (Contr. bottom land, dark load research attach separate shoot) (Lagai subdivision) (Lagai subdivision) (Lagai subdivision) (Contr. contr. cont	Willamette Meridian; hence South 2.84 chains; diameter marked C.S. for a fir 18 inches diameter hes diameter marked tinued under Remarks) s; 59 acres bench land, c including alfalfa, grain theoretical horsepower. sec. ft. developed of Sec. RECEIVED BY OW
constion Lanchence East chemes South corner; then sarked C.S.B. (a) Chan (b) Kince Power or Mining. (a) T (b) C (c) T (d) T (e) S Tp. (80.H. cc (f) Id (g) I	I Claim No. 3 I th the Nort 770 32! Nest te N. 550 48' Thears Nort I bears Nort I of crops raised ag Purposes otal amount of puantity of wate otal fall to be u The nature of the such works to be such works to be water to be re f so, name strea	B in Township h line of sai h line of sai 6.68 chains W. 5.12 che h 132 East 6 (H more see LOO acrea rive loam General fa power to be deve er to be used for tilized e located in turned to any st m and locate poi h power is to be	23 South, Range 7 West delaim 52.00 chains; ti to a white cak 12 inches ins to stake from which O links and a fir 18 increased, attach separate shoot) (Contr. bottom land, dark load research attach separate shoot) (Contr. bottom land, dark load research attach separate shoot) (Contr. bottom land, dark load research attach separate shoot) (Contr. bottom land, dark load research attach separate shoot) (Lagai subdivision) (Lagai subdivision) (Lagai subdivision) (Contr. contr. cont	willamette Meridian; hence South 2.84 chains; diameter marked C.S. for a fir 18 inches diameter hes diameter marked tinued under Remarks) a; 59 acres bench land, c including alfalfa, grain theoretical horsepower. sec. ft. developed of Sec. , W. M.

1. (a) Give aimensions at each point of canal where materially changes in size, stating miles from

	THE REPORT OF THE PROPERTY OF THE PARTY OF T	10729
Iunicipal or Domestic Supply—		
10. (a) To supply the city of		. :
	resent population of	
rd an estimated population of	in 19	
•	of families to be supplied three	
	one 11, 18, 19, and 14 to all cases)	
11. Estimated cost of proposed works, \$12. Construction work will begin on or be	8,000,00 Approximately in July, 1945 if War Regulati	ons
13. Construction work will be completed	on or beforeJuly, 1946 subject to MPB Regulat	ions.
14. The water will be completely applied	d to the proposed use on or before	. :
		1
	•	{
	(Sgd) R. E. Campbell (Signature of spelleant)	
Stamped in the among of the security security		
Signed in the presence of us as witnesses:	·	
1)(Nume)	(Address of witness)	-
2)(Name)	(Address of witness)	
or the purpose of raising alfalfa. 20 or following to map at your office. Continued from Item 8) S B T bears N 57 3/4° W. 88 links; the inches diameter marked C S B T bears ars N. 41° W 23 links; thence N. 84°	installation of this irrigation system is cents is being added to enclosed check to pay mence W.390.27 chains to stake from which a fir N 320 E 73 links and a fir 6 inches diameter 04' W. 11.04 chains; thence N. 0.20 chains to res, more or less.	
	Tes, more or less.	
so, Lots three (3), Four (4), and Five (8), Nine (9), and Ten (10), and Section 33; and beginning at the Southyann L. Kellogg in Section 32; Town the bank of the Umpqua River; thence W. 1.20 chains; thence N. 27° E. I. 1910 E. 45.28 chains to the North both 1910 E. 45.28 chains to the Umpqua Market Company (Market Co	We (5), Section 28; Lots Six (6), Seven (7) Horth half (Ng) of the Northeast quarter (Ng) which ast corner of the Donation Land Claim No. A whip 23 South, Range 7 West, Willamette Meridi N. 66° 15' W. 41.50 chains; thence N. 66° 70 chains; thence S. 450° E. 30 chains; thence bundary of the Adna B. Kellogg Donation Lend River; thence S. 32° 45' E. 2 chains; thence thence South to place of beginning, all being	io an
so, Lots three (3), Four (4), and Five the (8), Nine (9), and Ten (10), and Section 33; and beginning at the Southern I. Kellogg in Section 32; Town the bank of the Umpqua River; thence Tw. 1.20 chains; thence N. 27 E. I. 1980 E. 46.28 chains to the North begin No. 39, thence East to the Umpqua 1980 Shattagotherne W. 42.60 chains 23 S. R. 7 W. Wilkamette Meridian. County of Marion,	Horth half (Ng) of the Northeast quarter (Ng) riheast corner of the Donation Land Claim No. Auship 23 South, Range 7 West, Willamette Meridi N. 66° 15' W. 41.50 chains; thence N. 66° 70 chains; thence S. 45° E. 30 chains; thence bundary of the Adna B. Kellogg Donation Land River; thence S. 32° 45' E. 2 chains; thence of the River; thence South to place of beginning, all being the foregoing application, together with the accompanying	o an g in
so, Lots three (3), Four (4), and Five (8), Nine (9), and Ten (10), and Section 33; and beginning at the Southwar E. Kellogg in Section 32; Town the bank of the Umpqua River; thence W. 1.20 chains; thence N. 27° E. I. 191° E. 46.28 chains to the North bottom 191° E. 46.28 chains to the Umpqua 191° E. 39, thence East to the Umpqua 191° E. 39. Thence East to the Umpqua 191° E. 30 S. R. 7 W. Willamette Meridian. County of Marion,	Horth half (Ng) of the Northeast quarter (Ng) riheast corner of the Donation Land Claim No. Auship 23 South, Range 7 West, Willamette Meridi N. 66° 15' W. 41.50 chains; thence N. 66° 70 chains; thence S. 45° E. 30 chains; thence bundary of the Adna B. Kellogg Donation Land River; thence S. 32° 45' E. 2 chains; thence of the River; thence South to place of beginning, all being the foregoing application, together with the accompanying	o an i
so, Lots three (3), Four (4), and Fivient (8), Nine (9), and Ten (10), and Section 33; and beginning at the Southyman L. Kellogg in Section 32; Town the bank of the Umpqua River; thence W. 1.20 chains; thence N. 27 E. I. 1980 E. 46.28 chains to the North bottom, 39, thence East to the Umpqua 1966 1966 1966 1966 1966 1966 1966 196	Horth half (Ng) of the Northeast quarter (Ng) riheast corner of the Donation Land Claim No. Auship 23 South, Range 7 West, Willamette Meridi No. 66° 15' W. 41.50 chains; thence N. 66° 70 chains; thence S. 45° E. 30 chains; thence bundary of the Adna B. Kellogg Donation Land River; thence S. 32° 45' E. 2 chains; thence I; thence South to place of beginning, all being the foregoing application, together with the accompanying REC	EIVED BY OWI
so, Lots three (3), Four (4), and Fiveh (8), Wine (9), and Ten (10), and Section 33; and beginning at the Southyman L. Kellogg in Section 32, Town the bank of the Umpqua River; thence IV W. 1.20 chains; thence N. 27° E. I. 191° E. 46.28 chains to the North bottom 19. 39, thence East to the Umpqua 19. 39, thence East to the Umpqua 19. 39, thence East to the Umpqua 19. 23 S. R. 7 W. Williamette Meridian. County of Marion, This is to certify that I have examined the maps and data, and return the same for	Horth half (Ng) of the Northeast quarter (Ng) riheast corner of the Donation Land Claim No. Auship 23 South, Range 7 West, Willamette Meridia N. 66° 15' W. 41.50 chains; thence N. 66° 70 chains; thence S. 45g° E. 30 chains; thence aundary of the Adna B. Kellogg Donation Land a River; thence S. 32° 45' E. 2 chains; thence thence South to place of beginning, all being the foregoing application, together with the accompanying REC	EIVED BY OWI
so, Lots three (3), Four (4), and Fiveh (8), Nine (9), and Ten (10), and Section 33; and beginning at the Southern I. Kellogg in Section 32; Town the bank of the Umpque River; thence I. 20 chains; thence N. 27° E. I. 198° E. 45.28 chains to the North boain No. 39, thence East to the Umpque 1. 23 S. R. 7 W. Willamette Meridian. County of Marion, This is to certify that I have examined the maps and data, and return the same for	Horth half (Ng) of the Northeast quarter (Ng) riheast corner of the Donation Land Claim No. Auship 23 South, Range 7 West, Willamette Meridia N. 66° 15' W. 41.50 chains; thence N. 66° 70 chains; thence S. 45g° E. 30 chains; thence sundary of the Adna B. Kellogg Donation Land River; thence S. 32° 45' E. 2 chains; thence it thence South to place of beginning, all being the foregoing application, together with the accompanying REC.	EIVED BY OWI
so, Lots three (3), Four (4), and Fiveh (8), Nine (9), and Ten (10), and Section 33; and beginning at the Southern E. Kellogg in Section 32, Town the bank of the Umpque River; thence I. 20 chains; thence N. 27 E. I. 1980 E. 45.28 chains to the North boain No. 39, thence East to the Umpque 15 North Southern Communication. This is to certify that I have examined the maps and data, and return the same for	Horth half (Ng) of the Northeast quarter (Ng) riheast corner of the Donation Land Claim No. Auship 23 South, Range 7 West, Willamette Meridia N. 66° 15' W. 41.50 chains; thence N. 66° 70 chains; thence S. 45g° E. 30 chains; thence sundary of the Adna B. Kellogg Donation Land River; thence S. 32° 45' E. 2 chains; thence it thence South to place of beginning, all being the foregoing application, together with the accompanying REC.	EIVED BY OWI

. . .

PERMIT

TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

	Division No District No	and the second of the second
	This instrument was first received in the office of the State Engineer at Salem, Oregon	
	on the 8th day of January,	
	194.5, at \$1.30 o'clock A M.	
	Returned to applicant:	
	Corrected application received:	
	Approved:	
٠.	April 16, 1945	
	Recorded in book No39 of	
	Permits on page16138	
	CHAS, E. STRICKLING STATE ENGINEER	
	Dreinage Basin No16 Page21	
.	Fees Paid\$28.05	• .
STATE OF OREGON	PERMIT	
	2	
	water is to be applied is Irrigation, domestic, a	
pond, being 1.99 cfs f	or irrigation, and 1.00 ofs for domestic, s	took, fish and lily
If for irrigation, this a	ppropriation shall be limited to1/80th	of one cubic foot per
secondoritaequivalen	t for each acre irrigated and shall be furt	her limited to a
	cased 22 acre fast per acre for each acre in	
.the irrigation season	of each year,	
	reasonable rotation system as may be ordered by the p	proper state officer.
•	is permit is January 8, 1945	•
	ork shall begin on or before	
	th reasonable diligence and be completed on or before	
October 1,		
Complete application	of the water to the proposed use shall be made on or be	JAN 1 3 2014
	1948 Extended to Oct. 1, 1980	SALEM, OR
WITNESS my hand th	ris16th day ofApril	(94)
	CHAS. E. STRICKLI	STATS ENGINEER
Permits for power development	are subject to the payment of annual sees as provided in sections 1 and 2, chapter	74, Oregon Lews 1983.

JANS **1** 1977

Just II the Life

WATER RESOURCES DEPT UALEM, OREGON

FRECON. STATE 0

to-wit:

that I have personally y all located in Coos (

of property and the standard of the standard o

0 exa

J. ποστε, a Notary Public for the State of Nebraska, consisted Warranty Deed, pertaining to three parcels it the document appearing below and attached is a true, this 26th day of January 1977, at Offutt AFB NE. ////

ginal that

origina and tha

p

e Sounty of Marion. I certify that the within was received by me

arthe 3 day of Con., 1027 at September DEED Proces, Vol. 102 Proces 1/8

E Mecords, Vol. James E. Sexson,

DFOR VALUE RECEIVED JOAN L. GILMORE, a single woman, herein referred to as grantor, hereby grants, bargains, sells and conveys unto ROBERT L. ATEN and HELEN M. ATEN. husband and wife, herein referred to as grantees, the following-described real property, with tenements, hereditaments, and appurtenances,

PARCEL J: The North half of the Northwest quarter of the Northwest quarter of Section 17, Township 29 South, Range 14 West of the Willamette Meridian and beginning at a point 7.50 chains North of the Southwest corner of the Northwest quarter of the Northwest quarter; thence East 20.00 chains to the quarter quarter section line running North and South through said section; running thence North 2.50 chains to the Southeast corner of the North half of the Northwest quarter of the Northwest quarter of said Section 17; thence West 20.00 chains; thence South 2.50 chains, more or less, to the place of beginning, except the following described premises; Beginning at a point 495 feet North of the Southwest corner of Northwest quarter of Northwest quarter of Section 17, Township 29 South, Range 14 West of the Willamette Meridian, Coos County, Oregon; thence as follows: East 103.18 feet to the Northwest corner of a 3.9 acre tract described in deed recorded on page 412 of Book 153, Coos County, Oregon Deed Records; thence North 10° 30' East 60.6 feet; thence North 18° 15' East 603 feet to the center of a small stream; thence down stream along center of stream in a Westerly direction to a point where section line on the North boundary of Section 17 crosses said stream; thence Westerly along said section line 272 feet to the Northwest corner of Section 17, Township 29 South, Range 1/W; thence South along west boundary of said Section 17, 825 feet to the place of beginning.

PARCEL II: The North 12.50 chains of the Northeast quarter of the Northwest quarter of Section 17, Township 29 South, Range 14 Mest of the Willamette Meridian, Coos County, Oregon.

PARCEL III: Beginning at a point which is situated North 10° 30' East 305.1 feet from the Southwest corner of the Northwest quarter of the Northwest quarter of Section 17, Township 20 South, Range 14 West of the Willamette Meridian, Cook County, Oregon, and running thence North 10° 30' East 198.3 feet; thence Easterly along the North boundary of a 30 acre tract heretofore conveyed by I. W. Klineman and wife to Earold Kabisch and wife, and Clifford Mason and wife, a distance of 872.0 feet; thence South 10° 30' West 108.3 feet; thence Westerly 872.0 feet to the place of beginning, all in Coos County, Oregon.

RECEIVED BY OWRD

JAN 1 3 2014

TO HAVE AMO TO MOLD the said premises unto said Grantees. their heirs are assigns forever. And the said Grantor hereby covenants that she is lawfully seized in fee simple of said premines; that they are free from all incumbrances, except capements and restrictions of record, and that she will warrant and defend the above granted premises against all lawful claims whetheever, except an above stated.

The time and actual consideration for this transfer is \$25,500.00.

Dated this graday of June, 1973.

Jan Le ilmitre

STATE OF OREGON) Care SS. COUNTY OF LAMES

Personally appeared the above named Joan L. Gilmore and acknowledged the foregoing instrument to be her voluntary act

Refere me:

My Commission expires: 2, 8,77

STATE OF ORECOM.

County of Marion.

I certify that the within was received by me on the Standard of Sand, 19-27, at 2 classes well as the control of the second with the second wi

I hereby certify that the within instrument was filed for record

July 11 12 13 78

and recorded in Book of Records Microfilm Reel No.

of said County. WITNESS my hand and Scal of County

Evelyn M. Elliott, Coos County Clerk By Manuel

Return to KARLES A

Warranty Deed - 2

RECEIVED BY OWRD

JAN 13 2014

SALEM, OR