Water Resources Department													
M	EMO							•	4	17		199(	2
T	0	Ar	plica	tion	G	138	87		,				
F	ROM	GV	v:_ <i>//</i> /	lan	iewer's N	Manuel Manuel	50						
S	UBJE	CT SC	enic	(	rway		rfer	ence	Evalu	ation	ı		
[ Æ	]Yes ≱No	Yes The source of appropriation is within or above a Scenic Waterway.								y.			
	] Yes ⊴No	Yes  Use the Scenic Waterway condition (Condition 7J).  No											
PI	REPOI		this tim	e the [	Departn	nent is	unable	to find	that the	ere is a	l		
		wi ma	ll meas aintain	urably the fre	reduce e-flowir	the su	rface v acter c	vater floof of a sce ish and	ws nec nic wat	essary erway	to		
	LOW F	REDUC	TION: (	To be	filled o	out only	if <u>Pre</u>	ponde	rance c	of Evid	ence b	ox is n	ot
E	xercis	e of	this	•							•		
Scenic Waterway by the following amounts expressed as a proportion of the consumptive use by which surface water flow is reduced.													
	Jan	Feb	Mar	Apr	Мау	Jun	Jul	Aug	Sep	Oc t	N ov	Dec	

TO:	Water Rights Section 1996
FROM:	Destaurado Nomo
SUBJECT:	Application G
1. PER	WATER/SURFACE WATER CONSIDERATIONS  THE Basin rules, one or more of the proposed POA's is/is not within feet/mile of a surface water source () and taps a groundwater source aulically connected to the surface water.
á b	UPON 0AR 690-09 currently in effect, I have determined that the proposed groundwater us have the potential for substantial interference with the nearest will not surface water source, namely unlamed Tribulage: or will if properly conditioned, adequately protect the surface water from interference:  iThe permit should contain condition #(s);  iiThe permit should contain special condition(s) as indicated in "Remarks" below;  iiiThe permit should be conditioned as indicated in item 4 below; or will, with well reconstruction, adequately protect the surface from substantial interference.
3. BASE a b	WATER AVAILABILITY CONSIDERATIONS  DUPON available data, I have determined that groundwater for the proposed use will, or likely be available in the amounts requested without injury to prior rights will not and/or within the capacity of the resource; or will if properly conditioned, avoid injury to existing rights or to the groundwater resource:  i. The permit should contain condition #(s) 7B;  ii. The permit should contain special condition(s) as indicated in "Remarks" below; iii. The permit should be conditioned as indicated in item 4 below; or
b c d	THE PERMIT should allow groundwater production from no deeper thanft. below land surface; The permit should allow groundwater production from no shallower thanft. below land surface; The permit should allow groundwater production only from the groundwater reservoir between approximatelyft. andft. below land surface; Well reconstruction is necessary to accomplish one or more of the above conditions. One or more POA's commingle 2 or more sources of water. The applicant must select one source of water per POA and specify the proportion of water to be produced from each source.
	(S:

(Well Construction Considerations on Reverse Side)

5. THE WELL which is the point of appropriation for this application does not meet current well construction standards based upon: a.\_\_\_\_review of the well log; b.\_\_\_field inspection by \_\_\_\_\_ c.\_\_\_report of CWRE \_\_\_\_\_ d.\_\_\_other: (specify) \_\_\_\_\_ THE WELL construction deficiency: 6. a.\_\_\_\_constitutes a health threat under Division 200 rules; b. commingles water from more than one groundwater reservoir; c.\_\_\_permits the loss of artesian head; d.\_\_\_\_permits the de-watering of one or more groundwater reservoirs; e. other: (specify) 7. THE WELL construction deficiency is described as follows: a.\_\_\_was, or constructed according to the standards in effect at the time of 8. THE WELL b. \_\_\_was not · original construction or most recent modification. c.\_\_\_I don't know if it met standards at the time of construction. RECOMMENDATION: A.\_\_\_I recommend including the following condition in the permit: "No water may be appropriated under terms of this permit until the well(s) has been repaired to conform to current well construction standards and proof of such repair is filed with the Enforcement Section of the Water Resources Department." B.\_\_\_I recommend withholding issuance of the permit until evidence of well reconstruction is filed with the Enforcement Section of the Water Resources Department. C. \_\_\_\_REFER this review to Enforcement Section for concurrence. THIS SECTION TO BE COMPLETED BY ENFORCEMENT PERSONNEL I concur in G/H's recommendation A or B above relating to conditioning or withholding the permit (Signature) I do not concur in G/H's recommendation A or B above relating to conditioning or withholding the permit for the following reasons: (Signature)

WELL CONSTRUCTION (If more than one well doesn't meet standards, attach an additional sheet.)