TO:	Water Rights Section		Oct 26	, <b>NEW</b>
FROM:	Groundwater/Hydrology Section	D- MOL	er's Name	· .
SUBJECT:	Application G- 14 121 Supercedes	3/13/96 Review		
1. PER	WATER/SURFACE WATER CONTINUES, on feet/mile of a surface water source adwater source hydraulically connected	NSIDERATIONS e or more of the pro	oposed POA's 🐗	
<u>a.</u>	D UPON 0AR 690-09 currently in effect will, or have the potential for sulfwill not surface water source, rewill if properly conditioned, adequately iThe permit should contain containThe permit should contain specifically. The permit should be conditioned will, with well reconstruction, adequate	bstantial interference namely protect the surface vondition #(s) rial condition(s) as intended as indicated in ite	with the neares water from inter indicated in "Rem em 4 below; or	t ; or ference: arks" below;
3. BASE a .b	WATER AVAILABILITY CONSIDER DUPON available data, I have determined will, or likely be available in the will not and/or within the capacite will if properly conditioned, avoid injurtion. The permit should contain specifically. The permit should be conditioned with the permit should be conditioned.	ned that groundwate amounts requested very of the resource; or my to existing rights condition #(s) 7 A dial condition(s) as in	vithout injury to or to the ground ; ndicated in "Rem	prior rights water resource:
d	THE PERMIT should allow groundware below land surface; The permit should allow groundwater below land surface; The permit should allow groundwater groundwater reservoir between approved by the construction is necessary to accome or more POA's commingle 2 or more of water per POA and specify the source.  ** Sand *Gravel Aquiter*	r production from notice production only is posimately 150 ft. as complish one or more ore sources of water.	from the *  nd 450 ft. belower the above con the applicant r	w land surface; enditions. must select one
REMARK	S:			

(Well Construction Considerations on Reverse Side)

WELL CONSTRUCTION (If more than one well doesn't meet standards, attach an additional sheet.) 5. THE WELL which is the point of appropriation for this application does not meet current well construction standards based upon: a.\_\_\_\_review of the well log; b.\_\_\_field inspection by \_\_\_\_\_ c.\_\_\_report of CWRE \_\_\_\_\_ d.\_\_\_other: (specify) \_\_\_\_\_ THE WELL construction deficiency: 6. a. constitutes a health threat under Division 200 rules; b.\_\_\_commingles water from more than one groundwater reservoir; c.\_\_\_\_permits the loss of artesian head; d.\_\_\_permits the de-watering of one or more groundwater reservoirs; e.\_\_\_other: (specify) \_\_\_\_\_ 7. THE WELL construction deficiency is described as follows: a.\_\_\_was, or constructed according to the standards in effect at the time of original construction or most recent modification. THE WELL 8. c.\_\_\_I don't know if it met standards at the time of construction. RECOMMENDATION: A.\_\_\_I recommend including the following condition in the permit: "No water may be appropriated under terms of this permit until the well(s) has been repaired to conform to current well construction standards and proof of such repair is filed with the Enforcement Section of the Water Resources Department." B.\_\_\_I recommend withholding issuance of the permit until evidence of well reconstruction is filed with the Enforcement Section of the Water Resources Department. C.\_\_\_REFER this review to Enforcement Section for concurrence. THIS SECTION TO BE COMPLETED BY ENFORCEMENT PERSONNEL I concur in G/H's recommendation A or B above relating to conditioning or withholding the permit \_\_\_\_\_\_ 199\_\_\_ (Signature) I do not concur in G/H's recommendation A or B above relating to conditioning or withholding the permit for the following reasons:

(Signature)

## Water Resources Department

M	EMO							_0.	<del>+ 26</del>	1		200	_
F	O ROM UBJE	G	Application G-1412/  GW: D. W.C. Same as 3//3/96 Review Scenic Waterway Interference Evaluation										
_	□Yes No	; TI	The source of appropriation is within or above a Scenic Waterway.										
[2	]Yes ∄No		Use the Scenic Waterway condition (Condition 7J).										
PREPONDERANCE OF EVIDENCE FINDING: (Check box only if statement is true)													
At this time the Department is unable to find that there is a preponderance of evidence that the proposed use of ground water will measurably reduce the surface water flows necessary to maintain the free-flowing character of a scenic waterway in quantities necessary for recreation, fish and wildlife.													
FLOW REDUCTION: (To be filled out only if <u>Preponderance of Evidence</u> box is not checked)													
Exercise of this permit is calculated to reduce monthly flows in Scenic Waterway by the following amounts expressed as a proportion of the consumptive use by which surface water flow is reduced.													
-	Jan	Feb	Mar	Apr	May	Jun	luL	Aug	Sep	Oct	Nov	Dec	