STATE OF OREGON

WATER RESOURCES DEPARTMENT

RECEIPT # 113334

725 Summer St. N.E. Ste. A SALEM, OR 97301-4172

INVOICE # _____


CEIVED FRO	A ANGLIMO	Frisch Fo	arm Account	APPLICATION	5-88011
:	Dhy and	Dan El	?×(h	PERMIT	- 00011
	- <u>1. 2(21,0</u> 2	*** ***		TRANSFER	
SH: C	CHECK:#	OTHER: (IDENTIF	Y) Γ	TOTAL REGID	ISLIAN A
<u> </u>	A 4511			TOTAL /ILU D	\$ 1 0 0.0
1083	TREASURY	4170 WR	D MISC CASH A	CCT	
0407	COPIES				\$
 	OTHER:	(IDENTIFY)			\$
0243 I/S L	.ease 024	14 Muni Water Mgn	nt. Plan 024	5 Cons. Water	
		4270 WR	D OPERATING A	CCT	
	MISCELLANEOU				r
0407	COPY & TAPE FE	ES /	1611		\$
0410	RESEARCH FEE	s	7 <i>0011</i>	•	\$
0408	MISC REVENUE:				\$
TC162	DEPOSIT LIAB.	(IDENTIFY)			\$
0240	EXTENSION OF	TIME			\$
	WATER RIGHTS:		EXAM FEE	7	RECORD FEE
0201	SURFACE WATE		\$ 650 00	0202	\$450.00
0203	GROUND WATER		\$	0204	\$
0205	TRANSFER	•	\$	-	
52.5	WELL CONSTRU	ICTION	EXAM FEE	-	LICENSE FEE
0218	WELL DRILL COI		\$	0219	\$
0210	LANDOWNER'S		<u> </u>	 0220	\$
	OTHER	(IDENTIFY) _			
0536	TREASURY	0437 WE	LL CONST. STAF	RT FEE	
0211	WELL CONST ST	ART FEE	\$	CARD #	
0210	MONITORING W	ELLS	\$	CARD #	
	OTHER	(IDENTIFY) _			
0607	TREASURY	0467 HY	DRO ACTIVITY	LIC NUMBER	
0233	POWER LICENS	E FEE (FW/WRD)			\$
	HYDRO LICENSE	E FEE (FW/WRD)			\$
0231		ATION			\$
	_ HYDRO APPLICA		(ED / DDV		
	_	OTI	HER / RUX		
0231	TREASURY		HER / RDX		<u> </u>
0231	TREASURY	TITLE			<u> </u>
0231 FUND OBJ. COD	TREASURY				\$

Distribution – White Copy - Customer, Yellow Copy - Fiscal, Blue Copy - File Buff Copy - Fiscal

Alternate Reservoir Application Completeness Checklist This is the checklist used by WRD staff

Application R-88011 County Union	
Priority Date 9.4.2014 Township 25 Range 40 E Section 29 Taxlot 4601	
Use Multi-purpose Caseworker BARBE P.	
Amount (AF) 9.18 AF Watermaster # 6	
John & Dian Frisch	
Minimum Requirements (ORS 537.409)	
N 1000	
Completed Watermaster review sheet signed and dated by Watermaster. Not completed will the reservoir injure an existing water right? YES NO	-
If YES, can conditions be applied to mitigate the injury? YES NO If NO, return the application of the injury? If NO, return the application of the injury?	on.
Did the watermaster determine when water is available for the proposed use? YES NO	
The Watermaster review sheet must have been completed within the last 6 months.	
If the watermaster determined that water is NOT available, return the application.	
Completed ODFW review sheet signed and dated by ODFW representative.	
Will the reservoir pose a significant detrimental impact to an existing fishery resource YES	
If YES, can conditions be applied to mitigate the impact WYES and If NO, return the application	<u>n.</u>
The ODFW review sheet must have been completed within the last 6 months.	- 40
Completed Land-Use Form or receipt signed by the appropriate planning department official enclosed by the appropriate planning department of the department	
Does the use on land-use form match the proposed use on the application? Must be an original "wet" s within the last 12 months.	ignature
Landowner Name, Mailing Address and Telephone Number.	
Source and tributary listed. NO WELLS-MUST HAVE GW APP TO USE A WELL AS A SOURCE	E !!
Reservoir Location- Township, Range, Section, Quarter Quarter, Taxlot	
Dam height if applicable	
Total Quantity of Storage Requested: 9.18 AF	
Proposed Use of the water Cannot accept application for use of this stored water at the same time	
Property ownership indicated? If applicant does not own all the land is the affected landowner's n	
mailing address listed? (Including: lands not owned by applicant, upon which the source is locatedo	r that
are crossed by the diversion works. This includes any roads or rights-of-way.)	C
Provide the legal description of all the property involved with this application. You may include a	copy of
your deed land sales contract or title insurance to meet this requirement	
Environmental Impact section completed? Application signed by the landowner(s)? All parties noted as applicants must sign the application.	
Must be an original "wet" signature.	
Acceptable map ** Indicates requirements of standards set forth by the Commission and caus	es fatal
flaw if not provided by the applicant.	
Reservoir Location - noting Township, Range, Section, 1/4 1/4 and Tax Lot number(s)*	
Scale of the Map (not less than 1" = 1320') **	
Reference corner on map	
North Directional Symbol **	
Reservoir clearly identified **	
Dam or POD (If off channel) Location coordinates referenced to a government land	
survey corner* If no dam, use coordinates to center of reservoir **	
Fees enclosed**? Examination: Base Fee\$ 350. Permit Recording Fee\$ 450.	
9.18AF = 10 AF x \$30 = plus\$ 300.00	
nlus\$	CEIVED BY OWRE
Total rates 5 7100.	SCIALD BY OMME
Completeness Check by: Date: 3-15-14 Revised 2011-3-3	CED O A con-
A LAND	SEP 0 4 2014
1 ZZIM 9HIPI	
	SALEM, OR

OREGON



Water Resources Department

Permit to Appropriate Surface Water for Storage - Alternate Reservoir Application

For impoundments less than 10 feet in height or storing less than 9.2 acre feet of water.

Today's Date: Friday, August 08, 2014

Base Application Fee for Storage of Surface Water.		\$350.00
Proposed Dam Height in feet.	4.5	
Proposed Reservoir volume in Acre Feet.	9.18	\$300.00
Permit Recording Fee. ***		\$450.00
*** the Permit Recording Fee is not required when the application is submitted but, must be paid before a permit will be issued. It is fully refundable if a permit is not issued. If the recording fee is not paid prior to issuance of the Final Order, permit issuance will be delayed.	Recalculate	
Estimated cost of Permit Application		\$1,100.00

Return to Fee Calculator Options page

OWRD Fee Schedule

Fee Calculator Version: B20130709

RECEIVED BY OWRD RECEIVED BY OWRD

SEP 0 4 2014

AUG 14 2014

SALEM, OR

SALEM, OR

R-88011

Alternate Reservoir Application Completeness Checklist This is the checklist used by WRD staff

Minimum Requirements (ORS 537.409)

Completed Watermaster review sheet signed and dated by Watermaster.

Will the reservoir injure an existing water right?

YES YO

If YES, can conditions be applied to mitigate the injury?

YES

NO

If NO, return the application.

Did the watermaster determine when water is available for the proposed use? □ YES □ NO

The Watermaster review sheet must have been completed within the last 6 months.

If the watermaster determined that water is NOT available, return the application.

Total Paid \$ 1100

Total Fees \$ 1100

Completeness Check by: L. Jaramillo Date: August 15, 2014 Revised July 17, 2012

RECEIVED BY OWRD

SEP 0 4 2014

SALEM, OR