Water Right Conditions Tracking Slip Groundwater/Hydrology Section FILE ## G-15229 ROUTED TO: Water Rights TOWNSHIP/ RANGE-SECTION: TIS/RIJE-120 CONDITIONS ATTACHED? [Yes [] no REMARKS OR FURTHER INSTRUCTIONS: Reviewer: Michael Zwart Application No. 6/5229 Permit No.

Water Resources Department

MEMO

November 8 , == 2000

Application G- (5229 TO

FROM

GW: Michael Zwant (Reviewer's Name)

SUBJECT

Scenic Waterway Interference Evaluation



The source of appropriation is within or above a Scenic Waterway.



Use the Scenic Waterway condition (Condition 7J).

PREPONDERANCE OF EVIDENCE FINDING: (Check box only if statement is true)

At this time the Department is unable to find that there is a preponderance of evidence that the proposed use of ground water will measurably reduce the surface water flows necessary to maintain the free-flowing character of a scenic waterway in quantities necessary for recreation, fish and wildlife.

FLOW REDUCTION: (To be filled out only if <u>Preponderance of Evidence</u> box is not checked)

Exercise of this permit is calculated to reduce monthly flows in Scenic Waterway by the following amounts expressed as a proportion of the consumptive use by which surface water flow is reduced.

| Jan Feb Mar Apr May Jun Jul Aug | Sep Oct | Nov Dec |
|---------------------------------|---------|---------|
| | | |

Application No. 9/5229 Permit No.

| • • | , |
|-------------|--|
| TO: | Water Rights Section Nov. 8 2000 |
| FROM: | Groundwater/Hydrology Section Michael Zwart |
| SUBJECT: | Reviewer's Name |
| 1. PER | WATER/SURFACE WATER CONSIDERATIONS THE Basin rules, one or more of the proposed POA's is/is not within _ feet/mile of a surface water source () and taps a ndwater source hydraulically connected to the surface water. |
| a b | D UPON 0AR 690-09 currently in effect, I have determined that the proposed groundwater use will, or have the potential for substantial interference with the nearest will not surface water source, namely; or will if properly conditioned, adequately protect the surface water from interference: i The permit should contain condition $\#(s)$; ii The permit should contain special condition(s) as indicated in "Remarks" b; ow; iii The permit should be conditioned as indicated in item 4 below; or will, with well reconstruction, adequately protect the surface from substantial interference. |
| GROUND | WATER AVAILABILITY CONSIDERATIONS |
| a .b | D UPON available data, I have determined that groundwater for the proposed use will, or likely be available in the amounts requested without injury to prior rights will not and/or within the capacity of the resource; or will if properly conditioned, avoid injury to existing rights or to the groundwater resource: iThe permit should contain condition $\#(s)$? iiThe permit should contain special condition(s) as indicated in "Remarks" below; iiiThe permit should be conditioned as indicated in item 4 below; or |
| b c d | THE PERMIT should allow groundwater production from no deeper thanft. below land surface; The permit should allow groundwater production from no shallower thanft. below land surface; The permit should allow groundwater production only from the groundwater reservoir between approximatelyft. andft. below land surface; Well reconstruction is necessary to accomplish one or more of the above conditions. One or more POA's commingle 2 or more sources of water. The applicant must select one source of water per POA and specify the proportion of water to be produced from each source. |
| REMARK | S: |
| | |
| | |
| | (Well Construction Considerations on Reverse Side) |
| | (Well Construction Constructations on Reverse Side) |

. 1

Application No. 915229 Permit No.

OREGON WATER RESOURCES DEPARTMENT INTEROFFICE MEMO

To: Ground Water Files Date: November 8, 2000

Michael J. Zwart From:

Subject: Application Review: G-15229, Paul and Velma Limmeroth

This application proposes to use about 420 gpm from one well for primary irrigation of 74.9 acres. The well (WASC 50850) is completed to a depth of 376 feet and penetrates a semiconfined to confined aquifer developed in basalt of the Columbia River Basalt Group.

The well is about 900 feet from Eightmile Creek. There is no potential for substantial interference with the nearby reach of the creek, based on the semiconfined to confined aquifer likely penetrated, the depth at which ground water was reported as first found and the head relationship.

I recommend permit conditions 7B and 7C.

Application No. 615229 Permit No.