

**Water Right Conditions
Tracking Slip**

Groundwater/Hydrology Section

FILE ## G-15742

ROUTED TO: Water Rights

TOWNSHIP/
RANGE-SECTION: 17S/11E-23

CONDITIONS ATTACHED? yes no

REMARKS OR FURTHER INSTRUCTIONS:

Potential for Substantial
Interference

Reviewer: K. Lite

TO: Water Rights Section

June 27, 2002

FROM: Ground Water/Hydrology Section K. Lite

Reviewer's Name

SUBJECT: Application G- 15742

GROUND WATER/SURFACE WATER CONSIDERATIONS

1. PER THE Basin Basin rules, one or more of the proposed POA's is/is not within feet/mile of a surface water source () and taps a ground water source hydraulically connected to the surface water.

2. BASED UPON OAR 690-09 currently in effect, I have determined that the proposed ground water use
a. will, or have the potential for substantial interference with the nearest
b. will not surface water source, namely Deschutes River; or
c. will if properly conditioned, adequately protect the surface water from interference:
i. The permit should contain condition #(s) ;
ii. The permit should contain special condition(s) as indicated in "Remarks" below;
iii. The permit should be conditioned as indicated in item 4 below; or
d. will, with well reconstruction, adequately protect the surface from substantial interference.

GROUND WATER AVAILABILITY CONSIDERATIONS

3. BASED UPON available data, I have determined that ground water for the proposed use
a. will, or likely be available in the amounts requested without injury to prior rights
b. will not and/or within the capacity of the resource; or
c. will if properly conditioned, avoid injury to existing rights or to the ground water resource:
i. The permit should contain condition #(s) 7B;
ii. The permit should contain special condition(s) as indicated in "Remarks" below;
iii. The permit should be conditioned as indicated in item 4 below; or

4. a. THE PERMIT should allow ground water production from no deeper than ft. below land surface;
b. The permit should allow ground water production from no shallower than ft. below land surface;
c. The permit should allow ground water production only from the ground water reservoir between approximately ft. and ft. below land surface;
d. Well reconstruction is necessary to accomplish one or more of the above conditions.
e. One or more POA's commingle 2 or more sources of water. The applicant must select one source of water per POA and specify the proportion of water to be produced from each source.

REMARKS: _____

(Well Construction Considerations on Reverse Side)

Application No. 15742
Permit No.

Application No.
Permit No.

WELL CONSTRUCTION (If more than one well doesn't meet standards, attach an additional sheet.)

5. THE WELL which is the point of appropriation for this application does not meet current well construction standards based upon:
- a. review of the well log;
 - b. field inspection by _____;
 - c. report of CWRE _____;
 - d. other: (specify) _____
6. THE WELL construction deficiency:
- a. constitutes a health threat under Division 200 rules;
 - b. commingles water from more than one ground water reservoir;
 - c. permits the loss of artesian head;
 - d. permits the de-watering of one or more ground water reservoirs;
 - e. other: (specify) _____
7. THE WELL construction deficiency is described as follows: _____
8. THE WELL
- a. was, or constructed according to the standards in effect at the time of
 - b. was not original construction or most recent modification.
 - c. I don't know if it met standards at the time of construction.

RECOMMENDATION:

- A. I recommend including the following condition in the permit:
"No water may be appropriated under terms of this permit until the well(s) has been repaired to conform to current well construction standards and proof of such repair is filed with the Enforcement Section of the Water Resources Department."
- B. I recommend withholding issuance of the permit until evidence of well reconstruction is filed with the Enforcement Section of the Water Resources Department.
- C. REFER this review to Enforcement Section for concurrence.

THIS

SECTION TO BE COMPLETED BY ENFORCEMENT PERSONNEL

I concur in G/H's recommendation A or B above relating to conditioning or withholding the permit _____, 199__.

(Signature)

I do not concur in G/H's recommendation A or B above relating to conditioning or withholding the permit for the following reasons: _____

_____, 199__.

(Signature)

Water Resources Department

MEMO

June 27, 2002

TO Application G- 15742

FROM GW: K. Lite
(Reviewer's Name)

SUBJECT Scenic Waterway Interference Evaluation

Yes
 No

The source of appropriation is within or above a Scenic Waterway.

Yes
 No

Use the Scenic Waterway condition (Condition 7J).

PREPONDERANCE OF EVIDENCE FINDING: (Check box only if statement is true)

At this time the Department is unable to find that there is a preponderance of evidence that the proposed use of ground water will measurably reduce the surface water flows necessary to maintain the free-flowing character of a scenic waterway in quantities necessary for recreation, fish and wildlife.

FLOW REDUCTION: (To be filled out only if Preponderance of Evidence box is not checked)

Exercise of this permit is calculated to reduce monthly flows in _____ Scenic Waterway by the following amounts expressed as a proportion of the consumptive use by which surface water flow is reduced.

Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec

Application No. 15742
Permit No.