

**Water Right Conditions  
Tracking Slip**

*Groundwater/Hydrology Section*

FILE ## 15861

ROUTED TO: Water Rights

TOWNSHIP/

RANGE-SECTION: 14S/10E-21

CONDITIONS ATTACHED? yes no

REMARKS OR FURTHER INSTRUCTIONS:

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Reviewer: K. Lite

TO: Water Rights Section

12/26, 2002

FROM: Ground Water/Hydrology Section

K. Lite

Reviewer's Name

SUBJECT: Application G- 15861

GROUND WATER/SURFACE WATER CONSIDERATIONS

- 1. PER THE Basin rules, one or more of the proposed POA's is/is not within feet/mile of a surface water source ( ) and taps a ground water source hydraulically connected to the surface water.
- 2. BASED UPON OAR 690-09 currently in effect, I have determined that the proposed ground water use
  - a.  will, or have the potential for substantial interference with the nearest
  - b.  will not surface water source, namely Indian Ford / Squame Cr; or
  - c.  will, if properly conditioned, adequately protect the surface water from interference:
    - i.  The permit should contain condition #(s) \_\_\_\_\_;
    - ii.  The permit should contain special condition(s) as indicated in "Remarks" below;
    - iii.  The permit should be conditioned as indicated in item 4 below; or
  - d.  will, with well reconstruction, adequately protect the surface from substantial interference.

GROUND WATER AVAILABILITY CONSIDERATIONS

- 3. BASED UPON available data, I have determined that ground water for the proposed use
  - a.  will, or likely be available in the amounts requested without injury to prior rights
  - b.  will not and/or within the capacity of the resource; or
  - c.  will, if properly conditioned, avoid injury to existing rights or to the ground water resource:
    - i.  The permit should contain condition #(s) 7B \_\_\_\_\_;
    - ii.  The permit should contain special condition(s) as indicated in "Remarks" below;
    - iii.  The permit should be conditioned as indicated in item 4 below; or
- 4.
  - a.  THE PERMIT should allow ground water production from no deeper than \_\_\_\_\_ ft. below land surface;
  - b.  The permit should allow ground water production from no shallower than \_\_\_\_\_ ft. below land surface;
  - c.  The permit should allow ground water production only from the \_\_\_\_\_ ground water reservoir between approximately \_\_\_\_\_ ft. and \_\_\_\_\_ ft. below land surface;
  - d.  Well reconstruction is necessary to accomplish one or more of the above conditions.
  - e.  One or more POA's commingle 2 or more sources of water. The applicant must select one source of water per POA and specify the proportion of water to be produced from each source.

REMARKS: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

(Well Construction Considerations on Reverse Side)

WELL CONSTRUCTION (If more than one well doesn't meet standards, attach an additional sheet.)

5. THE WELL which is the point of appropriation for this application does not meet current well construction standards based upon:
- a. \_\_\_ review of the well log;
  - b. \_\_\_ field inspection by \_\_\_\_\_;
  - c. \_\_\_ report of CWRE \_\_\_\_\_;
  - d. \_\_\_ other: (specify) \_\_\_\_\_
6. THE WELL construction deficiency:
- a. \_\_\_ constitutes a health threat under Division 200 rules;
  - b. \_\_\_ commingles water from more than one ground water reservoir;
  - c. \_\_\_ permits the loss of artesian head;
  - d. \_\_\_ permits the de-watering of one or more ground water reservoirs;
  - e. \_\_\_ other: (specify) \_\_\_\_\_
7. THE WELL construction deficiency is described as follows: \_\_\_\_\_
8. THE WELL a. \_\_\_ was, or constructed according to the standards in effect at the time of  
b. \_\_\_ was not original construction or most recent modification.  
c. \_\_\_ I don't know if it met standards at the time of construction.

---

RECOMMENDATION:

- A. \_\_\_ I recommend including the following condition in the permit:  
"No water may be appropriated under terms of this permit until the well(s) has been repaired to conform to current well construction standards and proof of such repair is filed with the Enforcement Section of the Water Resources Department."
- B. \_\_\_ I recommend withholding issuance of the permit until evidence of well reconstruction is filed with the Enforcement Section of the Water Resources Department.
- C. \_\_\_ REFER this review to Enforcement Section for concurrence.

---

THIS SECTION TO BE COMPLETED BY ENFORCEMENT PERSONNEL

I concur in G/H's recommendation A or B above relating to conditioning or withholding the permit  
\_\_\_\_\_, 200\_\_.

(Signature)

I do not concur in G/H's recommendation A or B above relating to conditioning or withholding the permit for the following reasons: \_\_\_\_\_

\_\_\_\_\_, 200\_\_.

(Signature)