

Oregon Water Resources Department

Water Right Services Division

Water Rights Application
Number G-14822 (modified by Permit Amendment T-9738)

FINAL ORDER

Extension of Time for Permit Number G-13671
Permit Holder: Red Hills Howmeowners Association

Permit Information

Application File:	G-14822 (modified by Permit Amendment T-9738)
Permit:	G-13671
Basin:	2 – Middle Willamette / Watermaster District 16
Date of Priority:	August 14, 1998
Source of Water:	Two wells in Willamette River Basin
Purpose of Use:	Irrigation of 16.0 Acres
Maximum Rate:	0.165 cubic feet per second (cfs), being 0.038 cfs from well 1 and 0.127 cfs from well 2

This Extension of Time request is being processed in accordance with Oregon Revised Statute 537.630 and 539.010(5), and Oregon Administrative Rule Chapter 690, Division 315

Appeal Rights

This is a final order in other than a contested case. This order is subject to judicial review under ORS 183.484. A request for judicial review must be filed within the 60 day time period specified by ORS 183.484(2). Pursuant to ORS 536.075 and OAR 137-004-0080 you may either file for judicial review, or petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

Application History

Permit G-13671 was issued by the Department on May 18, 1999 and modified by Permit Amendment T-9738 on June 21, 2006. The permit called for complete application of water to beneficial use by October 1, 2003. The most recent extension authorized complete application of water to beneficial use by October 1, 2013. On December 12, 2013, Red Hills Howmeowners Association submitted to the Department an Application for Extension of Time for Permit G-13671. In accordance with OAR 690-315-0050(2), on September 30, 2014, the Department

Final Order: Permit G-13671 (modified by Permit Amendment T-9738)

issued a Proposed Final Order proposing to extend the time to fully apply water to beneficial use to October 1, 2023. The protest period closed November 14, 2014, in accordance with OAR 690-315-0060(1). No protest was filed.

FINDINGS OF FACT

The Department adopts and incorporates by reference the findings of fact in the Proposed Final Order dated September 30, 2014.

At time of issuance of the Proposed Final Order the Department concluded that, based on the factors demonstrated by the applicant, any comments received, and information within the file, the permit may be extended subject to the following conditions:

CONDITIONS

1. Checkpoint Condition

The permit holder must submit a completed Progress Report Form to the Department by **October 1, 2018. A form is enclosed with this Final Order.**

- (a) At each checkpoint, the permit holder shall submit and the Department shall review evidence of the permit holder's diligence towards completion of the project and compliance with terms and conditions of the permit and extension. If, after this review, the Department determines the permit holder has not been diligent in developing and perfecting the water use permit, or complied with all terms and conditions, the Department shall modify or further condition the permit or extension to ensure future compliance, or begin cancellation proceedings on the undeveloped portion of the permit pursuant to ORS 537.260 or 537.410, or require submission of a final proof survey pursuant to ORS 537.250;
- (b) The Department shall provide notice of receipt of progress reports in its weekly notice and shall allow a 30 day comment period for each report. The Department shall provide notice of its determination to anyone who submitted comments.

CONCLUSION OF LAW

The applicant has demonstrated good cause for the permit extension pursuant to ORS 537.630, 539.010(5) and OAR 690-315-0040(2).

ORDER

The extension of time for Application G-14822 (modified by Permit Amendment T-9738), Permit G-13671 (modified by Permit Amendment T-9738), therefore, is approved subject to conditions contained herein. The deadline for applying water to full beneficial use within the terms and conditions of the permit is extended from October 1, 2013 to October 1, 2023.

DATED: November 21, 2014



Dwight French
Water Right Services Division Administrator, for
Thomas M Byler Director,
Oregon Water Resources Department

-
- If you have any questions about statements contained in this document, please contact the Permit Extension Specialist at (503) 986-0825.
 - If you have other questions about the Department or any of its programs, please contact our Water Resources Customer Service Group at (503) 986-0900
-



Oregon Water Resources Department
 725 Summer Street NE, Suite A
 Salem Oregon 97301-1266
 (503) 986-0900
 www.wrd.state.or.us

**Extension of Time
 Progress Report Form
 For Checkpoints**

TO THE DIRECTOR OF THE OREGON WATER RESOURCES DEPARTMENT

Permit Holder: Red Hills Howmeowners Association Application G-14822

Permit G-13671

Progress Report for 2018

Report Due no later than October 1, 2018

DO NOT SUBMIT PRIOR TO 30 DAYS BEFORE DUE DATE

As authorized in ORS 690-315-0050(6), this progress report is required in order to ensure diligence is exercised in the development and perfections of Permit G-13671.

FAILURE TO SUBMIT THIS REPORT WILL MOST LIKELY RESULT IN ANY FUTURE EXTENSION BEING DENIED.

DATES	LIST ALL WORK ACCOMPLISHED and FINANCIAL INVESTMENTS for the period of time between December 12, 2013 and October 1, 2018	FINANCIAL INVESTMENT

2. Describe actions to achieve compliance with conditions of the permit and/or previous extension.

3. Total number of acres irrigated to date: _____ (NA if not applicable)

4. Provide the maximum rate, or duty if applicable, of water diverted for beneficial use under this permit, if any, to date.

Maximum rate used to date = _____ cfs (cubic feet per second)

or

Maximum rate used to date = _____ gpm (gallons per minute)

or

Acre Feet stored to date = _____ AF

Report the rate in the same units of measurement as specified in the permit, being cfs (cubic feet per second), gpm (gallons per minute) or AF (acre-feet). Do not provide daily, monthly or annual water volume totals.

INCOMPLETE REPORTS WILL BE RETURNED. AN ANSWER IS REQUIRED IN EACH ITEM.

Signature _____ Date _____

Printed Name/Title _____

Diligence Shown Yes No

Date Public Noticed: _____

For OWRD use only

Reviewed by: _____

Date: _____