WATER RESOURCES DEPARTMENT MEMO

TO:		Applicat	ion G	1797	2 6	-							
FROM	[:	Mike	2	.wart		- Grou	ndwater	Section	۱ _.				
SUBJE	ECT:	Scenic Waterway Interference Evaluation											
	YES	Т	he sourc	e of app	propriatio	on is with	nin or ab	ove a Sc	enic Wa	terway			
	YES	U	se the S	cenic W	aterway	conditio	n (condi	tion 7J)					
	with s	RS 390.83 urface wa oution is p	ter that o	contribut									
	interfe Depart use wi	RS 390.83 rence with ment is unall measurater of a sc	n surface nable to lbly redu	water the find that sice the si	hat contr there is	ibutes to a prepor	a scenionderance	waterw of evide	ay; there	efore, the	posed		
Calcula If interf "unable	te inter erence (e" optio	ON OF IN ference as cannot be c in above, the of Evidence	the month alculated aus inform	hly fraction I, per crit Ining the V	on of the teria in 3	90.839, d	o not fill	in the tab	ole but ch	eck the			
Waterv	vay by	is permit i the follow the well.									cenic use		
		on of Annu			T	Jul	Δυσ	Sep	Oct	Nov	Dec		
Jan	Feb	Маг	Apr	May	Jun	Jui	Aug	Sep	OCI	1404	Dec		

PUBL	IC INT	ERES	ST REVI	EW FOR (GROUND	WATER	R APPL	ICA	TIONS					
TO:		Wate	er Rights S	Section					Dat	e M a	arch 2	<u>24, 2015</u>		
FROM	Í:	Grou	undwater S	Section					rl Woznia	ık				
SUBJI	ECT:	App	lication G-	17976			iewer's Nan persedes		iew of					
							F					Date of Re	view(s)	
oar 6 welfare to deter the pres	590-310-1 c, safety a rmine who sumption	30 (1) nd hea ether the	The Depara lith as descri he presump	IMPTION: tment shall pribed in ORS tion is establice is based ON: A	oresume than 5 537.525. D lished. OAR	t a propos Department & 690-310- lable infor	t staff rev 140 allov 140 allov	view ws th	ground wat the proposed agency poli	er applica use be m icies in p	ations odified	under OA d or cond t the time	AR 690-3 itioned to e of evalu	10-140 meet uation.
A1.	Applica	int(s) s	eek(s) 1.2	28 cfs fro	m one	well	(s) in the		Willamet	te				Basin.
				r / Lake Cı					d Map: T					_ 2 40,
A2. A3.	Propose	ed use_	Irı fer data (at	rigation, 10 tach and nu	02.2 acres	Seas	sonality:		March 1 k	to Octob wells as	such	under log		
Well	Logic	d.	Applicant Well #		sed Aquifer*		osed (cfs)		Location (T/R-S QQ			tion, mete O'N, 1200'		
1	Propos	ed	1		lluvium		28	1	2S/3W-17 N			0' N 395'		
3		-				-								
4														
5 * Alluvi	um, CRB,	Bedroo	ck								_			
Well 1	Well Elev ft msl 260	First Wate ft bls	SWL ft bls	SWL Date	Well Depth (ft) 170	Seal Interval (ft) 0-25	Casing Interval (ft) 0-170	ls	Liner Intervals (ft) None	Perfora Or Sen (ft) 100-1	eens	Well Yield (gpm)	Draw Down (ft)	Test Type
Use data A4.	Commo Willam	ents: <u>l</u> ette Si	ilt deposits	d wells. vell will proverlie the a penetrate	Lebanon F	an of the	Willamet	tte A	quifer (mi	xed sand	and g	ravel) w		
A5. ⊠	manage (Not all Comme	ment c basin ents: _: _	rules contain The wells a	nette ater hydraul in such prov are greater th	isions.) nan ¼ mile f	ected to su	rface wate	er [\Box are, or \Box	are not	t, activ	rated by the	his applic	cation.
A6. 🗌	Name o	f admi	nistrative a	, , rea:										striction.

2

B. GROUND WATER AVAILABILITY CONSIDERATIONS, OAR 690-310-130, 400-010, 410-0070

B1.	Bas	ed upon available data, I have determined that ground water* for the proposed use:
	a.	is over appropriated, is not over appropriated, or is cannot be determined to be over appropriated during any period of the proposed use. * This finding is limited to the ground water portion of the over-appropriation determination as prescribed in OAR 690-310-130;
	b.	will not or will likely be available in the amounts requested without injury to prior water rights. * This finding is limited to the ground water portion of the injury determination as prescribed in OAR 690-310-130;
	c.	\square will not or \square will likely to be available within the capacity of the ground water resource; or
	d.	will, if properly conditioned, avoid injury to existing ground water rights or to the ground water resource: i. The permit should contain condition #(s) 7C, Large water use reporting ii. The permit should be conditioned as indicated in item 2 below. iii. The permit should contain special condition(s) as indicated in item 3 below;
B2.	a.	Condition to allow ground water production from no deeper than ft. below land surface;
	b.	Condition to allow ground water production from no shallower than ft. below land surface;
	c.	Condition to allow ground water production only from the ground water reservoir between approximately ft. and ft. below land surface;
	d.	 Well reconstruction is necessary to accomplish one or more of the above conditions. The problems that are likely to occur with this use and without reconstructing are cited below. Without reconstruction, I recommend withholding issuance of the permit until evidence of well reconstruction is filed with the Department and approved by the Ground Water Section. Describe injury —as related to water availability—that is likely to occur without well reconstruction (interference w/ senior water rights, not within the capacity of the resource, etc):
В3.	(gen thar year obvi	ound water availability remarks: Well density is quite low in the area. The water table occurs at shallow depths nerally < 10' BLS) and the total thickness of productive sands and gravels of the Lebanon alluvial fan is greater in 100 feet. There are a few wells in the township-range area that have been reporting water levels for the past >10 rs (see graph) and these wells show no obvious signs of recent or past groundwater level declines. The lack of ious declines, the low well density, and the thickness of the aquifer suggest that the aquifer can sustain further repriation without injury to prior groundwater rights or to the groundwater resource.
		•

C. GROUND WATER/SURFACE WATER CONSIDERATIONS, OAR 690-09-040

C1.	690-09-	-040(1):	Evaluation	of aquifer	confinement:
-----	---------	----------	------------	------------	--------------

Well	Aquifer or Proposed Aquifer	Confined	Unconfined
1	Alluvium – Lebanon Fan	\boxtimes	

Basis for aquifer confinement evaluation: <u>Nearby wells (e.g., LINN 58774, LINN 58990, LINN 51469) report static</u> water levels above water-bearing zones. Water-bearing zones are sand/gravel lenses interfingered with finer-grained sediment that may be locally confined/unconfined

C2. **690-09-040** (2) (3): Evaluation of distance to, and hydraulic connection with, surface water sources. All wells located a horizontal distance less than ¼ mile from a surface water source that produce water from an unconfined aquifer shall be assumed to be hydraulically connected to the surface water source. Include in this table any streams located beyond one mile that are evaluated for PSI.

Well	SW #	Surface Water Name	GW Elev ft msl	SW Elev ft msl	Distance (ft)	Hydraulically Connected? YES NO ASSUMED	Potential for Subst. Interfer. Assumed? YES NO

Basis for aquifer hydraulic connection evaluation: <u>The nearest perennial surface water source, the Calapooia River, is</u> greater than two miles from the proposed well. PSI is unlikely at this distance.

Water Availability Basin the well(s) are located within: Calapooia R > Willamette R - AB Mouth (76).

C3a. 690-09-040 (4): Evaluation of stream impacts for <u>each well</u> that has been determined or assumed to be **hydraulically** connected and less than 1 mile from a surface water source. Limit evaluation to instream rights and minimum stream flows that are pertinent to that surface water source, and not lower SW sources to which the stream under evaluation is tributary. Compare the requested rate against the 1% of 80% natural flow for the pertinent Water Availability Basin (WAB). If Q is not distributed by well, use full rate for each well. Any checked box indicates the well is assumed to have the potential to cause PSI.

Well	SW #	Well < 1/4 mile?	Qw > 5 cfs?	Instream Water Right ID	Instream Water Right Q (cfs)	Qw > 1% ISWR?	80% Natural Flow (cfs)	Qw > 1% of 80% Natural Flow?	Interference @ 30 days (%)	Potential for Subst. Interfer. Assumed?

C3b. 690-09-040 (4): Evaluation of stream impacts by total appropriation for all wells determined or assumed to be hydraulically connected and less than 1 mile from a surface water source. Complete only if Q is distributed among wells. Otherwise same evaluation and limitations annly as in C3a above

SW #	Qw > 5 cfs?	Instream Water Right ID	Instream Water Right Q (cfs)	Qw > 1% ISWR?	80% Natural Flow (cfs)	Qw > 1% of 80% Natural Flow?	Interference @ 30 days (%)	Potential for Subst. Interfer. Assumed?
					1			

Comments:	There are no perennia	al surface water sources v	vithin 1 mile.	
			4	

C4a. 690-09-040 (5): Estimated impacts on hydraulically connected surface water sources greater than one mile as a percentage of the proposed pumping rate. Limit evaluation to the effects that will occur up to one year after pumping begins. This table encompasses the considerations required by 09-040 (5)(a), (b), (c) and (d), which are not included on this form. Use additional sheets if calculated flows from more than one WAB are required.

Well	stributed SW#	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q	as CFS												
	ence CFS												
	uted Wells									_			_
Well	SW#	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
		%	%	%	%	%	%	%	%	%	%	%	%
	as CFS												
Interfere	ence CFS												
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q	as CFS			-									
Interfere	ence CFS												
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q	as CFS												
Interfere	ence CFS												
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q	as CFS												
Interfere	ence CFS												
		%	%	%	%	%	%	%	%	%	%	%	%
Well O	as CFS				,,,		- 7	,,,	,,,		-	70	^
	ence CFS												
		%	%	%	%	%	%	%	%	%	%	%	%
Well ()	as CFS	70	70		70	- 70	70	70	70	70	70	70	70
	ence CFS		-										
												1525122	
(A) = To	tal Interf.												
(B) = 80	% Nat. Q												
(C) = 1	% Nat. Q												
(D) = (A) > (C)	V	1	1	1	1	1	1	-	√	1	V	N. C.
$(\mathbf{E}) = (\mathbf{A})$	/ B) x 100	%	%	%	%	%	%	%	%	%	%	%	%

Version: 07/26/2013

5

690-09-040 (5) (h) The potential to impair or detrimentally affect the public interest is to be determined by the Rights Section. If properly conditioned, the surface water source(s) can be adequately protected from interference, and/or ground wate under this permit can be regulated if it is found to substantially interfere with surface water: i. The permit should contain condition #(s) ii. The permit should contain special condition(s) as indicated in "Remarks" below; SW/GW Remarks and Conditions SW/GW Remarks and Conditions Seferences Used: Woodward, D. G., M. W., Gannett, and J. J., Vaccaro. 1998. Hydrogeologic framework of the Willam.owland Aquifer System, Oregon and Washington. USGS Professional Paper 1424-B: Sannett, M. W. and R. R. Caldwell. 1998. Geologic framework of the Willamette Lowland Aquifer System, Oregon a Washington. USGS Professional Paper 1424-A.	seasonal impacts w	ll not reach the threshold for PSI at that distance to the river.
Rights Section. If properly conditioned, the surface water source(s) can be adequately protected from interference, and/or ground water under this permit can be regulated if it is found to substantially interfere with surface water:		
Rights Section. If properly conditioned, the surface water source(s) can be adequately protected from interference, and/or ground water under this permit can be regulated if it is found to substantially interfere with surface water:		
Rights Section. If properly conditioned, the surface water source(s) can be adequately protected from interference, and/or ground water under this permit can be regulated if it is found to substantially interfere with surface water:		
Rights Section. If properly conditioned, the surface water source(s) can be adequately protected from interference, and/or ground water under this permit can be regulated if it is found to substantially interfere with surface water:		
Rights Section. If properly conditioned, the surface water source(s) can be adequately protected from interference, and/or ground wate under this permit can be regulated if it is found to substantially interfere with surface water:		
Rights Section. If properly conditioned, the surface water source(s) can be adequately protected from interference, and/or ground wate under this permit can be regulated if it is found to substantially interfere with surface water:		
Rights Section. If properly conditioned, the surface water source(s) can be adequately protected from interference, and/or ground wate under this permit can be regulated if it is found to substantially interfere with surface water:		
Rights Section. If properly conditioned, the surface water source(s) can be adequately protected from interference, and/or ground wate under this permit can be regulated if it is found to substantially interfere with surface water:		
Rights Section. If properly conditioned, the surface water source(s) can be adequately protected from interference, and/or ground water under this permit can be regulated if it is found to substantially interfere with surface water:		
Rights Section. If properly conditioned, the surface water source(s) can be adequately protected from interference, and/or ground water under this permit can be regulated if it is found to substantially interfere with surface water:		
Rights Section. If properly conditioned, the surface water source(s) can be adequately protected from interference, and/or ground water under this permit can be regulated if it is found to substantially interfere with surface water:		
Rights Section. If properly conditioned, the surface water source(s) can be adequately protected from interference, and/or ground wate under this permit can be regulated if it is found to substantially interfere with surface water:		
under this permit can be regulated if it is found to substantially interfere with surface water: i.		The potential to impair or detrimentally affect the public interest is to be determined by the
eferences Used: Woodward, D. G., M. W. Gannett, and J. J. Vaccaro. 1998. Hydrogeologic framework of the Willan owland Aquifer System, Oregon and Washington. USGS Professional Paper 1424-B; annett, M. W. and R. R. Caldwell. 1998. Geologic framework of the Willamette Lowland Aquifer System, Oregon a	under this permit of	an be regulated if it is found to substantially interfere with surface water:
eferences Used: <u>Woodward, D. G., M. W. Gannett, and J. J. Vaccaro. 1998. Hydrogeologic framework of the Willar</u> owland Aquifer System, Oregon and Washington. USGS Professional Paper 1424-B; annett, M. W. and R. R. Caldwell. 1998. Geologic framework of the Willamette Lowland Aquifer System, Oregon a		
eferences Used: <u>Woodward, D. G., M. W. Gannett, and J. J. Vaccaro. 1998. Hydrogeologic framework of the Willar</u> owland Aquifer System, Oregon and Washington. USGS Professional Paper 1424-B; annett, M. W. and R. R. Caldwell. 1998. Geologic framework of the Willamette Lowland Aquifer System, Oregon a		
owland Aquifer System, Oregon and Washington. USGS Professional Paper 1424-B; annett, M. W. and R. R. Caldwell. 1998. Geologic framework of the Willamette Lowland Aquifer System, Oregon a	v / G w Kemarks a	nd Conditions
owland Aquifer System, Oregon and Washington. USGS Professional Paper 1424-B; annett, M. W. and R. R. Caldwell. 1998. Geologic framework of the Willamette Lowland Aquifer System, Oregon a	w / Gw Remarks a	nd Conditions
owland Aquifer System, Oregon and Washington. USGS Professional Paper 1424-B; annett, M. W. and R. R. Caldwell. 1998. Geologic framework of the Willamette Lowland Aquifer System, Oregon a	w / Gw Remarks a	nd Conditions
owland Aquifer System, Oregon and Washington. USGS Professional Paper 1424-B; annett, M. W. and R. R. Caldwell. 1998. Geologic framework of the Willamette Lowland Aquifer System, Oregon a	w / Gw Remarks a	nd Conditions
owland Aquifer System, Oregon and Washington. USGS Professional Paper 1424-B; annett, M. W. and R. R. Caldwell. 1998. Geologic framework of the Willamette Lowland Aquifer System, Oregon a	w / Gw Remarks al	nd Conditions
owland Aquifer System, Oregon and Washington. USGS Professional Paper 1424-B; annett, M. W. and R. R. Caldwell. 1998. Geologic framework of the Willamette Lowland Aquifer System, Oregon a	w / Gw Remarks al	nd Conditions
owland Aquifer System, Oregon and Washington. USGS Professional Paper 1424-B; annett, M. W. and R. R. Caldwell. 1998. Geologic framework of the Willamette Lowland Aquifer System, Oregon a	w / Gw Remarks al	nd Conditions
owland Aquifer System, Oregon and Washington. USGS Professional Paper 1424-B; annett, M. W. and R. R. Caldwell. 1998. Geologic framework of the Willamette Lowland Aquifer System, Oregon a	w / Gw Remarks al	nd Conditions
owland Aquifer System, Oregon and Washington. USGS Professional Paper 1424-B; annett, M. W. and R. R. Caldwell. 1998. Geologic framework of the Willamette Lowland Aquifer System, Oregon a	w / Gw Remarks al	nd Conditions
owland Aquifer System, Oregon and Washington. USGS Professional Paper 1424-B; annett, M. W. and R. R. Caldwell. 1998. Geologic framework of the Willamette Lowland Aquifer System, Oregon a	w / Gw Remarks al	nd Conditions
owland Aquifer System, Oregon and Washington. USGS Professional Paper 1424-B; annett, M. W. and R. R. Caldwell. 1998. Geologic framework of the Willamette Lowland Aquifer System, Oregon a	w / Gw Remarks al	nd Conditions
owland Aquifer System, Oregon and Washington. USGS Professional Paper 1424-B; annett, M. W. and R. R. Caldwell. 1998. Geologic framework of the Willamette Lowland Aquifer System, Oregon a	w / Gw Remarks al	nd Conditions
owland Aquifer System, Oregon and Washington. USGS Professional Paper 1424-B; annett, M. W. and R. R. Caldwell. 1998. Geologic framework of the Willamette Lowland Aquifer System, Oregon a	w / Gw Remarks al	nd Conditions
owland Aquifer System, Oregon and Washington. USGS Professional Paper 1424-B; annett, M. W. and R. R. Caldwell. 1998. Geologic framework of the Willamette Lowland Aquifer System, Oregon a	w / Gw Remarks al	nd Conditions
owland Aquifer System, Oregon and Washington. USGS Professional Paper 1424-B; annett, M. W. and R. R. Caldwell. 1998. Geologic framework of the Willamette Lowland Aquifer System, Oregon a	w / Gw Remarks al	nd Conditions
owland Aquifer System, Oregon and Washington. USGS Professional Paper 1424-B; annett, M. W. and R. R. Caldwell. 1998. Geologic framework of the Willamette Lowland Aquifer System, Oregon a	W/GW Remarks al	nd Conditions
annett, M. W. and R. R. Caldwell. 1998. Geologic framework of the Willamette Lowland Aquifer System, Oregon a	w / Gw Remarks al	nd Conditions
	eferences Used: <u>Wo</u>	odward,D. G., M. W. Gannett, and J. J. Vaccaro. 1998. Hydrogeologic framework of the Willan
	eferences Used: <u>Wo</u>	odward,D. G., M. W. Gannett, and J. J. Vaccaro. 1998. Hydrogeologic framework of the Willar em, Oregon and Washington. USGS Professional Paper 1424-B;
	eferences Used: _Wo owland Aquifer Systennett, M. W. and F	odward,D. G., M. W. Gannett, and J. J. Vaccaro. 1998. Hydrogeologic framework of the Willar em, Oregon and Washington. USGS Professional Paper 1424-B; 3. R. Caldwell. 1998. Geologic framework of the Willamette Lowland Aquifer System, Oregon a
	eferences Used: _Wo owland Aquifer Systennett, M. W. and F	odward,D. G., M. W. Gannett, and J. J. Vaccaro. 1998. Hydrogeologic framework of the Willar em, Oregon and Washington. USGS Professional Paper 1424-B; 3. R. Caldwell. 1998. Geologic framework of the Willamette Lowland Aquifer System, Oregon a
	eferences Used: _Wo owland Aquifer Systennett, M. W. and F	odward,D. G., M. W. Gannett, and J. J. Vaccaro. 1998. Hydrogeologic framework of the Willar em, Oregon and Washington. USGS Professional Paper 1424-B; 3. R. Caldwell. 1998. Geologic framework of the Willamette Lowland Aquifer System, Oregon a
	eferences Used: _Wo owland Aquifer Systennett, M. W. and F	odward,D. G., M. W. Gannett, and J. J. Vaccaro. 1998. Hydrogeologic framework of the Willan em, Oregon and Washington. USGS Professional Paper 1424-B; 3. R. Caldwell. 1998. Geologic framework of the Willamette Lowland Aquifer System, Oregon a
	eferences Used: _Wo owland Aquifer Systennett, M. W. and F	odward,D. G., M. W. Gannett, and J. J. Vaccaro. 1998. Hydrogeologic framework of the Willan em, Oregon and Washington. USGS Professional Paper 1424-B; 3. R. Caldwell. 1998. Geologic framework of the Willamette Lowland Aquifer System, Oregon a
	eferences Used: _Wo owland Aquifer Syst annett, M. W. and F	odward,D. G., M. W. Gannett, and J. J. Vaccaro. 1998. Hydrogeologic framework of the Willa em, Oregon and Washington. USGS Professional Paper 1424-B; 3. R. Caldwell. 1998. Geologic framework of the Willamette Lowland Aquifer System, Oregon a

6

D. WELL CONSTRUCTION, OAR 690-200

D1.	Well #:	Logid:	
D2.	a. review of t b. field inspe c. report of C d. other: (spe	not appear to meet current well construction standards based upon: the well log; ection by CWRE ecify)	
D3.		truction deficiency or other comment is described as follows:	
D4.	Route to the Well	Construction and Compliance Section for a review of existing well construction.	
Water	r Availability Tables		





