PUBLIC INTEREST REVIEW FOR GROUNDWATER APPLICATIONS

TO:	Water Rights Section							Date	e <u>l</u>	Decen	<u> 1ber 2, 2</u>	2015		
FROM	OM: Groundwater Section													
SUBJE	CT:	Applio	cation G-	18124	Reviewer's Name Supersedes review of Date of Review(s)						view(s)			
OAR 69 welfare, to deteri	90-310-1 safety a mine who umption	30 (1) The nd health ether the criteria.	he Depart h as descr presumpt	ribed in ORS tion is establi lew is based	resume that 537.525. D ished. OAR upon avail	a proposi epartment 690-310- able infor	ed groundwe staff review 140 allows t rmation and	ater use will a groundwate the proposed a agency poli	r applicat use be mo	ions ur dified ace at	nder OAl or condi the time	R 690-31 tioned to of evalu	0-140 meet nation.	
A1.	Applica	licant(s) seek(s) <u>0.48</u> cfs from <u>1</u> well(s) in the <u>Umatilla</u>											_Basin,	
						subb	asin							
A2.	Propose	ed use	Irı	rigation		Seas	sonality: <u>N</u>	<u> </u>	october 3	1				
A3.	Well ar	nd aquife	r data (at	tach and nu	mber logs f	or existin	g wells; ma	ırk proposed	wells as	such u	nder log	gid):		
Well	Logi	d	Applicant Well #	Propos	ed Aquifer*	Proposed Rate(cfs)		Location (T/R-S QQ-Q)		Location, metes and bounds, e.g 2250' N, 1200' E fr NW cor S 3				
1 2	UMAT 3	3045	1		CRB						460' N, 100' W fr C1/4 cor S 17			
3 4														
5														
* Alluviı	ım, CRB,	Bedrock												
Well	Well Elev ft msl	First Water ft bls	SWL ft bls	SWL Date	Well Depth (ft)	Seal Interval (ft)	Casing Intervals (ft)	Liner Intervals (ft)	Perforat Or Scre (ft)		Well Yield (gpm)	Draw Down (ft)	Test Type	
1	3325	240	160	7/15/1986	425	0-18	+2 - 18	(10)	(11)		30	(11)	A	
Use data	from app	lication f	or propose	d wells.										
A4.	Comm	ents:												
A5. 🖂	Provis manage	ions of t	he <u>Umati</u>	illa ater hydraulio	cally connec	cted to sur	Basin ruface water	ıles relative t ☐ are , <i>or</i> ⊠	o the deve are not,	elopme activa	nt, class ted by th	ification is applic	and/or ation.	
				in such provi										
A6. 🗌	Name of	of admini	istrative a	rea:				p(s) an aquife						

Version: 04/20/2015

Application G-18124 Date: December 2, 2015

B. GROUNDWATER AVAILABILITY CONSIDERATIONS, OAR 690-310-130, 400-010, 410-0070

Bas	ed upon available data, I have determined that groundwater* for the proposed use:
a.	is over appropriated, \Box is not over appropriated, or \boxtimes cannot be determined to be over appropriated during any period of the proposed use. * This finding is limited to the groundwater portion of the over-appropriation determination as prescribed in OAR 690-310-130;
b.	□ will not or □ will likely be available in the amounts requested without injury to prior water rights. * This finding is limited to the groundwater portion of the injury determination as prescribed in OAR 690-310-130;
c.	\square will not or \square will likely to be available within the capacity of the groundwater resource; or
d.	will, if properly conditioned, avoid injury to existing groundwater rights or to the groundwater resource: i. The permit should contain condition #(s) 7N, 7P, 7T ii. The permit should be conditioned as indicated in item 2 below. iii. The permit should contain special condition(s) as indicated in item 3 below;
a.	Condition to allow groundwater production from no deeper than ft. below land surface;
b.	Condition to allow groundwater production from no shallower than ft. below land surface;
c.	Condition to allow groundwater production only from the groundwater reservoir between approximately ft. and ft. below land surface;
d.	 Well reconstruction is necessary to accomplish one or more of the above conditions. The problems that are likely to occur with this use and without reconstructing are cited below. Without reconstruction, I recommend withholding issuance of the permit until evidence of well reconstruction is filed with the Department and approved by the Groundwater Section. Describe injury —as related to water availability—that is likely to occur without well reconstruction (interference w/ senior water rights, not within the capacity of the resource, etc):
	semor water rights, not within the capacity of the resource, etc.).
Rive con basa stac	cundwater availability remarks: The applicant's well is located in an area that contains basalt flows of the Columbia er Basalt Group (CRBG) from land surface to depths of several thousand feet. Within the CRBG, most water occurs in fined aquifers that occupy thin rubble zones (interflow zones) at the contacts between lava flows. The interiors of the alt flows generally have low porosity and permeability and act as confining beds. This geometry generally produces a k of thin aquifers (interflow zones) separated by thick confining beds (flow interiors). The low permeability of the basalt interiors limits the natural vertical connection between overlying aquifers.
Suri	icial geologic mapping (Madin and Geitgy, 2007) indicate that the well encounters the Frenchman Springs Member of
the	Wanapum Basalt Formation from near land surface to a depth of approximately 175 feet (elevation 3317 to 3150 feet we mean sea level (msl)). Beneath the Frenchman Springs Member, the well likely encounters multiple flows of the
Sen	tinel Bluffs Member of the Grande Ronde Basalt Formation. Locally, the total thickness of the Grande Ronde Basalt mation is greater than 2500 feet.
Ron well atta	er-bearing zones (WBZs) in the applicant's well and in nearby wells occur in the Sentinel Bluffs Member of the Grande de Formation (see logs for UMAT 404, UMAT 50735, and UMAT 57389); reported yields from driller's logs of these s range from 25-40 gpm. The applicant has requested an instantaneous pumping rate (215 gpm) that may not be nable. Additionally, the well's proximity to nearby domestic wells could potentially result in undue well-to-well
mte	rference. This indicates the need for Water Right permit condition 7N.

Page

2

Application G-18124 Date: December 2, 2015 Page 3

C. GROUNDWATER/SURFACE WATER CONSIDERATIONS, OAR 690-09-040

C1. **690-09-040** (1): Evaluation of aquifer confinement:

Well	Aquifer or Proposed Aquifer	Confined	Unconfined
1	Basalt	\boxtimes	

Basis for aquifer confinement evaluation: Static water level in well is significantly above the depth it was encountered.

C2. **690-09-040** (2) (3): Evaluation of distance to, and hydraulic connection with, surface water sources. All wells located a horizontal distance less than ½ mile from a surface water source that produce water from an unconfined aquifer shall be assumed to be hydraulically connected to the surface water source. Include in this table any streams located beyond one mile that are evaluated for PSI.

Well	SW #	Surface Water Name	GW Elev ft msl	SW Elev ft msl	Distance (ft)	Hydraulically Connected? YES NO ASSUMED	Potential for Subst. Interfer. Assumed? YES NO
1	1	N Fk McKay CR	3180	2160	12800		
		•					

Basis for aquifer hydraulic connection evaluation: The applicant's well is located approximately 2.5 miles from the nearest perennial reach of the North Fork McKay Creek. Water-bearing zone elevations in the well are about 1000 feet higher than the elevation of the creek. As a result, the well and the creek are not in direct hydraulic connection.

Water Availability Basin the well(s) are located within: 70683: N FORK MCKAY CR – AT MOUTH

C3a. **690-09-040** (4): Evaluation of stream impacts for <u>each well</u> that has been determined or assumed to be **hydraulically** connected and less than 1 mile from a surface water source. Limit evaluation to instream rights and minimum stream flows that are pertinent to that surface water source, and not lower SW sources to which the stream under evaluation is tributary. Compare the requested rate against the 1% of 80% *natural* flow for the pertinent Water Availability Basin (WAB). If Q is not distributed by well, use full rate for each well. Any checked \boxtimes box indicates the well is assumed to have the potential to cause PSI.

Well	SW #	Well < 1/4 mile?	Qw > 5 cfs?	Instream Water Right ID	Instream Water Right Q (cfs)	Qw > 1% ISWR?	80% Natural Flow (cfs)	Qw > 1% of 80% Natural Flow?	Interference @ 30 days (%)	Potential for Subst. Interfer. Assumed?

Application G-18124 Date: December 2, 2015 Page

C3b. **690-09-040 (4):** Evaluation of stream impacts by total appropriation for all wells determined or assumed to be hydraulically connected and less than 1 mile from a surface water source. **Complete only if Q is distributed among wells.** Otherwise same evaluation and limitations apply as in C3a above.

SW #	Qw > 5 cfs?	Instream Water Right ID	Instream Water Right Q (cfs)	Qw > 1% ISWR?	80% Natural Flow (cfs)	Qw > 1% of 80% Natural Flow?	Interference @ 30 days (%)	Potential for Subst. Interfer. Assumed?
Comments: _								

C4a. **690-09-040 (5):** Estimated impacts on **hydraulically connected surface water sources greater than one mile** as a percentage of the proposed pumping rate. Limit evaluation to the effects that will occur up to one year after pumping begins. This table encompasses the considerations required by 09-040 (5)(a), (b), (c) and (d), which are not included on this form. Use additional sheets if calculated flows from more than one WAB are required.

	istributed	Wells											
Well	SW#	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
		%	%	%	%	%	%	%	%	%	%	%	%
Well (Q as CFS												
Interfer	rence CFS												
D: 4 1	4 1 337 11	1											
Well	outed Well SW#	ıs Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
VV CII	3 W #	7an %	%	1V1a1 %	_	wiay	Juii %	3ui %	Aug %	зер %	%	%	<u>рес</u> %
W-11 (Q as CFS	%0	%0	%0	%	%0	%	%0	%0	%0	%0	%0	%
	rence CFS												
merier	Telice CFS	۵,	٥.	0.1	٥.	0.4	0.4	٥,	0.1	0.1	٥,	٥,	0.1
W 11 6) CEG	%	%	%	%	%	%	%	%	%	%	%	%
	Q as CFS												
Interfer	rence CFS												
		%	%	%	%	%	%	%	%	%	%	%	%
	Q as CFS												
Interfer	rence CFS												
		%	%	%	%	%	%	%	%	%	%	%	%
	Q as CFS												
Interfer	rence CFS												
		%	%	%	%	%	%	%	%	%	%	%	%
Well (Q as CFS												
Interfer	rence CFS												
		%	%	%	%	%	%	%	%	%	%	%	%
Well (Q as CFS												
Interfer	rence CFS												
		·											
$(\mathbf{A}) = \mathbf{T}\mathbf{c}$	otal Interf.												
(B) = 80) % Nat. Q												
(C) = 1	% Nat. Q												
(D) =	(A) > (C)	√	√	√	√	√	√	√	√	√	√	√	√
(E) = (A	(/B) x 100	%	%	%	%	%	%	%	%	%	%	%	%

4

(A) = total interference as CFS; (B) = WAB calculated natural flow at 80% exceed. as CFS; (C) = 1% of calculated natural flow at 80% exceed. as CFS; (D) = highlight the checkmark for each month where (A) is greater than (C); (E) = total interference divided by 80% flow as percentage. **Basis for impact evaluation:** C4b. 690-09-040 (5) (b) The potential to impair or detrimentally affect the public interest is to be determined by the Water Rights Section. C5. If properly conditioned, the surface water source(s) can be adequately protected from interference, and/or groundwater use under this permit can be regulated if it is found to substantially interfere with surface water: i. The permit should contain condition #(s) ii. The permit should contain special condition(s) as indicated in "Remarks" below; C6. SW / GW Remarks and Conditions: **References Used:** Madin, I. P. and R. P. Geitgey, 2007. Preliminary Geologic Map of the Umatilla Basin, Morrow and Umatilla Counties, Oregon. Open-File Report O-07-17. State of Oregon – Dept. of Geology And Mineral Industries. "Columbia River Basalt Stratigraphy in the Pacific Northwest". USGS – Oregon Water Science Center website. http://or.water.usgs.gov/projs_dir/crbg/. Accessed Nov. 2015

Date: December 2, 2015

5

Page

Application G-18124

Application G-18124 Date: December 2, 2015 Page 6

D. WELL CONSTRUCTION, OAR 690-200

D1.	Well #:	Logid:							
D2.	THE WELL does not appear to meet current well construction standards based upon: a. review of the well log;								
	b. field inspe	ection by	;						
	c. report of 0	CWRE	;						
	d. dother: (spe	ecify)							
D3.		truction deficiency or other comment is described as follows: _							
	-								
D4. [Route to the Well	l Construction and Compliance Section for a review of existing	; well construction.						

Date: December 2, 2015

Well Location Map

