



PUBLIC INTEREST REVIEW FOR GROUNDWATER APPLICATIONS

TO: Water Rights Section Date August 30, 2016  
 FROM: Groundwater Section Michael J. Thoma  
Reviewer's Name  
 SUBJECT: Application G- 18319 Supersedes review of \_\_\_\_\_  
Date of Review(s)

**PUBLIC INTEREST PRESUMPTION; GROUNDWATER**

**OAR 690-310-130 (1)** *The Department shall presume that a proposed groundwater use will ensure the preservation of the public welfare, safety and health as described in ORS 537.525.* Department staff review groundwater applications under OAR 690-310-140 to determine whether the presumption is established. OAR 690-310-140 allows the proposed use be modified or conditioned to meet the presumption criteria. **This review is based upon available information and agency policies in place at the time of evaluation.**

**A. GENERAL INFORMATION:** Applicant's Name: Ralph & Diane Nauman County: Benton

A1. Applicant(s) seek(s) 0.005 cfs from 1 well(s) in the Willamette Basin,  
Main Stem Willamette subbasin

A2. Proposed use Nursery Seasonality: year-round

A3. Well and aquifer data (attach and number logs for existing wells; mark proposed wells as such under logid):

| Well | Logid      | Applicant's Well # | Proposed Aquifer* | Proposed Rate(cfs) | Location (T/R-S QQ-Q) | Location, metes and bounds, e.g. 2250' N, 1200' E fr NW cor S 36 |
|------|------------|--------------------|-------------------|--------------------|-----------------------|--|
| 1    | BENT 53958 | 1                  | Bedrock           | 0.005              | 10S/04W-36 NWNE       | 381'S, 1737'W of NE cor S 36                                     |
| 2    |            |                    |                   |                    |                       |  |
| 3    |            |                    |                   |                    |                       |  |

\* Alluvium, CRB, Bedrock

| Well | Well Elev ft msl | First Water ft bls | SWL ft bls | SWL Date | Well Depth (ft) | Seal Interval (ft) | Casing Intervals (ft) | Liner Intervals (ft) | Perforations Or Screens (ft) | Well Yield (gpm) | Draw Down (ft) | Test Type |
|------|------------------|--------------------|------------|----------|-----------------|--------------------|-----------------------|----------------------|------------------------------|------------------|----------------|-----------|
| 1    | 220              | 19                 | 13         | 7/6/09   | 24              | 0-18               | +1-24                 | -                    | 19-23                        | 2                |                | A         |
|      |                  |                    |            |          |                 |                    |                       |                      |                              |                  |                |           |

Use data from application for proposed wells.

A4. **Comments:** \_\_\_\_\_

A5.  **Provisions of the Willamette (OAR 690-502)** Basin rules relative to the development, classification and/or management of groundwater hydraulically connected to surface water  are, or  are not, activated by this application. (Not all basin rules contain such provisions.)

Comments: Willamette Basin Rules relating to groundwater are not activated by this portion of the review because the proposed POA is not producing from an unconfined aquifer.

A6.  **Well(s) #** \_\_\_\_\_, \_\_\_\_\_, \_\_\_\_\_, \_\_\_\_\_, \_\_\_\_\_, tap(s) an aquifer limited by an administrative restriction. Name of administrative area: \_\_\_\_\_  
 Comments: \_\_\_\_\_

**B. GROUNDWATER AVAILABILITY CONSIDERATIONS, OAR 690-310-130, 400-010, 410-0070**

B1. Based upon available data, I have determined that groundwater\* for the proposed use:

- a.  is over appropriated,  is not over appropriated, or  cannot be determined to be over appropriated during any period of the proposed use. \* This finding is limited to the groundwater portion of the over-appropriation determination as prescribed in OAR 690-310-130;
- b.  will not or  will likely be available in the amounts requested without injury to prior water rights. \* This finding is limited to the groundwater portion of the injury determination as prescribed in OAR 690-310-130;
- c.  will not or  will likely to be available within the capacity of the groundwater resource; or
- d.  will, if properly conditioned, avoid injury to existing groundwater rights or to the groundwater resource:
  - i.  The permit should contain condition #(s) \_\_\_\_\_;
  - ii.  The permit should be conditioned as indicated in item 2 below.
  - iii.  The permit should contain special condition(s) as indicated in item 3 below;

- B2. a.  Condition to allow groundwater production from no deeper than \_\_\_\_\_ ft. below land surface;
- b.  Condition to allow groundwater production from no shallower than \_\_\_\_\_ ft. below land surface;
- c.  Condition to allow groundwater production only from the \_\_\_\_\_ groundwater reservoir between approximately \_\_\_\_\_ ft. and \_\_\_\_\_ ft. below land surface;
- d.  Well reconstruction is necessary to accomplish one or more of the above conditions. The problems that are likely to occur with this use and without reconstructing are cited below. Without reconstruction, I recommend withholding issuance of the permit until evidence of well reconstruction is filed with the Department and approved by the Groundwater Section.

**Describe injury** –as related to water availability– that is likely to occur without well reconstruction (interference w/ senior water rights, not within the capacity of the resource, etc): \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

B3. **Groundwater availability remarks:** The applicant's proposed POA is a shallow well (24 ft total depth) producing a minimal amount of water (2 gpm) from the Spencer Formation at the edge of a bluff overlooking the Willamette River floodplain. The well is likely capturing water that would be seeping down the face of the bluff (either as seeps or shallow groundwater) and discharging to the Willamette River through the floodplain below. The proposed rate of 0.005 cfs (2 gpm) is less than 15% of the rate of appropriation of any of the groundwater POAs in the area so it is unlikely that the amount requested could considerably impact nearby rights, especially because the hydraulic connection between the proposed POA and nearby POAs is not highly-efficient given the low-yield bedrock geology of the proposed POA and juxtaposition of alluvial sediments which the nearest existing POAs are producing from.

No conditions are suggested to avoid injury to groundwater rights or resources.

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

**C. GROUNDWATER/SURFACE WATER CONSIDERATIONS, OAR 690-09-040**

C1. **690-09-040 (1):** Evaluation of aquifer confinement:

| Well | Aquifer or Proposed Aquifer | Confined                            | Unconfined               |
|------|-----------------------------|-------------------------------------|--------------------------|
| 1    | Bedrock of Spencer Fm.      | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
|      |                             | <input type="checkbox"/>            | <input type="checkbox"/> |

**Basis for aquifer confinement evaluation:** The driller's log reports SWL above 'first water'; Aquifers in the Spencer Formation more typically exhibit confined characteristics.

C2. **690-09-040 (2) (3):** Evaluation of distance to, and hydraulic connection with, surface water sources. All wells located a horizontal distance less than ¼ mile from a surface water source that produce water from an unconfined aquifer shall be assumed to be hydraulically connected to the surface water source. Include in this table any streams located beyond one mile that are evaluated for PSI.

| Well | SW # | Surface Water Name                             | GW Elev ft msl | SW Elev ft msl | Distance (ft) | Hydraulically Connected?            |                          |                          | Potential for Subst. Interfer. Assumed? |                          |
|------|------|--|----------------|----------------|---------------|-------------------------------------|--------------------------|--------------------------|---|--------------------------|
|      |      |  |                |                |               | YES                                 | NO                       | ASSUMED                  | YES                                     | NO                       |
| 1    | 1    | Unnamed tributary to Willamette River (slough) | 207            | 185            | 260           | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/>     | <input type="checkbox"/> |
|      |      |  |                |                |               | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>                | <input type="checkbox"/> |
|      |      |  |                |                |               | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>                | <input type="checkbox"/> |

**Basis for aquifer hydraulic connection evaluation:** The reported GW elevation is above SW elevation which suggests that groundwater is flowing towards and discharging to surface water; the well is completed to an elevation above the surface water and is located at the edge of a bluff which overlooks the surface water source so is likely capturing water that would discharge to the floodplain.

**Water Availability Basin the well(s) are located within:** Willamette R > Columbia R – AB Mill Cr at Gage 1419100

C3a. **690-09-040 (4):** Evaluation of stream impacts for each well that has been determined or assumed to be **hydraulically connected and less than 1 mile** from a surface water source. Limit evaluation to instream rights and minimum stream flows that are pertinent to that surface water source, and not lower SW sources to which the stream under evaluation is tributary. Compare the requested rate against the 1% of 80% natural flow for the pertinent Water Availability Basin (WAB). If Q is not distributed by well, use full rate for each well. Any checked  box indicates the well is assumed to have the potential to cause PSI.

| Well | SW # | Well < ¼ mile?                      | Qw > 5 cfs?              | Instream Water Right ID | Instream Water Right Q (cfs) | Qw > 1% ISWR?            | 80% Natural Flow (cfs) | Qw > 1% of 80% Natural Flow? | Interference @ 30 days (%) | Potential for Subst. Interfer. Assumed? |
|------|------|-------------------------------------|--------------------------|-------------------------|------------------------------|--------------------------|------------------------|------------------------------|----------------------------|---|
| 1    | 1    | <input checked="" type="checkbox"/> | <input type="checkbox"/> | NA                      | NA                           | <input type="checkbox"/> | 4650                   | <input type="checkbox"/>     | **                         | <input checked="" type="checkbox"/>     |
|      |      | <input type="checkbox"/>            | <input type="checkbox"/> |                         |                              | <input type="checkbox"/> |                        | <input type="checkbox"/>     |                            | <input type="checkbox"/>                |
|      |      | <input type="checkbox"/>            | <input type="checkbox"/> |                         |                              | <input type="checkbox"/> |                        | <input type="checkbox"/>     |                            | <input type="checkbox"/>                |

**Comments:** Interference @ 30 d could not be estimated because the model geology consists of two separate aquifers with significantly different hydrologic properties and there is considerable elevation difference between the proposed POA source aquifer and the surface water source. These conditions do not meet model assumptions of the widely accepted techniques for determining stream depletion (e.g., Hunt 1999, 2003).

C3b. **690-09-040 (4):** Evaluation of stream impacts by total appropriation for all wells determined or assumed to be **hydraulically connected and less than 1 mile** from a surface water source. **Complete only if Q is distributed among wells.** Otherwise same evaluation and limitations apply as in C3a above.

| Well | SW # | Qw > 5 cfs?              | Instream Water Right ID | Instream Water Right Q (cfs) | Qw > 1% ISWR?            | 80% Natural Flow (cfs) | Qw > 1% of 80% Natural Flow? | Interference @ 30 days (%) | Potential for Subst. Interfer. Assumed? |
|------|------|--------------------------|-------------------------|------------------------------|--------------------------|------------------------|------------------------------|----------------------------|---|
|      |      | <input type="checkbox"/> |                         |                              | <input type="checkbox"/> |                        | <input type="checkbox"/>     |                            | <input type="checkbox"/>                |

**Comments:** \_\_\_\_\_

C4a. **690-09-040 (5):** Estimated impacts on **hydraulically connected surface water sources greater than one mile** as a percentage of the proposed pumping rate. Limit evaluation to the effects that will occur up to one year after pumping begins. This table encompasses the considerations required by 09-040 (5)(a), (b), (c) and (d), which are not included on this form. Use additional sheets if calculated flows from more than one WAB are required.

| <b>Non-Distributed Wells</b> |     |     |     |     |     |     |     |     |     |     |     |     |     |
|------------------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Well                         | SW# | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|                              |     | %   | %   | %   | %   | %   | %   | %   | %   | %   | %   | %   | %   |
| Well Q as CFS                |     |     |     |     |     |     |     |     |     |     |     |     |     |
| Interference CFS             |     |     |     |     |     |     |     |     |     |     |     |     |     |
| <b>Distributed Wells</b>     |     |     |     |     |     |     |     |     |     |     |     |     |     |
| Well                         | SW# | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|                              |     | %   | %   | %   | %   | %   | %   | %   | %   | %   | %   | %   | %   |
| Well Q as CFS                |     |     |     |     |     |     |     |     |     |     |     |     |     |
| Interference CFS             |     |     |     |     |     |     |     |     |     |     |     |     |     |
| (A) = Total Interf.          |     |     |     |     |     |     |     |     |     |     |     |     |     |
| (B) = 80 % Nat. Q            |     |     |     |     |     |     |     |     |     |     |     |     |     |
| (C) = 1 % Nat. Q             |     |     |     |     |     |     |     |     |     |     |     |     |     |
| (D) = (A) > (C)              |     | ✓   | ✓   | ✓   | ✓   | ✓   | ✓   | ✓   | ✓   | ✓   | ✓   | ✓   | ✓   |
| (E) = (A / B) x 100          |     | %   | %   | %   | %   | %   | %   | %   | %   | %   | %   | %   | %   |

(A) = total interference as CFS; (B) = WAB calculated natural flow at 80% exceed. as CFS; (C) = 1% of calculated natural flow at 80% exceed. as CFS; (D) = highlight the checkmark for each month where (A) is greater than (C); (E) = total interference divided by 80% flow as percentage.

**Basis for impact evaluation:** \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

C4b. **690-09-040 (5) (b)** The potential to impair or detrimentally affect the public interest is to be determined by the Water Rights Section.

C5.  **If properly conditioned**, the surface water source(s) can be adequately protected from interference, and/or groundwater use under this permit can be regulated if it is found to substantially interfere with surface water:  
 i.  The permit should contain condition #(s) \_\_\_\_\_;  
 ii.  The permit should contain special condition(s) as indicated in "Remarks" below;

C6. **SW / GW Remarks and Conditions:** The applicant's proposed POA would be producing from an aquifer that has been found to be hydraulically connected to surface water, specifically to an unnamed tributary to the Willamette River. The proposed POA is within 1/4 mile of the surface water source so OAR 690-009 requires that the proposed use be assumed to have the Potential for Substantial Interference (PSI) with the Willamette River.

**References Used:**

Hunt, B. 1999. *Unsteady Stream Depletion from Ground Water Pumping*. Journal of Hydrologic Engineering, Vol 8(1), pp 12-19

Hunt, B. 2003. *Unsteady Stream Depletion when Pumping from a Semiconfined Aquifer*. Journal of Hydrologic Engineering. Vol 8(1), pp 12-19

McCloughry, J. D., T. J. Wiley, M. L. Ferns, and I. P. Madin. 2010. *Digital Geologic Map of the Southern Willamette Valley, Benton, Lane, Linn, Marion, and Polk Counties, Oregon*. Oregon Dept. of Geology and Mineral Industries. Open File Report O-10-13.

**D. WELL CONSTRUCTION, OAR 690-200**

D1. Well #: \_\_\_\_\_ Logid: \_\_\_\_\_

D2. **THE WELL does not appear to meet current well construction standards based upon:**  
 a.  review of the well log;  
 b.  field inspection by \_\_\_\_\_;  
 c.  report of CWRE \_\_\_\_\_;  
 d.  other: (specify) \_\_\_\_\_

D3. **THE WELL construction deficiency or other comment is described as follows:** \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

D4.  Route to the Well Construction and Compliance Section for a review of existing well construction.

**Water Availability Tables**

| WILLAMETTE R > COLUMBIA R - AB MILL CR AT GAGE 14191000 |                     |                               |                      |                            |                           |                     |  |
|---|---------------------|-------------------------------|----------------------|----------------------------|---------------------------|---------------------|--|
| WILLAMETTE BASIN  |                     |                               |                      |                            |                           |                     |  |
| Water Availability as of 8/30/2016                      |                     |                               |                      |                            |                           |                     |  |
| Watershed ID #: 183 ( <a href="#">Map</a> )             |                     |                               |                      | Exceedance Level: 80%      |                           |                     |  |
| Date: 8/30/2016   |                     |                               |                      | Time: 9:00 AM              |                           |                     |  |
| Water Availability Calculation                          |                     | Consumptive Uses and Storages |                      | Instream Flow Requirements |                           | Reservations        |  |
| Water Rights  |                     | Watershed Characteristics     |                      |                            |                           |                     |  |
| <b>Water Availability Calculation</b>                   |                     |                               |                      |                            |                           |                     |  |
| Monthly Streamflow in Cubic Feet per Second             |                     |                               |                      |                            |                           |                     |  |
| Annual Volume at 50% Exceedance in Acre-Feet            |                     |                               |                      |                            |                           |                     |  |
| Month   | Natural Stream Flow | Consumptive Uses and Storages | Expected Stream Flow | Reserved Stream Flow       | Instream Flow Requirement | Net Water Available |  |
| JAN   | 18,400.00           | 2,240.00                      | 16,200.00            | 0.00                       | 1,300.00                  | 14,900.00           |  |
| FEB   | 20,100.00           | 7,420.00                      | 12,700.00            | 0.00                       | 1,300.00                  | 11,400.00           |  |
| MAR   | 19,600.00           | 7,210.00                      | 12,400.00            | 0.00                       | 1,300.00                  | 11,100.00           |  |
| APR   | 18,000.00           | 6,870.00                      | 11,100.00            | 0.00                       | 1,300.00                  | 9,830.00            |  |
| MAY   | 15,500.00           | 4,160.00                      | 11,300.00            | 0.00                       | 1,300.00                  | 10,000.00           |  |
| JUN   | 8,310.00            | 1,690.00                      | 6,620.00             | 0.00                       | 1,300.00                  | 5,320.00            |  |
| JUL   | 4,710.00            | 1,440.00                      | 3,270.00             | 0.00                       | 1,300.00                  | 1,970.00            |  |
| AUG   | 3,620.00            | 1,330.00                      | 2,290.00             | 0.00                       | 1,300.00                  | 993.00              |  |
| SEP   | 3,680.00            | 1,150.00                      | 2,530.00             | 0.00                       | 1,300.00                  | 1,230.00            |  |
| OCT   | 4,650.00            | 743.00                        | 3,910.00             | 0.00                       | 1,300.00                  | 2,610.00            |  |
| NOV   | 9,400.00            | 851.00                        | 8,550.00             | 0.00                       | 1,300.00                  | 7,250.00            |  |
| DEC   | 16,700.00           | 909.00                        | 15,800.00            | 0.00                       | 1,300.00                  | 14,500.00           |  |
| ANN   | 13,500,000.00       | 2,150,000.00                  | 11,300,000.00        | 0.00                       | 942,000.00                | 10,400,000.00       |  |

