

## Groundwater Review Summary Form

Application # G- 18407

GW Reviewer Thoma Date Review Completed: 12-27-16

### Summary of GW availability and Injury Review:

Groundwater for the proposed use is either over appropriated, will not likely be available in the amounts requested without injury to prior water rights, OR will not likely be available within the capacity of the groundwater resource per Section B of the attached review form.

### Summary of Potential for Substantial Interference Review:

There is the potential for substantial interference per Section C of the attached review form.

### Summary of Well Construction Assessment:

The well does not appear to meet current well construction standards per Section D of the attached review form. Route through Well Construction and Compliance Section.

*This is only a summary. Documentation is attached and should be read thoroughly to understand the basis for determinations and for conditions that may be necessary for a permit (if one is issued).*







**PUBLIC INTEREST REVIEW FOR GROUNDWATER APPLICATIONS**

TO: Water Rights Section Date December 27, 2016  
 FROM: Groundwater Section Michael J Thoma  
 Reviewer's Name  
 SUBJECT: Application G- 18407 Supersedes review of \_\_\_\_\_  
 Date of Review(s) \_\_\_\_\_

**PUBLIC INTEREST PRESUMPTION; GROUNDWATER**

**OAR 690-310-130 (1)** *The Department shall presume that a proposed groundwater use will ensure the preservation of the public welfare, safety and health as described in ORS 537.525. Department staff review groundwater applications under OAR 690-310-140 to determine whether the presumption is established. OAR 690-310-140 allows the proposed use be modified or conditioned to meet the presumption criteria. This review is based upon available information and agency policies in place at the time of evaluation.*

**A. GENERAL INFORMATION:** Applicant's Name: Patricia Gott County: Josephine

A1. Applicant(s) seek(s) 0.03 cfs from 1 well(s) in the Rogue Basin,  
Applegate River subbasin

A2. Proposed use Nursery (2.3 ac) Seasonality: year-round

A3. Well and aquifer data (**attach and number logs for existing wells; mark proposed wells as such under logid**):

Well	Logid	Applicant's Well #	Proposed Aquifer*	Proposed Rate(cfs)	Location (T/R-S QQ-Q)	Location, metes and bounds, e.g. 2250' N, 1200' E fr NW cor S 36
1	Proposed	1	Bedrock	0.03	36S/07W-25 SWSW	497'N, 693'E of SW cor S25
2						

\* Alluvium, CRB, Bedrock

Well	Well Elev ft msl	First Water ft bls	SWL ft bls	SWL Date	Well Depth (ft)	Seal Interval (ft)	Casing Intervals (ft)	Liner Intervals (ft)	Perforations Or Screens (ft)	Well Yield (gpm)	Draw Down (ft)	Test Type
1	1480		50-100*	*	240 <sup>†</sup>	20 <sup>†</sup>	+1-20 <sup>†</sup>					

Use data from application for proposed wells.

A4. **Comments:** \*SWL is estimated from well logs in the area  
†Well Depth, Seal, and Casing are as provided on the application for the proposed well

A5.  **Provisions of the** Rogue (OAR 690-515) Basin rules relative to the development, classification and/or management of groundwater hydraulically connected to surface water  **are, or**  **are not,** activated by this application. (Not all basin rules contain such provisions.)  
 Comments: \_\_\_\_\_

A6.  **Well(s) #** \_\_\_\_\_, \_\_\_\_\_, \_\_\_\_\_, \_\_\_\_\_, \_\_\_\_\_, tap(s) an aquifer limited by an administrative restriction.  
 Name of administrative area: \_\_\_\_\_  
 Comments: \_\_\_\_\_

**B. GROUNDWATER AVAILABILITY CONSIDERATIONS, OAR 690-310-130, 400-010, 410-0070**

B1. **Based upon available data**, I have determined that groundwater\* for the proposed use:

- a.  is over appropriated,  is not over appropriated, or  **cannot be determined to be** over appropriated during any period of the proposed use. \* This finding is limited to the groundwater portion of the over-appropriation determination as prescribed in OAR 690-310-130;
- b.  **will not** or  **will likely** be available in the amounts requested without injury to prior water rights. \* This finding is limited to the groundwater portion of the injury determination as prescribed in OAR 690-310-130;
- c.  **will not** or  **will likely** to be available within the capacity of the groundwater resource; or
- d.  **will, if properly conditioned**, avoid injury to existing groundwater rights or to the groundwater resource:
  - i.  The permit should contain condition #(s) 7J (Scenic); 7C (7-yr SWL); Medium Water-use Reporting ;
  - ii.  The permit should be conditioned as indicated in item 2 below.
  - iii.  The permit should contain special condition(s) as indicated in item 3 below;

- B2. a.  **Condition** to allow groundwater production from no deeper than \_\_\_\_\_ ft. below land surface;
- b.  **Condition** to allow groundwater production from no shallower than \_\_\_\_\_ ft. below land surface;
- c.  **Condition** to allow groundwater production only from the \_\_\_\_\_ groundwater reservoir between approximately \_\_\_\_\_ ft. and \_\_\_\_\_ ft. below land surface;
- d.  **Well reconstruction** is necessary to accomplish one or more of the above conditions. The problems that are likely to occur with this use and without reconstructing are cited below. Without reconstruction, I recommend withholding issuance of the permit until evidence of well reconstruction is filed with the Department and approved by the Groundwater Section.

**Describe injury** –as related to water availability– that is likely to occur without well reconstruction (interference w/ senior water rights, not within the capacity of the resource, etc): \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

B3. **Groundwater availability remarks:** There are no OWRD Observation Well data in the area of the proposed POA so groundwater over-appropriation cannot be determined. There are also no permitted groundwater POAs within several miles of the proposed POA so injury to existing permitted groundwater users is unlikely. There are numerous spring rights in the area which would be appropriating groundwater and could potentially be affected by additional groundwater pumping up-gradient. However, interference is difficult to predict in fractured-rock aquifers so it cannot be conclusively determined whether the proposed use will impact these springs and also the proposed use is small enough that any impacts will likely be insignificant.

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_



**C. GROUNDWATER/SURFACE WATER CONSIDERATIONS, OAR 690-09-040**

C1. **690-09-040 (1):** Evaluation of aquifer confinement:

Well	Aquifer or Proposed Aquifer	Confined	Unconfined
1	Fractured Bedrock of Galice Fm	<input type="checkbox"/>	<input checked="" type="checkbox"/>
		<input type="checkbox"/>	<input type="checkbox"/>

**Basis for aquifer confinement evaluation:** Although well logs from the area often report SWL above *First Water*, this likely only reflects where “usable” quantities of water were encountered by the driller. The proposed well would sit near the ridgeline, and hence groundwater recharge area, where there would not be sufficient pressure at the water table, above atmospheric, to create confined aquifer conditions.

C2. **690-09-040 (2) (3):** Evaluation of distance to, and hydraulic connection with, surface water sources. All wells located a horizontal distance less than ¼ mile from a surface water source that produce water from an unconfined aquifer shall be assumed to be hydraulically connected to the surface water source. Include in this table any streams located beyond one mile that are evaluated for PSI.

Well	SW #	Surface Water Name	GW Elev ft msl	SW Elev ft msl	Distance (ft)	Hydraulically Connected?			Potential for Subst. Interfer. Assumed?	
						YES	NO	ASSUMED	YES	NO
1	1	Minnie Cr > Slate Cr	~1400	940-1140*	~6000*	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
1	2	Briton Cr > Rogue R	~1400	1040-1200*	~2600*	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

**Basis for aquifer hydraulic connection evaluation:** GW elevations are estimated to be above SW elevations suggesting groundwater is flowing towards and discharging to surface water. The proposed POA sits near the watershed divide between Slate Cr (tributary to Applegate R) and the Rogue River and could impact groundwater on either side of the divide  
 \*SW Elev and Distance are to where the farthest upstream main-channel surface water right is mapped.

**Water Availability Basin the well(s) are located within:** Slate Cr > Applegate R – At Mouth (ID# 71004)  
**And also hydraulically connected to:** Rogue R > Pacific Ocean – AB Grave Cr (ID# 31531002)

C3a. **690-09-040 (4):** Evaluation of stream impacts for each well that has been determined or assumed to be **hydraulically connected and less than 1 mile** from a surface water source. Limit evaluation to instream rights and minimum stream flows that are pertinent to that surface water source, and not lower SW sources to which the stream under evaluation is tributary. Compare the requested rate against the 1% of 80% natural flow for the pertinent Water Availability Basin (WAB). If Q is not distributed by well, use full rate for each well. Any checked  box indicates the well is assumed to have the potential to cause PSI.

Well	SW #	Well < ¼ mile?	Qw > 5 cfs?	Instream Water Right ID	Instream Water Right Q (cfs)	Qw > 1% ISWR?	80% Natural Flow (cfs)	Qw > 1% of 80% Natural Flow?	Interference @ 30 days (%)	Potential for Subst. Interfer. Assumed?
1	2	<input type="checkbox"/>	<input type="checkbox"/>	NA	-	<input type="checkbox"/>	1130	<input type="checkbox"/>	**see C4a	<input type="checkbox"/>
		<input type="checkbox"/>	<input type="checkbox"/>			<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>

C3b. **690-09-040 (4):** Evaluation of stream impacts by total appropriation for all wells determined or assumed to be **hydraulically connected and less than 1 mile** from a surface water source. **Complete only if Q is distributed among wells.** Otherwise same evaluation and limitations apply as in C3a above.

SW #	Qw > 5 cfs?	Instream Water Right ID	Instream Water Right Q (cfs)	Qw > 1% ISWR?	80% Natural Flow (cfs)	Qw > 1% of 80% Natural Flow?	Interference @ 30 days (%)	Potential for Subst. Interfer. Assumed?
	<input type="checkbox"/>			<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>

**Comments:** \_\_\_\_\_

C4a. **690-09-040 (5):** Estimated impacts on **hydraulically connected surface water sources greater than one mile** as a percentage of the proposed pumping rate. Limit evaluation to the effects that will occur up to one year after pumping begins. This table encompasses the considerations required by 09-040 (5)(a), (b), (c) and (d), which are not included on this form. Use additional sheets if calculated flows from more than one WAB are required.

Non-Distributed Wells													
Well	SW#	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	1	%	%	%	%	%	%	%	%	%	%	%	%
Well Q as CFS													
Interference CFS													
Distributed Wells													
Well	SW#	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q as CFS													
Interference CFS													
(A) = Total Interf.	<b>** See Comments Below</b>												
(B) = 80 % Nat. Q													
(C) = 1 % Nat. Q													
(D) = (A) > (C)		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
(E) = (A / B) x 100		%	%	%	%	%	%	%	%	%	%	%	%

(A) = total interference as CFS; (B) = WAB calculated natural flow at 80% exceed. as CFS; (C) = 1% of calculated natural flow at 80% exceed. as CFS; (D) = highlight the checkmark for each month where (A) is greater than (C); (E) = total interference divided by 80% flow as percentage.

**Basis for impact evaluation:** \_\_\_\_\_

\*\*Interference could not be estimated for the proposed use because the terrain (high-relief slopes) and geology (fractured bedrock aquifer) do not meet model assumptions of the widely accepted techniques for determining stream depletion (e.g., Hunt 1999, 2003).

C4b. **690-09-040 (5) (b)** The potential to impair or detrimentally affect the public interest is to be determined by the Water Rights Section.

C5.  **If properly conditioned**, the surface water source(s) can be adequately protected from interference, and/or groundwater use under this permit can be regulated if it is found to substantially interfere with surface water:  
 i.  The permit should contain condition #(s) \_\_\_\_\_;  
 ii.  The permit should contain special condition(s) as indicated in "Remarks" below;

C6. **SW / GW Remarks and Conditions:** The applicant's proposed POA would be producing from an aquifer that has been found to be hydraulically connected to surface waters Minnie Cr and Briton Cr at distances of > 1 mile and < 1 mile, respectively. However, the reviewer is unable to find a preponderance of evidence that the proposed use will have the Potential for Substantial Interference (PSI) with surface water.

**References Used:**

Hunt, B. 1999. *Unsteady Stream Depletion from Ground Water Pumping*. Journal of Hydrologic Engineering, Vol 8(1), pp 12-19

Hunt, B. 2003. *Unsteady Stream Depletion when Pumping from a Semiconfined Aquifer*. Journal of Hydrologic Engineering, Vol 8(1), pp 12-19

Oregon Department of Geology and Mineral Industries, *Geologic Map of Oregon*. <http://www.oregongeology.org/geologicmap/>

OWRD Well Log Database – Accessed 12/27/2016.



**D. WELL CONSTRUCTION, OAR 690-200**

D1. Well #: \_\_\_\_\_ Logid: \_\_\_\_\_

D2. **THE WELL does not appear to meet current well construction standards based upon:**  
 a.  review of the well log;  
 b.  field inspection by \_\_\_\_\_;  
 c.  report of CWRE \_\_\_\_\_;  
 d.  other: (specify) \_\_\_\_\_

D3. **THE WELL construction deficiency or other comment is described as follows:** \_\_\_\_\_

D4.  **Route to the Well Construction and Compliance Section for a review of existing well construction.**

**Water Availability Tables**

Water Availability Analysis Detailed Reports							
SLATE CR > APPLGATE R - AT MOUTH ROGUE BASIN							
Water Availability as of 12/27/2016							
Watershed ID #: 71004 <a href="#">(Map)</a>				Exceedance Level: 80% ▾			
Date: 12/27/2016				Time: 8:17 AM			
Water Availability Calculation		Consumptive Uses and Storages		Instream Flow Requirements		Reservations	
Water Rights			Watershed Characteristics				
Water Availability Calculation							
Monthly Streamflow in Cubic Feet per Second Annual Volume at 50% Exceedance in Acre-Feet							
Month	Natural Stream Flow	Consumptive Uses and Storages	Expected Stream Flow	Reserved Stream Flow	Instream Flow Requirement	Net Water Available	
JAN	38.20	0.44	37.80	0.00	85.00	-47.20	
FEB	62.10	0.45	61.70	0.00	85.00	-23.30	
MAR	59.10	0.43	58.70	0.00	85.00	-26.30	
APR	32.10	0.89	31.20	0.00	55.80	-24.60	
MAY	13.80	1.18	12.60	0.00	19.70	-7.08	
JUN	4.98	1.49	3.49	0.00	10.40	-6.91	
JUL	2.32	1.86	0.46	0.00	3.92	-3.46	
AUG	1.53	1.61	-0.08	0.00	2.00	-2.08	
SEP	1.08	1.19	-0.11	0.00	1.35	-1.46	
OCT	1.22	0.66	0.56	0.00	2.06	-1.50	
NOV	3.71	0.42	3.29	0.00	13.20	-9.91	
DEC	18.00	0.43	17.60	0.00	71.80	-54.20	
ANN	31,100.00	669.00	30,400.00	0.00	26,100.00	4,880.00	

## Water Availability Analysis Detailed Reports

ROGUE R > PACIFIC OCEAN - AB GRAVE CR  
ROGUE BASIN

Water Availability as of 12/27/2016

Watershed ID #: 31531002 ([Map](#))

Exceedance Level:

Date: 12/27/2016

Time: 8:13 AM

<b>Water Availability Calculation</b>	<b>Consumptive Uses and Storages</b>	<b>Instream Flow Requirements</b>	<b>Reservations</b>
<b>Water Rights</b>	<b>Watershed Characteristics</b>		

### Water Availability Calculation

Monthly Streamflow in Cubic Feet per Second  
Annual Volume at 50% Exceedance in Acre-Feet

Month	Natural Stream Flow	Consumptive Uses and Storages	Expected Stream Flow	Reserved Stream Flow	Instream Flow Requirement	Net Water Available
JAN	3,210.00	1,070.00	2,140.00	0.00	3,500.00	-1,360.00
FEB	4,740.00	2,480.00	2,260.00	0.00	3,500.00	-1,240.00
MAR	4,390.00	2,230.00	2,160.00	0.00	3,500.00	-1,340.00
APR	3,830.00	1,490.00	2,340.00	0.00	3,500.00	-1,160.00
MAY	3,370.00	410.00	2,960.00	0.00	3,000.00	-40.10
JUN	2,010.00	466.00	1,540.00	0.00	2,700.00	-1,160.00
JUL	1,320.00	518.00	802.00	0.00	2,000.00	-1,200.00
AUG	1,160.00	462.00	698.00	0.00	2,400.00	-1,700.00
SEP	1,130.00	375.00	755.00	0.00	2,400.00	-1,650.00
OCT	1,240.00	239.00	1,000.00	0.00	1,600.00	-599.00
NOV	1,420.00	286.00	1,130.00	0.00	3,500.00	-2,370.00
DEC	2,620.00	550.00	2,070.00	0.00	3,500.00	-1,430.00
ANN	2,700,000.00	632,000.00	2,070,000.00	0.00	2,120,000.00	332,000.00



