DEQ DIVISION 33 APPLICATION REVIEW SHEET

Recommendations for Water Right Applications that may affect the Habitat of Sensitive, Threatened or Endangered Fish Species, OAR 690-33-310 through 340.

Application #: S 88285 **Applicant's Name:** David Rogers

1) Is there a connection to a 303(d) listed water quality lin	nited water body? NO YES		
Explain: Pierce Ck and Tub Run are tributaries to Litt Little Muddy Creek is a tributary to the Willamette River,			
2) What is the potential for this use to impact a water qual	ity limited water body: HIGH	⊠ MEDIUM	LOW
Explain: Water will be used to keep soils inundated, i.e. us growing rice. However, rice fields must be drained prior to this in the application. If water is allowed to return to near Return flows can negatively impact surface a mercury and other heavy metals (sediment), salmon and trout rearing.	o harvest. Where is this water going to by surface waters: waters for the following parameters: te	be drained to? The	ere is no discussion of ed oxygen, nutrients,
3) If the answer to question (2) is HIGH or MEDIUM, will sensitive, threatened, or endangered fish species? NO		ution of water qual	ity for the habitat of
If YES, how? Rice fields must be drained prior to harvest. Where is this water is allowed to return to nearby surface waters (direct • Return flows can negatively impact surface mercury and other heavy metals (sediment), salmon and trout rearing.	ly or indirectly): waters for the following parameters: te	emperature, dissolv	ed oxygen, nutrients,
4) Can conditions be applied to mitigate the impact of the	use?		
☑ NO ☐ YES; recommend from Menu of Conditions and	d skip to question 7.		
5) If conditions cannot be identified to offset impacts, wo Fish Species? NO YES	uld the proposed use affect the Habita	t of Sensitive, Thre	eatened, or Endangered
 If YES, please explain: Return flows (from draining fields prior to h temperature, dissolved oxygen, nutrients, me Run and Little Muddy Creeks are designated) 	ercury and other heavy metals (from se		
6) If a permit is issued, are there any conditions you would Water in field(s) is sampled and analyzed at an quality standards prior to draining the field each harvest see	accredited lab prior to draining the fie	ld. Water must me	et all applicable water
7) Your recommendation under OAR 690-033-0330 (2):	☐ Approval with conditions ☐ Approval without conditions ☐ Denial		
DEQ Representative signature: Priscilla Woolverton Date:	11/21/2016		
WRD Contact: Caseworker: Barbara Park Water Rights D	ivision, 503-986-0900 / Fax 503-986-0901		

MENU OF CONDITIONS FOR WRD, ODFW, DEQ AND AG

The following condition will be included in any permit issued unless ODFW explicitly requests that it be omitted:

The permittee shall not construct, operate or maintain any dam or artificial obstruction to fish passage in the channel of the subject stream without providing a fishway to ensure adequate upstream and downstream passage for fish, unless the permittee has requested and been granted a fish passage waiver or exemption through the Oregon Department of Fish and Wildlife. The permittee is hereby directed to contact an Oregon Department of Fish and Wildlife Fish Passage Coordinator before beginning construction of any in-channel obstruction.

fishself

The permittee shall install, maintain, and operate fish screening and by-pass devices consistent with current Oregon Department of Fish and Wildlife (ODFW) standards. Fish screening is to prevent fish from entering the proposed diversion while by-pass devices provide adequate upstream and downstream passage for fish. The required screen and by-pass devices are to be in place and functional prior to diversion of any water. Permittee shall obtain written approval from ODFW that the installation of the required screen and by-pass devices meets the state's criteria or the permittee shall submit documentation that ODFW has determined screens and/or by-pass devices are not necessary.

fishapprove The permittee shall install, maintain, and operate fish screening and by-pass devices consistent with current Oregon Department of Fish and Wildlife (ODFW) standards. Fish screening is to prevent fish from entering the proposed diversion while by-pass devices provide adequate upstream and downstream passage for fish. The required screen and by-pass devices are to be in place and functional, and approved in writing by ODFW prior to diversion of any water. The permittee may submit evidence in writing that ODFW has determined screens and/or by-pass devices are not necessary.

fishdiv33

If the riparian area is disturbed in the process of developing a point of diversion, the permittee shall be responsible for restoration and enhancement of such riparian area in accordance with ODFW's Fish and Wildlife Habitat Mitigation Policy OAR 635-415. For purposes of mitigation, the ODFW Fish and Wildlife Habitat Mitigation Goals and Standards, OAR 635-415, shall be followed.

The use may be restricted if the quality of the source stream or downstream waters decrease to the point that those waters no longer meet existing state or federal water quality standards due to reduced flows.

The permittee shall install, maintain, and operate fish screening and by-pass devices consistent with current Oregon Department of Fish and Wildlife (ODFW) standards. Fish screening is to prevent fish from entering the proposed diversion while by-pass devices provide adequate upstream and downstream passage for fish. The required screen and by-pass devices are to be in place and functional, and approved in writing by ODFW prior to diversion of any water. The permittee may submit evidence in writing that ODFW has determined screens and/or by-pass devices are not necessary.

fishmay

b5

b58

riparian

wq

blv

Not withstanding that ODFW has made a determination that fish screens and/or by-pass devices are not necessary at the time of permit issuance, the permittee may be required in the future to install, maintain, and operate fish screening and by-pass devices to prevent fish from entering the proposed diversion and to provide adequate upstream and downstream passage for fish.

b52 Water may be diverted only when Department of Environmental Quality sediment standards are being met.

The water user shall install and maintain adequate treatment facilities meeting current DEQ requirements to remove sediment before returning the water to the stream.

b51a The period of use has been limited to _____ through ____

b57 Before water use may begin under this permit, a totalizing flow meter must be installed at each diversion point.

> Before water use may begin under this permit, a staff gage that measures the entire range and stage between full reservoir level dead pool storage must be installed in the reservoir. The staff gage shall be United States Geological Survey style porcelain enamel iron staff gage style A, C, E or I. Additionally, before water use may begin under this permit, if the reservoir is located in channel then weirs or other suitable measuring devices must be installed upstream and downstream of the reservoir, and, a gated valve outlet must be installed. A written waiver may be obtained from the local Watermaster if in his judgment the installation of the weir(s) will provide no public benefit.

futile call The use of water allowed herein may be made only at times when waters from the (NAME OF SURFACE WATER) would not otherwise flow into a tributary of the River or sufficient water is available to satisfy all prior rights, including rights for maintaining instream flows.

If the riparian area is disturbed in the process of developing a point of diversion, the permittee shall be responsible for restoration and enhancement of such riparian area in accordance with ODFW's Fish and Wildlife Habitat Mitigation Policy OAR 635-415. For purposes of mitigation, the ODFW Fish and Wildlife Habitat Mitigation Goals and Standards, OAR 635-415, shall be followed.

The use may be restricted if the quality of the source stream or downstream waters decrease to the point that those waters no longer meet existing state or federal water quality standards due to reduced flows.

The stream and its adjacent riparian area shall be fenced to exclude livestock. fence

> Water must be diverted to a trough or tank through an enclosed water delivery system. The delivery system must be equipped with an automatic shutoff or limiting flow control mechanism or include a means for returning water to the stream source through an enclosed delivery system. The use of water shall not exceed 0.10 cubic feet per second per 1000 head of livestock.