

MAR 03 2017

OWRD

Shonee D. Langford

T: Salem 503-540-4261; Portland 503-796-2896

slangford@schwabe.com

March 3, 2017

HAND DELIVERED

Jerry Sauter
Oregon Water Resources Department
725 Summer Street, NE, Suite A
Salem, OR 97301

RE: Limited License Application
Our File No. 130945-220250

Dear Jerry:

Enclosed for filing on behalf of Willow Creek Dairy is an Application for Limited Water Use License with supporting documentation, including the required map, watermaster review and land use form. I will serve as the applicant's primary agent, and will coordinate with the applicant's consultant Bill Porfily as needed to address any questions or requests for information.

Please deduct the \$340.00 fee (\$280 base fee plus two additional points of appropriation at \$30 each) from Schwabe, Williamson & Wyatt's account with the Department.

Pursuant to ORS 537.143(3), this letter serves as the applicant's 15-day notice to the Department in advance of using water under the limited license.

Thank you for your assistance.

Best regards,



Shonee D. Langford

SDL:cw
Enclosure

Cc: Client
Greg Silbernagel (Watermaster) (Via E-Mail)
Mike Ladd (Region Manager, North Central Region) (Via E-Mail)

PDX\130945\220250\SDL\20192394.1-22-25-

LL-1690



Oregon Water Resources Department
 725 Summer Street NE, Suite A
 Salem Oregon 97301-1271
 (503) 986-0900
 www.wrd.state.or.us

RECEIVED
 MAR 03 2017
OWRD

Application for Limited Water Use License

License No.: LL-1690

Applicant(s): Willow Creek Dairy c/o Greg te Velde

Agent/Contact: Shonee Langford, Attorney (503)-540-4261; and William Porfily (541) 561-7259

Mailing Address: Willow Creek Dairy, P.O. Box 1210

Boardman	OR	97818	
City	State	Zip	
Telephone No.: <u>te Velde (559) 799-9111;</u>	<u>Langford (503) 540-4261;</u>	<u>Porfily (541) 561-7259</u>	
<i>Home</i>	<i>Cell</i>	<i>Fax</i>	

I (We) make application for a Limited License to use or store the following described surface waters or groundwater – not otherwise exempt, or to use stored water of for a use of a short-term or fixed-duration:

1. **SOURCE(S) OF WATER:** Trench wells/alluvial groundwater a tributary of Columbia River
2. **AMOUNT OF WATER** to be diverted;
 Maximum instantaneous rate (cubic feet or gallons per minute): 644 gpm
 Total volume (gallons or acre-feet): 1037 AF/yr (5185 AF over 5 yrs). If water is to be used from more than one source, give the quantity from each: N/A the 3 alluvial wells (1 existing and 2 proposed) will pump water from the same source aquifer
3. **INTENDED USE(S) OF WATER:** (check all that apply)
 - Road construction or maintenance
 - General construction
 - Forestland and rangeland management; or
 - Other: Agricultural water use to construct and operate a dairy
4. **DESCRIPTION OF PROPOSED PROJECT:** Include a description of the place of use as shown on the accompanying site map, the method of water diversion, the type of equipment to be used (including pump horsepower, if applicable), length and dimensions of supply ditches and pipelines:

SEE ATTACHMENT A


5. **PROJECT SCHEDULE:** (List day, month, and year)

Date water use will begin: Upon approval of this application

Date water use will be completed: 5 years from approval

Months of the year water would be diverted and used: Year round

If for other than irrigation from stored water, how and where will water be discharged after use:
SEE ATTACHMENT B

SIGNATURE of Applicant or Agent: 
Shonee Langford, Attorney
 Date: 3/3/2017

For WRD Use Only

PLEASE READ CAREFULLY

NOTE: A completed water availability statement from the local watermaster, Land Use Information Form completed by the local Planning Department, fees and site map meeting the requirements of OAR 690-340-030 must accompany this request. The fee for this request is **\$280** for the first point of diversion plus **\$30** for each additional point of diversion. Please review the Department's fee schedule to view fees required to request a limited license for Aquifer Storage and Recovery testing purposes or for Artificial Groundwater Recharge testing purposes.

Failure to provide any of the required information will result in return of your application. The license, if granted, will not be issued or replaced by a new license for a period of more than five consecutive years. The license, if granted, will be subordinate to all other authorized uses that rely upon the same source, or water affected by the source, and may be revoked at any time it is determined the use causes injury to any other water right or minimum perennial streamflow.

If water source is well, well logs or adequate information for the Department to determine aquifer, well depth, well seal and open interval, etc. are required. The licensee shall indicate the intended aquifer. If for multiple wells, each map location shall be clearly tied to a well log.

If a limited license is approved, the licensee shall give notice to the Department (Watermaster) at least 15 days in advance of using the water under the Limited License and shall maintain a record of use. The record of use shall include, but need not be limited to, an estimate of the amount of water used, the period of use and the categories of beneficial use to which the water is applied. During the period of the Limited License, the record of use shall be available for review by the Department upon request.

**A summary of review criteria and procedures that are generally applicable to these applications is available at: <http://www.oregon.gov/owrd/pages/pubs/forms.aspx>*

Mapping Requirements (OAR 690-340-0030):

- (1) A request for a limited license shall be submitted on a form provided by the Water Resources Department, and shall be accompanied by the following:
 - a. A site map of reproducible quality, drawn to a standard, even scale of not less than 2 inches = 1 mile, showing:
 - i. The locations of all proposed points of diversion referenced by coordinates or by bearing and distance to the nearest established or projected public land survey corner;
 - ii. The general course of the source for the proposed use, if applicable;
 - iii. Other topographical features such as roads, streams, railroads, etc., which may be helpful in locating the diversion points in the field.

REMARKS:

See Attachments

<p>For WRD Use Only</p>

LL-1690

Land Use Information Form



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.wrd.state.or.us

RECEIVED

MAR 03 2017

OWRD

NOTE TO APPLICANTS

In order for your application to be processed by the Water Resources Department (WRD), this Land Use Information Form must be completed by a local government planning official in the jurisdiction(s) where your water right will be used and developed. The planning official may choose to complete the form while you wait, or return the receipt stub to you. Applications received by WRD without the Land Use Form or the receipt stub will be returned to you. Please be aware that your application will not be approved without land use approval.

This form is NOT required if:

- 1) Water is to be diverted, conveyed, and/or used only on federal lands; **OR**
- 2) The application is for a water right transfer, allocation of conserved water, exchange, permit amendment, or ground water registration modification, and **all** of the following apply:
 - a) The existing and proposed water use is located entirely within lands zoned for exclusive farm-use or within an irrigation district;
 - b) The application involves a change in place of use only;
 - c) The change does not involve the placement or modification of structures, including but not limited to water diversion, impoundment, distribution facilities, water wells and well houses; and
 - d) The application involves irrigation water uses only.

NOTE TO LOCAL GOVERNMENTS

The person presenting the attached Land Use Information Form is applying for or modifying a water right. The Water Resources Department (WRD) requires its applicants to obtain land-use information to be sure the water rights do not result in land uses that are incompatible with your comprehensive plan. Please complete the form or detach the receipt stub and return it to the applicant for inclusion in their water right application. You will receive notice once the applicant formally submits his or her request to the WRD. The notice will give more information about WRD's water rights process and provide additional comment opportunities. You will have 30 days from the date of the notice to complete the land-use form and return it to the WRD. If no land-use information is received from you within that 30-day period, the WRD may presume the land use associated with the proposed water right is compatible with your comprehensive plan. Your attention to this request for information is greatly appreciated by the Water Resources Department. If you have any questions concerning this form, please contact the WRD's Customer Service Group at 503-986-0801.

Land Use Information Form



Oregon Water Resources Department
 725 Summer Street NE, Suite A
 Salem, Oregon 97301-1266
 (503) 981-6916
 www.wrd.state.or.us

RECEIVED

MAR 03 2017

OWRD

Applicant: Willow Creek Dairy c/o Greg te Velde
First Last

Mailing Address: PO Box 1210

Boardman OR 97818 Daytime Phone: (559) 779-9111
City State Zip

A. Land and Location

Please include the following information for all tax lots where water will be diverted (taken from its source), conveyed (transported), and/or used or developed. Applicants for municipal use, or irrigation uses within irrigation districts may substitute existing and proposed service-area boundaries for the tax-lot information requested below.

Township	Range	Section	¼ ¼	Tax Lot #	Plan Designation (e.g., Rural Residential/RR-5)	Water to be:			Proposed Land Use:
3N	26E	16	All	500	EFU	<input checked="" type="checkbox"/> Diverted	<input checked="" type="checkbox"/> Conveyed	<input checked="" type="checkbox"/> Used	Agricultural Dairy
3N	26E	15	SWNW	500	EFU	<input checked="" type="checkbox"/> Diverted	<input checked="" type="checkbox"/> Conveyed	<input checked="" type="checkbox"/> Used	Same
			NWSW	500	EFU	<input type="checkbox"/> Diverted	<input checked="" type="checkbox"/> Conveyed	<input checked="" type="checkbox"/> Used	Same
			SWSW	500	EFU	<input type="checkbox"/> Diverted	<input checked="" type="checkbox"/> Conveyed	<input checked="" type="checkbox"/> Used	Same

List all counties and cities where water is proposed to be diverted, conveyed, and/or used or developed:

Morrow County

B. Description of Proposed Use

Type of application to be filed with the Water Resources Department:

- Permit to Use or Store Water
 Water Right Transfer
 Permit Amendment or Ground Water Registration Modification
 Limited Water Use License
 Allocation of Conserved Water
 Exchange of Water

Source of water: Reservoir/Pond Ground Water Surface Water (name) _____

Estimated quantity of water needed: 644 gpm cubic feet per second gallons per minute acre-feet

Intended use of water: Irrigation Commercial Industrial Domestic for _____ household(s)
 Municipal Quasi-Municipal Instream Other To construct and operate a Dairy

Briefly describe:

The applicant is requesting a limited license (temporary water use authorization) to use three alluvial wells to supply water for agricultural uses associated with construction and operation of a dairy.

Note to applicant: If the Land Use Information Form cannot be completed while you wait, please have a local government representative sign the receipt at the bottom of the next page and include it with the application filed with the Water Resources Department.

See bottom of Page 3. →

LL-1690

RECEIVED

MAR 03 2017

For Local Government Use Only

OWRD

The following section must be completed by a planning official from each county and city listed unless the project will be located entirely within the city limits. In that case, only the city planning agency must complete this form. This deals only with the local land-use plan. Do not include approval for activities such as building or grading permits.

Please check the appropriate box below and provide the requested information

Land uses to be served by the proposed water uses (including proposed construction) are allowed outright or are not regulated by your comprehensive plan. Cite applicable ordinance section(s): MCZO Article 3 Section 3.010

Land uses to be served by the proposed water uses (including proposed construction) involve discretionary land-use approvals as listed in the table below. (Please attach documentation of applicable land-use approvals which have already been obtained. Record of Action/land-use decision and accompanying findings are sufficient.) If approvals have been obtained but all appeal periods have not ended, check "Being pursued."

Type of Land-Use Approval Needed (e.g., plan amendments, rezones, conditional-use permits, etc.)	Cite Most Significant, Applicable Plan Policies & Ordinance Section References	Land-Use Approval:	
		<input type="checkbox"/> Obtained <input type="checkbox"/> Denied	<input type="checkbox"/> Being Pursued <input type="checkbox"/> Not Being Pursued
		<input type="checkbox"/> Obtained <input type="checkbox"/> Denied	<input type="checkbox"/> Being Pursued <input type="checkbox"/> Not Being Pursued
		<input type="checkbox"/> Obtained <input type="checkbox"/> Denied	<input type="checkbox"/> Being Pursued <input type="checkbox"/> Not Being Pursued
		<input type="checkbox"/> Obtained <input type="checkbox"/> Denied	<input type="checkbox"/> Being Pursued <input type="checkbox"/> Not Being Pursued
		<input type="checkbox"/> Obtained <input type="checkbox"/> Denied	<input type="checkbox"/> Being Pursued <input type="checkbox"/> Not Being Pursued

Local governments are invited to express special land-use concerns or make recommendations to the Water Resources Department regarding this proposed use of water below, or on a separate sheet.

Name: Carja McLane Title: Planning Director
 Signature: [Signature] Phone: 541 922 4624 Date: 3/1/2017
 Government Entity: Morrow County

Note to local government representative: Please complete this form or sign the receipt below and return it to the applicant. If you sign the receipt, you will have 30 days from the Water Resources Department's notice date to return the completed Land Use Information Form or WRD may presume the land use associated with the proposed use of water is compatible with local comprehensive plans.

Receipt for Request for Land Use Information

Applicant name: _____

City or County: _____ Staff contact: _____

Signature: _____ Phone: _____ Date: _____

LL-1690

*Alluvial Limited License for Willow Creek Drain to Hwy to Velde.
Request for WM Review sent on 3/2/2017 by Thomas Langford via email.
This page to be completed by the local Watermaster.*

WATER AVAILABILITY STATEMENT

Name of Applicant: Willow Creek Drain Limited License Number: LL-1690
to Hwy to Velde

1. To your knowledge, has the stream or basin that is the source for this application ever been regulated for prior rights?

Yes No

If yes, please explain:

RECEIVED

MAR 03 2017

OWRD

2. Based on your observations, would there be water available in the quantity and at the times needed to supply the use proposed by this application?

Yes No *Defer to OWRD groundwater section*

3. Do you observe this stream system during regular fieldwork?

Yes No

If yes, what are your observations for the stream?

4. If the source is a well and if WRD were to determine that there is the potential for substantial interference with nearby surface water sources, would there still be ground water and surface water available during the time requested and in the amount requested without injury to existing water rights?

Yes No N/A

What would you recommend for conditions on a limited license that may be issued approving this application?

Totalizing flowmeters are required from all water withdrawn. Defer to groundwater section regarding impacts to aquifer and frequency of reporting.

5. Any other recommendations you would like to make?

North Central Region well inspectors must be notified of construction activity prior to and during construction.

Signature *My Sillemag* WM District #: 5 Date: 3/3/2017

Application for Limited Water Use License

RECEIVED

MAR 03 2017

OWRD

ATTACHMENT A – ALLUVIAL WELL

DESCRIPTION OF PROPOSED PROJECT/ REMARKS

This limited license application requests authorization to use alluvial groundwater for agricultural water use for construction and operation of a dairy. The applicant proposes use of an existing dewatering trench well connected to two 1500-foot drain tiles (Well #1 – see attached well log MORR 52389 and related documentation) and possible modification of the existing well and/or interconnection of the existing well with two additional trench wells (Wells #2 and 3), all to be constructed under the supervision of the Oregon Water Resources Department. The existing trench well is currently authorized for use under Limited License LL-1645, which expires on April 30, 2017. The applicant proposes to terminate LL-1645 upon approval of this limited license application.

RECEIVED

MAR 03 2017

OWRD

**ATTACHMENT B -- ALLUVIAL WELL
DISCHARGE OF WATER AFTER USE**

The dairy will use clean water for cooling milk, cleaning milk equipment, and livestock drinking water. Clear water will be recycled for additional cleaning and livestock water. Dirty water will be recycled for washing pens. The generated wash water and manure stream will be sent to separating systems and then storage lagoons. Recycled lagoon water will be used for flushing the livestock barns. Solid manure and lagoon storage will be land applied according to the Animal Waste Management Plan (AWMP) on file with the Oregon Department of Agriculture (MA# 995129, AWMP# 15229).

This limited license application includes a copy of the AWMP together with a map showing the water system (pump stations, booster stations, irrigation clusters) that will be used for land application of dairy lagoon water.

MORR 52389 RECEIVED

Revisions Requested

MAR 03 2017

WELL I.D. LABEL# L 117309
START CARD # 1029964
ORIGINAL LOG #

MORR 52389

(1) **LAND OWNER** Owner Well I.D. _____
First Name **GREG** Last Name **TE VELDE**
Company **WILLOW CREEK DAIRY**
Address **5850 AVENUE 160**
City **TIPTON** State **CA** Zip **93272**

(2) **TYPE OF WORK** New Well Deepening Conversion
 Alteration (complete 2a & 10) Abandonment (complete 5a)

(2a) **PRE-ALTERATION**
Dia + From To Gauge Stl Plstc Wld Thrd
Casing:
Material From To Amt sacks/lbs
Seal:

(3) **DRILL METHOD**
 Rotary Air Rotary Mud Cable Auger Cable Mud
 Reverse Rotary Other **BACKHOE**

(4) **PROPOSED USE** Domestic Irrigation Community
 Industrial/ Commercial Livestock Dewatering
 Thermal Injection Other **CONSTRUCTION**

(5) **BORE HOLE CONSTRUCTION** Special Standard (Attach copy)
Depth of Completed Well **33.00** ft.
BORE HOLE

Dia	From	To	Material	SEAL	From	To	Amt	sacks/
72	0	23	Bentonite		0	23	540	S
60	23	33		Calculated				
				Calculated				

How was seal placed: Method A B C D E
 Other **POURED BENTONITE**
Backfill placed from _____ ft. to _____ ft. Material _____
Filter pack from _____ ft. to _____ ft. Material _____ Size _____
Explosives used: Yes Type _____ Amount _____

(5a) **ABANDONMENT USING UNHYDRATED BENTONITE**
Proposed Amount _____ Actual Amount _____

(6) **CASING/LINER**
Casing Liner Dia + From To Gauge Stl Plstc Wld Thrd

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Shoe Inside Outside Other Location of shoe(s) _____
Temp casing Yes Dia _____ From _____ To _____

(7) **PERFORATIONS/SCREENS**
Perforations Method _____
Screens Type _____ Material _____

Perf/ Screen	Casing/ Liner	Screen Dia	From	To	Scrn/slot width	Slot length	# of slots	Tele/ pipe size

(8) **WELL TESTS: Minimum testing time is 1 hour**
 Pump Bailer Air Flowing Artesian
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)

Temperature **56** °F Lab analysis Yes By _____
Water quality concerns? Yes (describe below) TDS amount _____
From To Description Amount Units

LOCATION OF WELL (legal description)

County **MORROW** Twp **3.00** N N/S Range **26.00** E E/W WM
Sec **16** NW 1/4 of the SW 1/4 Tax Lot **500**
Tax Map Number _____ Lot _____
Lat _____ or _____ DMS or DD
Long _____ or _____ DMS or DD
 Street address of well Nearest address

WEST OF POLELINE RD AND HOMESTEAD LN IN BOARDMAN.

(10) STATIC WATER LEVEL

Existing Well / Pre-Alteration Date SWL(psi) + SWL(ft)
Completed Well 11/1/2016 22
Flowing Artesian? Dry Hole?

WATER BEARING ZONES Depth water was first found **22.00**

SWL Date	From	To	Est Flow	SWL(psi)	+ SWL(ft)
3/29/2016	22	25	300		22

(11) WELL LOG

Ground Elevation _____

Material	From	To
silty loam	0	22
silty sand	22	25
silty loam	25	33

Date Started **3/23/2016** Completed **11/1/2016**

(unbonded) **Water Well Constructor Certification**
I certify that the work I performed on the construction, deepening, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my knowledge and belief.
License Number _____ Date _____

Signed _____

(bonded) **Water Well Constructor Certification**
I accept responsibility for the construction, deepening, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.
License Number **1766** Date **11/4/2016**

Signed **BRANDON C BROWN (E-filed)**
Contact Info (optional) _____




LL-1690

069-77

MORR 52389

CONSTRUCTION NOTES:

1. Seal precast manhole sections with mastic.
2. Construct a steel plate for pipe access.



SECTION VIEW

RECEIVED BY OWRD
 NOV 07 2016
 SALEM, OR

OWWRD

MAR 03 2017

RECEIVED

RECEIVED

- MAR 03 2017

MORR 52389




LL-1690

MORR 52389

RECEIVED

MAR 03 2017

OWRD



400cy Gravel

RECEIVED BY OWRD

NOV 07 2016

SALEM, OR

LL-1690



Oregon

Kate Brown, Governor

RECEIVED

MAR 03 2017

OWRD

Water Resources Department
North Mall Office Building
725 Summer St NE, Suite A
Salem, OR 97301
Phone (503) 986-0900
Fax (503) 986-0904
www.wrd.state.or.us

March 25, 2016

BRANDON C BROWN WWC #1766
WATER WELL DEVELOPING & SURVEYS
PO BOX 156
UMATILLA, OREGON 97882

FINAL ORDER

Dear Mr. Brown:

The Special Standards Request Form you submitted for owner: Willow Creek Dairy - Greg Te Velde, Start Card number 1029964, is hereby approved for the following: You may construct this dewatering well as you described on your Special Standards Request Form and as shown graphically on the attached drawing. A copy of your Special Standards Request Form is enclosed. All other standards must be adhered to.

Verbal approval of this Special Standards Request was provided on March 11, 2016.

The Well Construction Standards serve to protect ground water resources. By approving and issuing this special construction standard the Oregon Water Resources Department is not representing that a well constructed in accordance with this condition will maintain structural integrity or that it meets engineering standards. The well constructor/or landowner is responsible for ensuring that a well is constructed in a manner that protects ground water resources as required under Oregon Administrative Rules 690-200 through 690-240.

If you have any questions concerning this letter, I may be contacted at (503) 986-0852, or by e-mail at Joel.W.Jeffery@wrd.state.or.us.

Sincerely,

Joel Jeffery, Coordinator
Well Construction Program
Well Construction and Compliance Section

RECEIVED BY OWRD

NOV 07 2016

SALEM, OR

Enclosure

cc: Erik A. Thomasser, Well Inspector, Field Services Division, North Central Region
File

This is a final order in other than contested case. This order is subject to judicial review under ORS 183.484. Any petition for judicial review must be filed within the 60 day time period specified by ORS 183.484(2). Pursuant to ORS 536.075 and OAR 137-004-0080 you may either petition for judicial review or petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.



LL-1690

RECEIVED

MORR 52389

MAR 03 2017



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem Oregon 97301-1266
(503) 986-0900
www.wrd.state.or.us

Special Standards
Request Form

REQUEST FOR WRITTEN APPROVAL TO USE CONSTRUCTION METHODS NOT INCLUDED IN OREGON ADMINISTRATIVE RULES 690-200 THROUGH 690-240

Before the request can be considered, this form must be completed. Requests shall be submitted to the Well Construction Program Coordinator, Water Resources Department, 725 Summer Street NE, Suite A, Salem OR 97301-1266. Requests may also be considered by the appropriate Regional Manager.

Date of request: 3/17/16 Oral approval date (if applicable): 3/11/16

Bonded Well Constructor (name, license #, and mailing address): Brandon Brown
1766, p.o.box 156, Umatilla OR 97882

(1) Location of Well: nw 1/4 sw 1/4 Tax lot 500 Section 16, Township 3 N, Range 26 E, Morrow County
Address at well site: 2 miles West of poleline rd. .5 mile south of homestead ln.

(2) Start Card Number(s)(for work to be done): 1029964

(3) Name and Address of Land Owner: Willow creek dairy- Greg Te Velde
5850 ave 160, Tipton CA 93272

(4) Distance to the nearest septic tank, drainfield, closed sewage line (if water supply well)
.5 mile

(5) The unusual site conditions which necessitate this request: Sediments deep in the alluvial layer are too fine to permit water to transfer through efficiently.

(6) The proposed construction methods that the bonded well constructor believes will be adequate for this well: (attach additional pages if needed)

Attached with drawing

RECEIVED BY OWRD

RECEIVED BY OWRD

MAR 23 2016

NOV 07 2016

SALEM, OR

LL-680

MORR 52389

- (7) Diagram showing the pertinent features of the proposed well design and construction: (attach additional pages if needed)

RECEIVED

MAR 03 2017

OWRD

RECEIVED BY OWRD

NOV 07 2016

SALEM, OR

PLEASE NOTE:

- (1) The Well Construction Standards serve to protect ground water resources. By approving and issuing this special construction standard the Oregon Water Resources Department is not representing that a well constructed in accordance with this condition will maintain structural integrity or that it meets engineering standards. The well constructor/or landowner is responsible for ensuring that a well is constructed in a manner that protects ground water resources as required under Oregon Administrative Rules 690-200 through 690-240.
- (2) If it should be determined at some future date that the well, due to its construction, is allowing ground water contamination, waste or loss of artesian pressure, the undersigned shall return to the site and rectify the problem.
- (3) If oral approval was granted, a written request must be submitted to the Department either within three (3) working days of the date of oral approval or prior to the completion of the associated well work. Failure to submit a written request as described above may void prior oral approval.

I have read and understand the above information. I further attest that the information provided is accurate to the best of my knowledge.

RECEIVED BY OWRD

Bonded Constructor Signature: _____



MAR 23 2016

SALEM

LL-1680

RECEIVED

MAR 03 2017

MORR 52389



OWRD

Vert Pipe

- 48" cement tile manhole rings
 - Finished 2-4' above grade
 - Min 8" of bentonite for annular seal (8" annular radius) from geotextile to land surface (appropriately placed)
 - Set into concrete (concrete closed base)
 - 2x12-14"OD perforated collector pipes set into vert. pipe
 - ID tag (appropriately attached)
 - Bead weld "water well" onto lid

Collector pipes and trenches

- 2 trenches: 2'w x 1600'l x (11-13'd)
 - Constructed from the bottom to the top as per the following:
 - 4" $\frac{3}{4}$ gravel
 - 14"od perf HDPE collectors with 4" $\frac{3}{4}$ gravel on the sides
 - 1' of $\frac{3}{4}$ gravel
 - Geotextile (fitter fabric)
 - Compacted native fill
 - Drawing attached



NOV 07 2016

SALEM, OR

RECEIVED BY OWRD

MAR 23 2016

SALEM, OR

LL-1690

Vent Pipe



* 48" cement-tile manhole rings

- finished 2-4' above grade
- min 8" of bentonite for annular seal (8" annular radius)
- - from geotextile to long surface (appropriately placed)
- set into concrete (concrete closed base)
- 2 x 12/14" OD perforated collector pipes set into vent pipe.
- 6" ballside min 2' from vent pipe
- ID tag (appropriately attached)
- Bead weld "Water Well" onto lid

Collector Pipes & Trenches

* 2 x trenches: $2' \times 1600' \times (11-13')$
W L D
 constructed from the bottom to the top as per the following:

- 4" $\frac{3}{4}$ " gravel
- 14" OD Perf. HDPE collectors w/ 4" of $\frac{3}{4}$ " gravel on the sides
- 1' of $\frac{3}{4}$ " gravel
- geotextile (filter fabric)
- compacted native fill



RECEIVED BY OWRD

NOV 07 2016

SALEM, OR

RECEIVED

MAR 03 2017

OWRD

ANIMAL WASTE MANAGEMENT PLAN

For

Lost Valley Ranch

CONFINED ANIMAL FEEDING OPERATION

Located at:

Homestead Lane
Boardman, Oregon

For submittal to

Oregon Department of Agriculture
Natural Resources Division CAFO Program
635 Capitol Street NE
Salem, OR 97301-2532

Prepared by

Fazio Engineering
P.O. Box 246
Milton-Freewater, OR 97862

June 17, 2016

Rec'd 9/30/15
MA# 995129
AWMP# 15229

LL-1690

RECEIVED

MAR 03 2017

OWRD

Table of Contents

ANIMAL WASTE MANAGEMENT PLAN SIGNATURE PAGE

1. SUMMARY OF CAFO OPERATION..... 1

- a. Contact Information 1
- b. Facility Location 1
- c. Type of Operation..... 1
- d. Manure Handling System 1

2. SPECIFIC DESCRIPTIONS AND CALCULATIONS 2

- a. Description of Production Area and Land Application Location 2
- b. Manure, Litter and Process Waste Volumes..... 2
- c. Contaminated Storm Water 3
- d. Nutrient Content of Manure, Litter and Process Waste 3
- e. Farm Nutrient Balance 3
- f. Application Schedule and Limitations 3
- g. Animal Mortality Management..... 5
- h. Mechanical Operation and Maintenance..... 5

3. RECORD KEEPING AND REPORTING 6

- a. Monitoring and Testing..... 6
- b. Inspections 6
- c. Record Keeping..... 7

Appendix A: Site Layout

Appendix B: Farm Soils

Appendix C: ORAWM Spreadsheet Printout

LL-1690

RECEIVED


MAR 03 2017

OWRD

Animal Waste Management Plan Signature Page

Plan Owner/Operator: Greg Te Velde
 Travis Love
 PO Box 1210
 Boardman, OR 97818
 (509) 201-0560

As owner and operator of the dairy, I intend to manage in accordance with the practices and operation and maintenance described in this Animal Waste Management Plan. I understand that I am responsible for keeping all necessary records associated with the implementation of this plan.

Signature 

Date 8-6-15

Prepared By: Fazio Engineering
 P.O. Box 246
 Milton-Freewater, OR 97862
 (541) 938-6084

RECEIVED

MAR 03 2017

OWRD

ii Utilization

The nutrient management goal is to apply all generated liquids and some solids on owned or managed cropland at agronomic rates and export some of the solids.

2. SPECIFIC DESCRIPTIONS AND CALCULATIONS

a. Description of Production Area and Land Application Location

i Aerial Photo and Topography

Appendix A contains a Production Area Map showing an aerial photograph of the dairy site. Aerial photos and topography of the land application fields is located with the soils information in Appendix B.

ii Site Soils

Appendix B contains the USDA-Natural Resources Conservation Service soil maps for the farm location. The primary soils at the dairy site are Irrigon fine sandy loam, Quincy loamy fine sand, Royal loamy fine sand and Sagehill fine sandy loam. These sandy soils are well drained with no risk of flooding.

b. Manure, Litter and Process Waste Volumes

Estimates of manure and process waste water volumes assume that the dairy has 13,000 milk cows, 2,000 dry cows, 11,000 heifers and 4,000 calves. The specific values are located in the appendix and not included here in the text. This allows for changes in management without changing the text of this AWMP.

ORAWM spreadsheet version 4.9 was used to estimate solid and liquid volumes. A 150-day winter storage period covering October through February was chosen to accommodate the typical growing season of March through September. The required storage capacity will be determined based on the specific water use, manure production and site runoff.

i Manure Volumes

Manure volumes are based on the number milk cows, dry cows, heifers and calves and their respective average weights. It is assumed that all livestock will be confined all year.

ii Bedding Volumes

The dairy uses dry manure for bedding the milk cows. Straw bedding is used for the calves and also for the pens during wet winter conditions.

iii Process and Wash Water Volumes

Parlor water use includes cleaning the milk room floor, pipelines and other equipment. Pre cooler and chiller water is recycled for livestock drinking water and parlor wash water. Wash water amounts are based on planned operation at another dairy.

iv Silage and Feed Processing Leachate

Silage and commodities are stored on slabs and leachate is directed to the lagoon complex. Silage is also stored in Ag Bags without significant leachate.

RECEIVED

MAR 03 2017

OWRD

c. Contaminated Storm Water

Runoff from the parlor, barn roofs, and open lots is directed and handled with the flush water system and flows into the lagoon complex. Runoff from the manure handling area drains into a separate runoff lagoon. No clean water diversions are anticipated. The dairy site is graded to prevent runoff water to enter the site.

d. Nutrient Content of Manure, Litter and Process Waste

The estimated nutrient content was based on ORAWM after storage losses are shown in Table 1.

Table 1: Manure Nutrient Content

Lagoon Water (#/1,000 gallons)			Solid Manure (#/ton)		
N	P ₂ O ₅	K ₂ O	N	P ₂ O ₅	K ₂ O
4.98	4.46	6.24	10.57	5.63	7.81

e. Farm Nutrient Balance

i Nutrients Generated and Losses

The ORAWM spreadsheet was used to estimated amount of nutrients generated and remaining after storage, application, and denitrification losses.

ii NRCS Agronomy Technical Note #26 and Phosphorous Index

The Site Vulnerability Class has been determined to be LOW for all the fields but one. One field is MEDIUM. The nutrient calculations currently balance for nitrogen.

iii Acreage Owned or Leased

The farm was center pivots, then converted to hybrid poplar trees with drip irrigation, and now is being converted back to center pivots. The farm has about 5,900 irrigated acres. ORAWM was used to estimate the farm nutrient balance assuming some fields are double cropped, so the total irrigated acres in ORAWM may be more than 5,900 acres.

Based on the ORAWM nutrient calculations at the planned herd size, the acreage owned can utilize all the liquids generated and some of the solids. Some solid manure may need to be exported off the farm. The specific amount of manure exported will change based cropping patterns, yields and field soil test results.

f. Application Schedule and Limitations

i Schedule of Applications and Methods

Prior to field application, the owner will test the nutrient levels in both the lagoon and solid manure. The owner will continue to sample both the lagoon and solid manure in the spring, mid-summer and fall until the records consistently and reliably show the approximate nutrient content of the manure at each period.

Application of liquids and solids will be done during favorable climatic conditions and crop condition. Application of manure will be done at appropriate times of the year to utilize nutrients for high forage production. Solids and liquids may be applied when climatic conditions and cropping patterns allow.

RECEIVED

MAR 03 2017

OWRD

Stored liquids are pumped through the center pivots, big guns or shanked into the cropland. Slurry from settling cells is shanked or spread using a honey wagon and slurry wagons. Solid manure is applied using conventional end spreaders or side slingers.

ii Application Limitations and Guidance

The application limitations are:

1. All liquid and solid manure applications are applied at agronomic rates.
2. Manure will not be applied to saturated soil.
3. Manure will not be applied during any precipitation that is excessive enough to cause ponded water.
4. Solid manure intended for field applications, may only be temporarily stored on field corners or staging areas up to 4 months prior to application. Solid manure may not be stored in the field corners from November thru February, and cannot have any free draining moisture.

iii Guidance for Winter Manure Applications

Only apply manure during this time period if the following guidelines can be met. Call the ODA CAFO Program for guidance if a manure application is needed and the guidelines can't be met.

1. Apply manure only to actively growing crops such as pastures or cover crop.
2. Minimize application rates by using the maximum practical travel rates for the application equipment.
3. Maintain a 100 foot setback buffer distance from all down gradient surface ditches or ponds.
4. Do not apply during rainfall events that are expected to result in saturated soils or surface runoff.
5. Do not apply to saturated or flooded soil.
6. Do not apply to slopes greater than 5%.
7. Application of manure to frozen soil should be avoided if possible. Do the following guidelines if manure is applied to frozen soil.
 - a. Apply only enough manure to address storage limitations.
 - b. Minimize applications to 5 wet tons per acre or less for solids and 6,788 gallons (0.25 inches) per acre for liquids or slurry.
 - c. Apply to fields of established hay, pasture or fields containing at least 90% cover and the furthest from surface water sources.
 - d. Do not apply manure within 200 feet of surface water sources, drainage ditches, wells, or inlets to subsurface drainage systems.
 - e. Runoff control systems such as earthen dikes must be in place where applications are made to fields with slopes greater than 5%.

iv Irrigation Water Management

Application of irrigation water is managed relative to lagoon water applications to minimize leaching of soluble nutrients or runoff. The applications should not exceed the field capacity of the soil. Lagoon water applications will not satisfy crop water requirements. The majority of the crop water requirements will be satisfied using irrigation water. AgriMet will be used for estimating crop specific water requirements. Crop root zone, soil water holding capacity, and allowable depletion values will be those shown in AgriMet.

A local consulting firm provides weekly evapotranspiration (ET) estimates for each crop. The farm operates each pivot the hours per week necessary to meet the weekly ET estimates.

Pump(s) will be operated and maintained according to manufacturer's manual. Liquids will be drained from pump during freezing weather. Pump will be inspected periodically to prevent debris from wrapping around the impeller. Broken lines will be replaced or repaired. Loose connections will be tightened. The agitators, pumps and electrical controls will be periodically

v Pumps

Pipeline routes and water line will be inspected periodically for leaks. Any leaks, damaged sprinklers and or broken pipes will be repaired and or replaced. The irrigation pipes will be flushed periodically to assure no sediment buildup in the lines. Water will be drained during cold weather to prevent frozen lines and possible breakage. Shut off valves will be inspected annually. Broken valves will be replaced.

iv Irrigation Pipeline

Settled solids removed from the screen separators, settling cells or lagoons are dried and stockpiled for bedding. The grading needs to be maintained so that all runoff is contained within the manure drying area and directed to the storage lagoon.

iii Manure Handling Areas

All foreign material such as tumbleweeds and other foreign debris will be removed from the lagoon cells and pipes. Promptly repair all leaks around valves, fittings, and pipelines. Eradicate or otherwise remove all rodents and/or burrowing animals that have or can potentially damage any part of the soil liner. Immediately repair any damage caused by their activity. Do not allow livestock access to the liner. Immediately repair any vandalism, vehicular or livestock damage.

ii Settling Cells and Storage Lagoons

Routine operations of the storage lagoon cells include monitoring the collected flush water flow into the settling cells. During the spring and throughout the summer months, the settling cell and storage lagoons are cleaned. Routine activities include maintaining the concrete pad and curbs such that all runoff and drainage is captured and directed towards the settling cells. Once a separated solids mound has been allowed to free drain of moisture, it is transported to the manure drying area. Any material hauled to crop ground is documented by recording number of loads, date, material, and destination.

i Screen Separators

The screens are operated and maintained according to the manufacturer's recommendations and procedures. In the event that the separators are not functioning properly, the manure stream is diverted to the settling cells. The following identifies the general operation and maintenance procedures required to ensure proper function of each component of the manure handling facilities. The operator will contain all wastewater within the facilities.

h. Mechanical Operation and Maintenance

Mortalties are hauled to the designated area approved by ODA for regular pickup by a rendering facility or hauled weekly to the landfill.

g. Animal Mortality Management

OWRD

MAR 03 2017

RECEIVED

inspected to ensure proper operation. In the event of a power failure generators will be used as backup power.

vi Trough or Tank

Watering facilities will be inspected periodically. Damaged facilities will be repaired. Float valves will be maintained in working order. Areas immediately around the facilities will be maintained in a stable condition.

3. Record Keeping and Reporting

a. Manure and Soil Testing

The nutrient content of all applied manure sources will be tested to determine the correct application rates to satisfy crop requirements. Samples will be taken at least once during the time it is to be used.

Liquid manure samples can be taken from the center pivot sprinklers during application or from the lagoon. Samples will be placed in a screw lid container and frozen prior to shipping unless shipment is to occur that day. Liquid manure tests will include total nitrogen (TKN), phosphorous (P) and potassium (K) at a minimum.

In the case of daily or frequent spreading of slurries or solid manure, samples will be taken over a representative period. In a manure solids pile, collect samples from a variety of locations. The samples will be placed in a non-leaking airtight container. The samples will be placed in a freezer until shipment unless shipment is to occur that day. Solid manure tests will include total nitrogen (TKN), phosphorous (P), potassium (K) and moisture content at a minimum.

Soil sampling will be conducted at the depths and frequency as specified in the NPDES permit.

Soil sampling will be required to monitor the nutrient balance of the fields. Nutrient planning will be based on soil tests. Each field will be tested in the fall of each year after harvest. Soils will be sampled with as many as 10-20 samples per field. The samples will be mixed and placed in a suitable container for shipping. If shipping is delayed, the sample will be frozen until shipment. Additional information for soil sampling protocol and interpretation can be found in the OSU Bulletins.

The following documents provide protocols for testing: manure, litter and process waste water; measuring crop nutrient removals; soil testing to evaluate nutrient application and crop uptake, and calculating manure application rates.

- PNW 570-E, Monitoring Soil Nutrients Using a Management Unit Approach
- E306, Manure Sampling & Analysis
- EM 8768, Calculating Dairy Manure Nutrient Application Rates.
- EM 8832-E, Post-harvest Soil Nitrate Testing for Manured Copping Systems West of the Cascades

b. Inspections

1. Daily inspections: water lines.

RECEIVED

MAR 03 2017

OWRD

2. Weekly inspection: storm water diversions, run-off diversions, waste transport, conveyance structures, storage structures, storage structure volumes.
3. Periodic inspections: equipment used for land application of manure liquids and/or solids when in use.
 - a. Center pivot sprinkler packages will be checked by using rain gauges to verify the pivot application charts are correct.
 - b. Slurry and solid manure equipment calibrations will be done according to EM 8768 listed previously.

c. Record Keeping

i Record results of:

1. Daily inspections.
2. Weekly inspections.
3. Periodic inspections.
4. Corrective actions taken, explain those not corrected.
5. Expected crop yields (if not in the plan).
6. Applications of manure, litter and process waste will be kept, including the date, location, and the amount of N and P applied during each application.
7. Weather conditions at the time of manure, litter or process water application and 24 hours before and after application.
8. Total amount of manure or wastewater transferred to other persons, including date and amount of each transfer and the name and address of each recipient.

ii REPORTING TO OREGON DEPARTMENT OF AGRICULTURE (ODA):

1. Any discharge will be reported orally to ODA within 24 hours. Within 5 days, a written statement describing this discharge will also be submitted to ODA.
2. The amount of manure, litter and process waste applied will be reported annually.
3. The amount of manure, litter and process waste exported will be reported annually.

iii OPERATION REQUIREMENTS

1. Must have depth markers in all surface liquid impoundments (i.e. lagoons, ponds, tanks). Markers must indicate:
 - a. Maximum design volume (freeboard).
 - b. Minimum capacity necessary to contain 25-year, 24 hours rainfall event.
 - c. Depth of manure and process wastewater.
2. Maintain setback area within 100 feet of any down gradient surface water, open tile line intake structure, sinkholes, agricultural wellheads, or other conduits to surface and ground waters where manure, litter, and other process wastewaters are prohibited. As a compliance alternative, and if demonstrated to the satisfaction of ODA, the permittee may:
 - a. Establish a 35 ft vegetated buffer where manure, litter and other process waste waters are prohibited: or
 - b. Demonstrate that a setback or vegetated buffer is not necessary or may be reduced.